

PHARMACOPŒUS
ET
CHYMICUS,
SYMMYSTÆ;

SEU
Pharmacopœia Chymica.

In Quâ
Medicamenta Alphabeticè digesta
tàm Chymica quàm Officinalia, Sci-
tu dignissima, uno quasi intuitu lé-
genda simul & pernoscenda, Lectori
Subjiciuntur.

EDITIO ALTERA,
Priore locupletior per Additionem Medica-
mentorum quorundam in Chymiâ & in Me-
dicinæ Praxi præstantissim. quæ simul omnia
congesta sunt in Appendicem.

Authore JOSHUA LASHER. M. D.

L O N D I N I,
Impensis *Annæ Speed*, & prostant venales ad In-
signe Trium Coronarum in Viculo vulgò vocato
Exchange-Alley, e Regione Bursæ Regalis in Corn-
hill. MDCCVI.

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

OLIVARIUS

R

F

scr

nu

di

In

Reverendo admodum in
Christo Patri, & Do-
mino, D. *JOHANNI*,
Providentiâ Divinâ,
Episcopo Oxoniensi, &
Præsidi Collegii Mag-
dalenens. omnibus aliis
titulis longè celebri-
ori.

*PHarmacopœiam hanc in Consan-
guinei mei gratiam primò con-
scriptam, sed in plurimorum usum
nunc tandem elaboratam, ut in me-
dium exponerem, fecit & Nominis
Tui dignitas, (Præsul Amplissime)*



Epistola Dedicatoria.

Et patrociniū Tuum vel à malignis
(si qui adsint) nunquam convellen-
dum. Pauci fortassè regerent, quor-
sum hæc Humana cum Sacris ? quid
commerciū habet Medicina cum In-
sulâ ? nullibi Sanè intimior, nullibi
Sanctior intercedit necessitudo; quip-
pe novum non est. ut per nosocomi-
um ad Ecclesiam pateat aditus; ne-
que ipsa Anima (divina ista Scin-
tillula) domicilium aptius aut ele-
gantius unquam incolit, quàm cum
in corpus sanum, Et à Sordibus re-
purgatum illi commigrare liceat. Sa-
cris etiam literis quemcūque vel me-
diocriter imbutum non fugit, in æ-
gris sanandis quot miranda præ-
stitit Salvator Noster, qui ut Dei
Opt. Max. Se clariùs probet Uni-
genitum, pro summâ suâ misericordiâ
primò se Filium esse Hominis osten-
dit ;

Epistola Dedicatoria.

dit ; nimirum à corporis sanatione, ipsius Animæ Salutem auspicatur ; & à Demone, ceu morbo, prius excluso, seipsum protinus infundit. .

Magnifica quædam, quoad Animi corporisque Tui dotes, sed extra solitum & sædum istum Magnates adulandi morem, dicere mecum staturam ; clamant autem ferè omnes optimi, qui Te omnium optimè nòrunt, quòd non tam magna, quàm propria atque alteri non danda, capacem sed & modica affectantem animum Tuum Semper oblectârunt ; Tua siquidem inter homines, vix hominis vita ; nova probitas, constantia, morum integritas : ideoque haud à me impetrare possum, quin hîc loci, & quid Tu, & quid Tecum tota ferè passa est Respubl. paucis commemorem ; Iræ maximè patiens è Collegio

Epistola Dedicatoria.

legio Tuo tanquam à privatâ domo
quondam cessisti, atque eò quòd in-
clementèr olim jussit Princeps, Tu
(veniet & hoc in æternum postero-
rum exemplar) clementiùs ideò, &
statim paruisti; neque enim queru-
lus mandatum excepisti, sed eâ con-
stantiâ, eâ animi æquitate, tan-
quam pro virili Tuâ parte innocentiam
Principi donares: Verùm hæc
notiora sunt quàm ut jam enarrem,
pejora quàm ut refricem, omni-
bus quippe bonis inuisa, & Autho-
rum fortunis maximè infesta. Dif-
flato tandem malo isto, seu Spiritu
Dæmoniaco potiùs ejecto, Tecum
Magdalena Tuæ rediit mens sana, &
non fucata Religio; quam cum ex-
emplo Tuo stimulas indies & illu-
stras; & Collegio simul & Eccle-
sia, quibus Utrisque felicissimè præ-
sides,

Epistola Dedicatoria.

fides, invigilare tam acriter contendis; quis quæso è Vulgo est, qui Sublimioribus (& par Tu quidem maximis) Sacris capeffendis Te natum, imò mox futurum, non possit non certò augurari? quod in mutuam Reipubl. & Ecclesiæ salutem festinantiùs ut fiat, ex animo Tibi devotissimo precatur

Servorum Tuorum

Humillimus & Addictissimus

Josb. Lasber.

PARÆNESIS.

A D

PHARMACOPOEOS.

HUIC usque in rebus Pharmaceuticis, tanquam ità comparatum esset à Naturâ, nec parèr Chymicus, nec Superiorem tulit Pharmacopœus; Uterque quidem Opifices magni, & dum intra Medicinæ pomæria operantur, omnium præstantissimi; Sacros cujus limites, adultâ jam ejus ætate, vel jactantèr vel contemptim transilire, illis non levius ac ipsi juveni. *Remo* piaculum habeatur. Annales Utriûsque si Spectas, pari passu simul ambulant, simul adolescunt; & *Tabulam Smaragdinam* si Chymicus, *Trismegistum* suum sibi habuit Pharmacopœus: Utriûsque Natalitium ex hoc a-

Parænesis ad Pharmacopœos.

bundè inclaruit, quòd primævum fuerit, quòd ipsis Mundi incunabulis penè coætaneum, & è cerebro plusquam humano excussum, originem planè divinam sapiat & ostendet: Fautores, (in confesso est) Patronosque plures nacta est Chymia, eò quòd foliis suis inflatior aureos sibi montes pollicita est Tactu raptim efformandos; dum absque famæ aut temporis dispendio crumenas verè aureas reportavit Pharmacopœia: Utrique verò, apud æquos rerum arbitros, quicquid & contra crepant aut Chymistæ carboniperdes, aut triobolares Phlebotomatores, ex opere crevit dignitas; & ex Utrisque alterutra, quò plus in humani generis Salutem contulit, eò pluris est autoritas, plus & officii sui, plúsque ad exemplar Divini Opificis præstare teneatur. Norunt autem qui vel in Chymix Orgiis tantùm initiati sunt, illam contendere, ab immundâ rerum illuvie nitidissimum quodque, ab impuro purissimum, & ut manus Dei manibus quodammodo similes obtineret, quidquam ex quoquam, & ex nihilo penè sui, posse elicere: nôrit etiam & Ars
Pharma-

Parænesis ad Pharmacopæos.

pharmacopœetica, quanquam non ex Mineralium familiâ, è Republicâ tamen Vegetabilium coloniam quàmque præstantissimam deducere; & reliquam Medicamentorum aciem sub Imperatore Medico sic instruere, ordinare, & quasi ad Tacticorum leges ità disponere, ut totum Hominis & Morborum intestinum bellum prosùs expediat & amolietur. Materiam Utriusque nè quis speret certam ponere, idem enim ambitus & Hanc & totum terrarum orbem simul concludet: Utriusque cultores si quis scire desideret, nullibi maiorem Antesignanorum copiam intueri liceat aut venerari, quippe qui Medicinam à limine tantùm Salutare cupiunt, in Utriusque Sacris operari non erubescunt: Adepti verò, Pharmacopœiam planè mancā & claudicantem, Chymiamque ut fumis malè adumbratam, è suis esse non agnoscunt, nisi Supremam tabulæ manum admoverit ipse Medicus: & quidni Socias manus admoveat? Chymicos ut servum pecus non est quòd ex alto despiciat Medicus, nec Pharmacopæos ad Officinas tanquam ad pistrinum damnatos præcul releget; Utrosque

Parænesis ad Pharmacopæos.

Utróſque ſecum connatos habuit, Utróſque foveat; quosque omnes ab infantia Medicinæ conjunctiſſimos, neſcio quod factum rebus noſtris inſolens, nimis petulanter diſcriminavit: non eſt quòd res ſuas famâ Diminutas ire indè metuat Pharmaceutice, quippe nunquam ornatior apparuit Jätrice, quàm cùm Utriuſque manus ſibi ancillantes experta eſt; & ex mutuis operis ſic exercitis, ſic in Reipubl. Salutem exhaustis, quid non magnum: quid non optabile, quid non eximium in Medicinâ tandem exurgat? Sub gemino hoc Satellite ſtipata, à morborum Spiculis hinc & indè volitantibus non eſt quòd ulterius ſibi caveat; ſi quæ arma ad res ſuas minus expedita, ſi quæ tela ad transfodiendos hoſtes minùs acuta ex Officinis depromſerit, ad valentiora Chymix Ergaſteria ſe ſtatim conferat; ibi, quod hoſtibus improviſum, quod infeſtiſſimum, quod inimicâ mole rem aggrediatur, inveniat; quin ſi mitiùs agendum eſt, & quaſi eminùs dimicandum, è Pharmacopolio quod ſanum, quod lene, quod ſub mellis nomine vim omnem venenatam exuperet, ad
impe-

Parænesis ad Pharmacopæos.

imperium ejus evocandum est. Regeret, scio, Chymicus, non opus est ut tot ad-
miniculis sese sustentet Medicina, quòd si
tot hisce defensoribus ad praxin ejus sta-
biliendam egeat, & garrula sequens Phar-
macopæia à nostris sumpta & nobilitata
mox proster venalis in medio, tota pau-
latim in Officinas irrepet Chymia; &
quem modò Satellitem sibi gratulatus est
Medicus, hostem jam factum & in poste-
rum insidias clanculùm parantem expectet:
Arma tua mitiùs, obsecro, quatiàs Alchy-
mista, nulla hîc in Te sunt intentata, nec
Tibi (ut aiunt) aquâ aut igni tuo interdi-
cimus; focos tuos ipsis Laribus constan-
tior quantum maxime colas, & apud
fornaces tuas tuorum sub tutelâ Penatum
vigilatas noctes illæsus trahas; Ars Spa-
gyrica pretii plenissima, & quod tibi &
quod aliis placeat, potis est abundè sup-
peditare; Argonautam igitur tibi sumas
Pharmacopæum, Ventis magis secundis
nunquam turgescant vela, quàm dum sub
Medico duce auspicii, Aureum istud vel-
lus à plurimis longè latèque petatum, non
parcè aut partim, sed pleno licet alveo re-
portare possis.

Per

Parænesis ad Pharmacopœos.

Per sequentes hujus Pharmacopœiæ paginas in penitiora Chymiciæ adyta non descendimus, suam Chrysopœiam vel Hesperidum hortis oculatiùs custoditam non aufferimus hîc surripere; non Metallurgiæ labores, vexationes Minerales, aut Metallicas metamorphoses introduximus; hæc & plura istiusmodi Artis Hermeticiæ Mystéria à nostris chartulis longè exulant; Solum id quod in rem Pharmaceuticam Operarios nostros plenius erudiat, quod Chymiam non levitè sapiat, quòdque Chymiatrum ipsum non oscitantèr moneat, apertè hîc enarratur: Verùm enim verò si quid ex imis Medicinæ fontibus, quàm quòd mera Pharmacopolii vada deceat, altiùs degustandum indicavimus, pax ab Antistitibus nostris solùm exoranda est; sed ea meherclè gentis Medicæ erga humanum genus semper fuerit misericordia, ut immane quantum illi doleat; modò quidpiam in citiorem ejus medelam pertinacitèr tacere teneantur.

Nec dum finitur Orestes, Vos Pharmacopœi; quin si Omnium præsertim Medicorum oculos in Vos convertere velitis,

Parænesis ad Pharmacopœos.

litis, si quid amor proximi, si quid ardens divitiarum cura vos tangat, in fortunas vestras ampliùs, quæso, sapite; intima rei Herbariæ notitia studia vestra provocet, omne otium vestrum penè exhauriat; habet Hæc quod oculos simul animosque pascat; & quoniam nè quid humile de minutissimâ hujus Familiæ herbulâ, nè quid mediocre forsan sentiretis, harum cui-libet vim, imò signaturam non levitèr impressit Deus.

Postremùm autem, nè quid ad explendum Pharmacopœiæ cultum tandem desideretur, nè præ Vobis cristas suas attollat Chirurgia, vos in exercitationibus Anatomicis non mediocritèr versatos esse volumus; ut cadavere nunc sano, nunc morbofo diligentius pernoto, medicamentum quodnam incusandùm, quodnam admittendum sit, ritè æstimetis; & quali denique, quantæque Oeconomiae inservire semper sategistis: Sic Vos non ampliùs appellat ministros suos Medicina, sed Socios, sed curarum & Arcanorum participes vos admittet; & quicquid mendo aut Chymia aut Chirurgia præ
fastu

Parænesis ad Pharmacopæos.

fastu immodico de seipsis falsò glorientur,
omne id in Vobis stabile, ratum, atque
omnibus numeris absolutum esse præstabit
Medicus. Sed eccum ipsum, crepant
fores, prodit Pharmacopæus in proscenium.

Impellit Deus.

Postquam autem, ut quid ad exper-

iam Pharmacopæos eorum tandem de-

scribitur, ut in his causis, ut in

rebus, ut in casibus, ut in

Astomatibus non medicamentis, ut in

voluntate, ut in cadavere, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

medicamentis, ut in medicamentis, ut in

Medi-

MEDICAMENTORUM

IN HOC

Libello Chymicorum

FA SCICULUS.

A.

A cetum Destillatum.

— Radicatum.

Æthiops Mineralis.

Aluminis dulcificatio.

— *Aqua Magistralis.*

Amalgamatio, quid.

Antihæcticum Poterii.

— *Processus alter.*

Antimonii præparata. Bezoarticum Minerale.

— *Butyrum, sive Oleum.*

— *Calcinatio.*

— *Cerussa.*

— *Cinnabaris.*

— *Crocus*

Medicamentorum in hoc

- *Crocus Metallorum, five Hepar Antimonii.*
- *Diaphoreticum.*
- *Flores. Albi fixi.*
- *Probatio.*
- *Regulus.*
- *Sulphur. Inflammabile. Auratum.*
- *Tinctura. Tinctura Vitri Antimonii.*
- *Vitrum.*
- Aqua Fortis Simplex, & duplex.*
- *Mellis, & Spiritus.*
- *Regia. & Regia Zwelferi.*
- Arcanum Corallinum Paracelsi.*
- *Duplicatum, five Sal Ducis Holsatiæ.*
- Arsenici, five Realgaris fixatio.*
- *Magnes Arsenicalis.*

B.

- Balsamum Apoplecticum.*
- *Martiale.*
- *Uulnerarium.*
- Benzoin. Flores.*
- *Lac.*

C.

- Corn. Cerv. Spiritus, Oleum, & Sal volatile.*
- E. Elix-*

Libello Chymicorum Fasciculus.

E.

Elixyses Magistrales conficiendi modus.

— *Elixir Proprietatis.*

— *Proprietatis Tartarifatum.*

Extractum Absinthii.

— *Febrifugum.*

G.

Gilla Theophrasti, quid.

Glauberi Alkabeft.

— *Sal mirabile.*

— *Spir. Salis marini.*

L.

Jovis Amalgamatio.

— *Calcinatio.*

— *Cryftalli, five Sal.*

— *Precipitatio.*

— *Regulus.*

L. Lac.

Medicamentorum in hoc

L.

- Lac Virginis.*
Laudana conficiendi modus.
— *Laudanum Helmontii.*
— *Opiatum.*
— *Liquidum Sydenham.*
— *Universale.*
Lunæ Calcinatio.
— *Calcinatio immersiva.*
— *Crystalli.*
— *Hydragogæ præparatio.*
— *Pilulæ.*
— *Solutio & Tinctura.*

M.

- Magisterium, quid.*
— *Gumm. Gutt.*
Martis calcinatio immersiva.
— *Crocus aperitivus & astringens.*
— *Potabilis.*
— *Regulus.*
— *Sal.*
— *cum Sulphure præpar.*
— *Tinctura Mynsichti.*
— *Aperiens*

Libello Chymicorum Fasciculus.

- *Aperiens, & adstringens.*
- Mercurii optimi Nota & Probatio.*
- *Præcipitatus diversi coloris.*
- *Præcipitatus rubens dulcis.*
- *Purificatio.*
- *Sublimati corrosivi facilis præparatio.*
- Mixtura Simplex, & de Tribus dicta.*
- Mumiæ præparatio.*

N.

Nitri Probatio.

- *Nitrum Cachecticum.*
- *Fixatum.*
- *Fixi liquor, sive Alkahest Glauberi.*
- *Nitratum.*
- *Regeneratio.*
- *Spiritus, & Spiritus dulcis.*
- *Vitriolatum.*

O.

Odorifera conficiendi modus elegantiss. & Usus.

Olea Chymica quomodo, & ex quot rebus destillanda.

- *Oleum Cerae.*

Opium

Medicamentorum in hoc

Opium præparatum.

Oxysaccharum Emeticum.

R.

Resina Jalapii.

S.

Salis Ammoniaci Flores.

— Flores Martiati.

— Sal volatile, & Spiritus.

Sal polychrestum Parisiense.

Sal Prunellæ, Lapis, sive Crystallum Minerale.

Sapo Tartareus.

Saturni Balsamum.

— Calcinatio.

— Cerussa, & Minium.

— Saccharum, sive Sal.

Solis Calcinatio immersiva.

— Aurum fulminans.

— Aurum Musivum, sive Mosaicum.

— Regulus.

— Tinctura.

Spiritus Chymici quomodo, & ex quot rebus sunt eliciendi.

— Anti

Libello Chymicorum Fasciculus.

- *Anti epilepticus.*
- *Croci.*
- *Fuliginis*
- *Salis, & Sp. Salis dulcis.*
- *Sanguinis humani.*
- *Vini, & Sp. Vini Tartarificatus.*
- *Urinæ, & quomodo compendio paretur.*
- Succini Tinctura Helmontii.*
- *Oleum, Spiritus, & Sal volatile.*
- Sulphuris Balsamum Terebinthinatum.*
- *Flores, flavi & albi.*
- *Lac liquidum & Solidum.*
- *Oleum per campan.*
- *Tinctura.*
- Syrupus Balsamicus.*
- *Chalybis.*
- *Diasulphuris.*

T.

Tartari Calcinatio.

- *Cremor & Christalli.*
- *Emeticum.*
- *Oleum per deliq.*
- *Sal, & Sal compositum.*
- *Salis Tinctura.*
- Spiritus & Oleum.*

Vitriola-

Medicamentorum in hoc

- *Vitriolatum.*
- Tinctura Castorei.*
- *Corallii.*
- *Croci.*
- *Hiera, seu Sacra.*
- Turbith Minerale.*

V.

- Veneris Calcinatio.*
- *Crystalli.*
- *Crocus.*
- *Ens.*
- *Regulus.*
- *Spiritus, seu Acetosus esurinus.*
- *Tinctura.*
- Vitriolum Album.*
- *Calcinatio Philosophica.*
- *Colcothar.*
- *Vitriolum Martis.*
- *Vitrioli probatio.*
- *Sal.*
- *Spiritus & Oleum.*
- *Spiritus Philosophicus.*

PHARMA.

PHARMACOPŌEUS

E T

CHYMICUS,

SYMMYSTÆ;

S E U

Pharmacopœia Chymica.

A C.

A *Cetum Destillatum* : R̄ Acet. Vin.
alb. fortiss. q.s. imple Cucurbitam
vitream vel lapideam usque ad
dimidium ; & in Balneo vel
Cineribus destilletur, primò lentum ignem
admovendo, ut ascendat Phlegma ; dein,
ubi jam aciditatem odore & sapore depre-
henderis,

B

henderis, mutetur Recipiens, igne gradatim aucto donec Aceti Spiritus omnes ascendant. Si tamen ad Extracta & usus Medicos usurpare velis Acetum, non nimium urgentur nè ἐμπύρευμα Aceto concilietur : Sed qui ad Metallicos labores uti hoc aceto volunt, usque dum rubri Ω attollantur, nihilque amplius Spirituum exeat, continuant aucto igne destillationem.

Acetum, Chymicis Radicatum, ita conficitur : R̄ Acetum post destillationem residuum. Retortæ vitreæ imponatur applicato Recipiente luto optimè munito ; collocetur in Furno Arenæ, igne per gradus aucto, & ferè spatio vj. hor. liquor acidus & pungens extillabit ; igne demùm intensiore factò, ascendet ☉ fœtidum in parvâ quantitate ; quo separato, liquor tenuis ter vel sæpius cohobando usui servetur.

Aceta Medicata quæ parantur infusione, maceratione, per dies aliquot simplicium insolatione ; & quæ Officinis maximo in usu, sunt Acetum Anthosatum, Caryophyllatum, Rosatum, Sambucinum, Scillitum, Theriacale, Theriacale Norimberg. de quibus consule Pharmacop. Londinens. Ship-toni.

Acetum

Acetum Scilliticum fit semper ad manus, & hoc modo fiat : Scillæ laminæ inter externum corticem & cor mediæ, ex arte purgatæ, & in taleolos sectæ, soli, aut remisso calori exponantur per 30. aut 40. dies ; dein ℥vj. minutim incisa (cultro è candidore ligno, aut eburneo parato) in lagenam demittatur, optimi aceti ℥vj. vel viij. affusis : vasculum ritè obturatum, nè quid exhalet, exponatur æstivo tempore radiis solaribus, 30. vel 40. dies ; postea aperto vase totum transcoletur, & lagenis diligentèr occlusis adservetur. *Quercetan.* *Rediviv.* Quòd si Furni Athanoris igne ex cineribus structo usus fueris, cum ille diu noctûque perseveret, dimidij temporis compendium facies, adeò ut xij, aut ad summum xv. dies sufficiant fermentationi & digestioni hujusce Aceti : tandem materia per colum transmissa servetur vitreis vasculis diligentèr obturatis. Hæc præparatio nullum vomitum ciet, brevior etiam tempore perficitur, tutiusque exhibetur.

Æthiops Mineralis hoc modo optimè conficitur : R̄ ♀ crud. part. 4. flor. ♂ ris, part. iij. agitentur in mortario vitreo, do-

4 *Pharmacepæia Chymica.* A L.

nec omnes globuli Mercuriales penitus evanescant, & massa redigatur in pulverem fuscum tenuissimum, qui paululum asservatus maximè nigrescit.

A L.

Aloë depurata, seu *lota*. Tincturam Aloës in V factam exhala in massam s. a. Fit

Aloë rosata, ex Aloës opt. ℥iiij. succ. ros. Damascen. ℥bv. exhalando per vices ad Pil. consist. s. a.

Aluminis dulcificatio. Faciliorem aluminosæ dulcedinis acquirendæ modum qui cupit, sic procedat: O pulv. in calore Arenæ destill. Phlegma destillatum suo corpori reddat, denuóque hanc destillationem septies repetat, donec totum Phlegma in ejus corpore maneat: paratum O tritum solvatur in liquorem loco humido per deliquium. Hunc liquorem dein balneo per 12. vel 15. dies digere, postea separatis sæcibus liquorem purum filtratum lento igne coägula. Dulcis hujus coäguli usus non tantum in febribus, sed & in Pectoris morbis, præcipuè in Hecticâ, & Sudore nocturno.

Pharmacopœia Chymica. A M. A N. 5
nocturno. Dos. gr. x. ad xv. in vehiculo
convenienti.

A M.

Amalgamatio. Metallorum per hydrargyrum corrosio, Amalgamatio vocatur. Fit autem cum metallum, ferro excepto, in tenues laminas ductum, cum Argenti vivi ad ignem calefacti, ut fumari incipiat, partibus octo, præter propter, (nam in mollibus partes quatuor sufficiunt, duriores octo requirunt) miscetur, ac mistura in aquam infunditur, ut, fiat mistura undique similis. Hydrargyrum postea super igne exhalare permittitur, & metallum in formâ calcis relinquitur.

A N.

Anacollemata sunt, quæ in oculorum affectibus & hæmorrhagiâ narium imprimis fronti applicari solent. Parantur autem ex farinâ volatili, bolo, sanguine draconis, acaciâ, mastiche, mannâ thuris, &c. cum ovi albumine mistis. Efficacissimum autem in hæmorrhagiâ narium paratur Cataplasma.

raplasm. ex gypso cum aceto subacto, & ad crassitiem ij. digitor. fronti & temporibus admoto: Et si prima applicatio non succedat, iteretur.

Antihecticum Poterij: R Regul ♂ Jati, Stanni Anglic. an.q. p. Fundantur simul in Crucibulo, & ubi benè fusa steterint, effundantur, & simul ac refrigerata erunt, comminuantur in pulverem tenuem. Cui admisce Nitri purificat. præter propter dimidiam partem. Totius massæ instituaturn calcinatio in crucibulo, ut artis est in ♂ ij diaphoret. præparatione. Calcinatione peractâ, salsedinem ablue, pulveremque subtilissimum à grumis separato, ut in præparatione Croc. Metall.

— *Processus alter:* R Regul ♂ ij pp. part. ij. Stann. opt. part. j. Fundantur simul. Ubi refrigerata erunt, subtiliss. pulverisent: hisce adde Ⓢ ri puriss. ad pondus omnium. Exactè inter se conterantur, & detonentur in crucibulo candenti, ut artis est. Omnia, ubi calcinata sunt, ex effracto crucibulo eximantur, massam verò in pollinem tenuem conterito, eique pluviam calentem affundito, & cum pistillo agitato, quam lenitè decanta: novam itidem pluviam calentem

calentem infundendo restanti massæ, quousque nihil nisi grumi & sordes in fundo remaneant: liquorem verò lacteum in quieto loco repone, & à cineribus defende: pulverem dein candidissimum ad fundum præcipitatum sæpiùs lava, quousque totalis Ori acrimonia ablata sit: exicca, & usui reserva. Hujus Præparati mentio nullibi occurrit in scriptis Poterij, nisi sub his verbis (ut olim moris fuit) Hermeticè quasi obsignata: *Basis est stella signata Regis, cui benigna Jovis præsentia adveniens, Balneo Mariæ medio, pura & amica naturæ fit.*

Antimonij Calcinatio: R. ☿ opt. minutiss. pulv. & cribrat. q. p. indatur patellæ terræ non vitreatæ, ponaturque super carbonibus accensis, agiteturque perpetuò spatulâ terreâ, ità ut fumus copiosè exhallet (quem caveas) donec concreseat in globulos: terantur hi globuli rursùs, sicut antea, semper expectando, donec concreseat, & concretum iterùm terendo, donec tandem ☿ relinquatur sub formâ pulveris cineritij coloris, & qui carboni vivo impositus, fumum non emittat. Sic ritè Calx erit præparata: inservit parando Vitro ☿ij: potest etiam ex hâc calce cum

Spir. Aceti, & Spir. Veneris, Extrahi Tinctura.

Antimonium Diaphoreticum : R ζ crudi, (alij Regulum ζ ij accipiunt,) part. j. Nitr. puriss. part. iij. seorsim subtiliss. pulveris. mox probè miscendo, per vices mixtura cum cochleari in Crucibulum candens ingeratur, sic materia detonabit; & in massam albam commutabitur. Vase refrigerato, exempta materia iterùm teratur, miscendo cum Sal. Petr. opt. an. eodem modo calcinando, elaborando, 3^a etiam vice similiter peragendo; materiæ, quamprimùm calefit, injiciatur pruna viva, & accendatur, interim Stylo ferreo agitando, ut ex æquo undique conflagrare possit: Massam dein refrigeratam pulveriza, cui superfunde aquam communem vel calidam vel frigidam; agitetur optimè aqua, ut planè turbida reddatur; aquam hanc turbidam effunde, & recentem sæcibus superfunde, eodem modo agitando, donec amplius non turbetur. Aquas omnes confunde, & subsidebit spatio hor. β . pulvis sæpiùs recenti aquâ edulcorandus; pulverem restantem & per pannum emporetic. filtratum super cretam, papyrus, vel
lento

lento Solis calore exicca, & ad usum serva. Notandum est quòd ☿ Diaphoreticum quocunque modo paratum sit, singulis ij. vel iij. mensibus, recens conficiamus; vel jam paratum ☿ diaphoret. vetustum, additâ portiunculâ Nitri, aut etiam absque Nitro, per unam vel alteram hor. igni tradamus, penitusque igniamus, iterumque, si Nitrum additum fuerit, edulcoremus, & parumpèr reverberemus.

Antimonij Probatio: Circa hoc, præter splendorem, & striarum elegantiam, certissima probationis via est, ut frustulum massæ emendæ cum æquali ☿ parte calcinetur; bonitatis signum est, si totum in hepar, & scorias abibit; non secus portio ejus in merum plumbum interdum liquefit. Hoc ritu quandoque ex ☿ ij ℥ij. ℥ni ℥ij. elici possint.

Antimonij Vitrum: R Calcis ☿ ij ritè pp. q. p. ingeratur in Crucibulum super accensis carbonibus benè ignitum in Fornace Anemiâ, injiciendo inter liquefcendum ☿ ij crud. pulv. 3ß. relinquaturque latere tectum per dim. hor. in igne satis valido, donec fluat instar aquæ: Fusum effundatur super lamellam cupream tersam, vel

terream vitreatam, optimè antea excalefactam, ut fluat in lamellas tenues, & pellicidas, quæ erunt coloris hyacinthini, si calcinatio ritè peracta fuerit. Oportet verò refrigerare in lamellâ, ne statim rumpatur.

A P.


Apophlegmatismi : Sunt Medicamenta, quæ ori & faucibus, ad fundendos & eluendos humores adhibentur; non unâ formâ ac modo fiunt, etsi materiâ conveniant. Ex. gr. R. Pulv. Mac. caryoph. sinap. pyrethr. ʒʒ. an. ʒβ. Mell. ʒβ. In Electuar. redigantur, quo palatum inungatur. 2. R. Sem. Staphid. agriæ, eruc. sinap. an. ʒj. Pulv. flor. Beton. hyssop. an. ʒj. Sal. Ammon. ʒβ. pyreth. ʒj. Mastich. ceræ, an. q. s. F. Troch. ex quibus unus teneatur in ore lenitè mastigando, & continuò salivam expuendo, idque manè jejuno ventriculo : 3. Pro delicatis. R. Rad. pyreth. in Oxymelit. macerat. exiccat. & pulv. Staph. agriæ, Sacch. cand. an. ʒβ. Excipiant. mucilag. Gum. Tragac. & F. Masticatorium. 4. Decoct. Salviæ vel Hyssop. cum

cum confectione Sinapeos in eo solut. ori,
& gutturi obvolvatur.

Aquæ Destillatæ : Circa Destillationem monendum est, quòd ex Herbis, Radicibus, & Floribus Omnes Aquæ ferè per ascensum destillantur : atque ex virentibus imprimis, aliisque tenerioribus, quarum vis facilè evanescit, & frigidioribus plerùmque, per Baln. Mar. in cucurbitâ vitreâ aquæ satis bonæ stillantur : Sed calidiores, aromaticæ, & quarum vis profundius adhæret, in Vesicâ destillantur ; imprimis si rectificentur. R. Plantag. Portulac. vel alicujus alterius Vegetabilis frigidi dicti, quant. Satis magnam : huic Superfunde Sal comm. ☐ri crud. an. M. j. aut ij. Aq. comm. q. s. [†]ut 3ia pars Cucurbitæ iis impleatur : macerentur simul per 4. aut 5. dies ; Vel, Si majoribus viribus prædita, & Spirituosa desideretur aqua, per 14. dies. Dein destillantur per Vesicam, aqua destillata Super recentes herbas rectificetur, & usui Servetur Vel,

Exprimatur ex hisce herbis Succus in f. q. R. Hujus Succ. part. j. Aq. comm. p. ij. Herbæ recentis quantum Succus & herba capere possunt : ☉ comm. ☐ri alb. crud.

an. M. j. reponantur per 8. vel 10. dies, donec fermentationem aliquam concipiant; postea destillentur: destillata rectificentur super herbas recentes: & erit aqua omnibus viribus illius Simplicis imbuta.

R. Herbarum cujuscunque calidarum q. v. Salis alcali, M. ij. aut iij. ri crudi mediam partem (Scilicet respectu salis) Aq. comm. q. s. Macerentur Simul: per 4. dies, deinde destillentur ut 3ia pars circiter liquoris abstrahatur, vel tam diu continuando, donec odoris & Saporis plane expers sit aqua; & si placeat super recentes herbas rectificetur. Sunt qui Aquas hanc super parvam quantitatem Simplicium rectificant, & postea Sale proprio imbuunt, unde aquae valde diuturnae & longevae fiunt, quod in Secretis maxime habetur. Verum dantur plurimae herbarum & flores, quae vel nullum vel exiguum valde Sal praebent, in cuius defectu Sal aliud alcali Substitui potest. Semper ad manum Pharmacopœi huiusce artibus instructissimi sint Aquae Sequentes;

Aqua Absinthii destillatur è Summitat. Julio collectis.

Aqua

Pharmacopœia Chymica. A Q. 13

Aqua Absinth. Minus comp. vid. Sp.
Absint. *Aqua Absint.* Magis comp. v. Sp.
Absinth.

Aqua Alkekengi, ex Baccis circa finem
Augusti.

Aqua Aluminosa Magistralis, Fit ex Sub-
limat. Alum. rup. an. ʒij. Aq. Plantag.
Ros. rub. an. ℥ij. coctis ad dimid. & filtra-
tis f. a.

Aqua Angelicæ destillatur ex integrâ plan-
tâ cum stipit. Jun. *Aqua Angelic.* comp.
v. Sp. Angel. comp.

Aqua Anthûs, è Summ. Rorism. Maio.

Aqua Anti-Scorbutica. R. Fol. Ari, coch-
lear. hort. nasturt. aq. Absint. vulg. an. M.
vj. cort. aurant. incis. ʒiiij. N. M. ʒij. in-
funde per noct. in Cerevis. Brunsvicens.
℥viij, & destill. f. a. aquæ primò & ulti-
mò avocatæ, misceantur.

Aqua Apii, ex caule, fol. & flor. Junio.

Aqua Aquilegiæ, ex fol. flor. ac Rad.
Augusto.

Aqua Ari, ex Fol. verno tempore de-
still.

Aqua Artemisiæ, ex Fol. & Summitat.
Julio.

Aqua

14 *Pharmacopœia Chymica. A Q.*

Aqua Aurantiorum, ex Flor. & vocatur
Aqua Naphæ.

Aqua Bardanæ, ex Rad. rec. verno tem-
pore.

Aqua Benedicta. R̄ Ψ Sonant. ℥j. cui af-
funde ∇ ont. bullient. ℥. viij. post com-
plet. ebullit. & debitam residentiam, fil-
tra ad usum. Dos. ℥iij. vel ℥iv. ter in die,
vel pro potu com. per mensem.

Aqua Benedicta comp. R̄ Glyc. rec. ℥j.
cort. Sassa. ℥jss. Uv. pass. exacin. ℥vj. N.
M. ℥vj. Aq. Bened. ℥vj. infund. in frig.
dies ij. & F. colat.

Aqua Betonicæ, ex Fol. Maio, vel ex Flor.
Junio.

Aque Bezoartica ità destilletur ut reser-
vetur Extractum Bezoart. de quâ consule
Pharmacop. Shiptoni. Londinens.

Aqua Boraginis, ex Herbâ Junio flo-
rescente.

Aqua Bryoniæ comp. ità destilletur ut
reservetur Extract. Hyster. de quâ vid. Phar-
macop. Londinens.

Aqua Calendulæ, ex Fol, cum Flor.
Maio.

Aqua Cardui ben. ex Herbâ integrâ, Ju-
nio.

Aqua

Pharmacopœia Chymica. A Q. 15

Aqua Cardui Mariæ, ex Herbâ tenellâ,
Vere.

Aqua Cerasor. nigr. ex Fructu (contus.
nucleis) Julio.

Aqua Chærefolii, ex Herbâ florescente
Maio.

Aqua Chamæmeli, ex Floribus recent.
Julio.

Aqua Chelidonii, ex Herbâ cum Flor.
Vere.

Aqua Cichorii, ex Fol. & Flor. Junio.

Aqua Cinnamomi Hordeata. R. Aq.
Hord. depurat lbviii. Cinnam. opt. contus.
℥xij. Macera ac destilla f. a. in M. B.

Aqua Citri, ex pomis rec. cum toto
contusis.

Aqua Cochleariæ, hort. ex Fol. cum
Flor. Maio. foliis recentibus reaffundenda,
& extillanda, adeoque crebris cohobiis
iteranda.

Aqua Cælestis. vid. Pharmacop. Shiptoni
Londinens.

Aqua Cordialis Saxoniae. de quâ eadem
consulatur.

Aqua Cornu Cervini, fit ex corn. cervi
novellis, Sanguine adhuc Succulentis, in
frustula concisis, & in B. M. vel per se,
vel

16 *Pharmacopœia Chymica.* A Q.
vel cum vino, ad Siccitatem destillatis.

Aqua Epidemia. Vid. Pharmacop. Bate-
anam, & Shiptoni Londinenf.

Aqua Euphragiæ, ex integrâ Herbâ, Ju-
lio.

Aqua Fabarum, ex Flor. Maio. Vel è
Siliquis, Junio.

Aqua Fœniculi, ex integrâ plantâ, Ju-
nio.

Aqua Fortis Simplex. R. Oli part. ij.
 Ori , part. j. His pulver. reple Retortam
terream ad dimidiam vel 3iam partem, Re-
cipiente amplo adaptato, unâ cum com-
missuris luto firmiter inductis; destillen-
tur Fornace Reverberat. ignem admoven-
do, & per 6. hor. gradatim augendo, ut Sp.
colore rubicundiss. ascendat: cùm Sp. in
Recipiente apparet & rubere incipit, non-
nulli linteamenta madida Recipienti appo-
nunt, nè Ω vitrum rumpat, sed à frigore
cogatur. Ubi albi jam Ω apparent, non
ampliùs tantum imminet periculum, &
proptereà ignis augeri potest, dum jam
nihil exeat, & Recipiens clarescat: liquer
extillatus per infundibulum vitreum filtre-
tur, & in Vitro optimè obturato, usui
servetur. Perficitur hic labor plerùmque

24. hor. Si materia sit copiosior, etiam
2. vel 3. dies requiruntur. Dicitur ab Au-
rifabris Aqua Separatoria vulgò.

Si \oplus lum ad albedinem calcinatum pro
crudo Substituatur, fit Aqua Fortis duplex
appellat.

Aqua Fragariæ, destill. ex integrâ plan-
tâ Aprili floriciâ: Vel ex Fructu Junio col-
lect.

Aqua Fraxini, ex Fol. cum Flor. Maio:
Vel è Semin. foliis adhærentibus Autum-
no collectis.

Aqua Fumariæ, ex Herba cum Flor.
Maio.

Aqua Galegæ, ex integrâ plantâ, Julio.

Aqua Genistæ, ex Floribus, Junio.

Aqua Gentianæ, comp. vid. Pharmacop.
Londinens. Reservetur Extractum.

Aqua Gilberti, de quâ consule Pharma-
cop. Shiptoni. Londinens.

Aqua Graminis, destill. è Radic. Maio
collect. Vel, vel ex caulibus cum foliis.

Aqua Hungarica. R Flor. Rorism. vec.
℥xx. Alcohol Vini, ℥xxx. Macerent. per
triduum, dein destilla in M. B. f. a.

Aqua Hyssopi, ex Herbâ florigerâ, Ju-
lio.

Aqua

Aqua Imperialis. vid. Pharmacop. Londinens.

Aqua Juglandium, ex putamin. virid. Jun. vel Jul.

Aqua Jugland. comp. vid. Pharmacop. Londinens.

Aqua Juniperi, ex Bacc. rec. Autumno collect. cum vel sine vino.

Aqua Lactis Alexiteria, de quâ vid. Pharmacop. Londinens.

Aqua Lactis Pectoralis; consule Pharmacop. Bateanam.

Aqua Lactucæ, ex Foliis Maio.

Aqua Lavendulæ, ex Flor. vino irrigatis Julio.

Aqua Lavend. comp. vid. Sp. Lavend. comp.

Aqua Limac. Magistr. de quâ consule Pharmacop. Shiptoni. Londinens.

Aqua Lujulæ, ex Herbâ Floridâ Aprili.

Aqua Lumbric. Magistr. & Spiritus: de his vid. Pharmacop. Londinens.

Aqua Majoranæ, ex Herb. Jul. collect. vel è gemmis cum vino albo.

Aqua Melissæ, ex Herbâ integrâ Junio.

Aqua Mellis. R̄ Mel. puriss. liquat. ℥ij. Arenæ Sicciss. & Subtiliss. cribrat. ℥ijj. ponan.

ponantur in Cucurbitam tam capacem, ut materia tertiam duntaxat Vasis partem occupet; huic Recipiente amplo adaptato, destillatio in furno Aren. ignem lentum Admovendo per 4. vel 5. hor. instituat, donec Phlegma omne ascendat, quod per fumos albicantes percipies, & exemptum usui Servetur; dein Recipiens iterum applicetur, & paulò intensiore gradu ignis, Aqua acida flava, quæ Sp. nuncupatur, extillabit: Vasis refrigeratis, Sp. Cucurbitâ rectificetur, vel Retortâ vitreâ in Furno Aren. igne gradatim aucto totus abstrahatur, & in Vitro usui reservetur.

Aqua Menthæ, ex Herbâ integrâ, Junio.

Aqua Millefolii, ex Herbâ cum Flor. Junio.

Aqua Mirabilis, vid. Pharmacop. Londinens.

Aqua Naphæ, vid. Aq. Aurant. è Flor. destillatur.

Aqua Nymphææ, ex Flor. albis Maio, vel Junio.

Aqua Papav. Rhæados, ex Flor Junio.

Aqua Papav. comp. vid. Pharmacop. Londinens.

Aqua

20 *Pharmacopœia Chymica.* A Q.

Aqua Paralyseos, ex caulibus, Fol. & Flor. Aprili.

Aqua Petroselini, ex integrâ plantâ cum rad. Vere.

Aqua Plantaginis, ex Herbâ floridâ, Maio.

Aqua Pæon. Comp. de quâ consule Pharmacop. Shiptoni. Londinens.

Aqua Portulacæ, ex Herbâ Junio.

Aqua Protheriacalis. vid. Pharmacop. Londinens.

Aqua Pulegii, ex Herbâ floriferâ, Augusto.

Aqua Quercûs, ex germinibus, Maio.

Aqua Raphani, Comp. vid. Pharmacop. Shiptoni. Londinens.

Aqua Regia Zwelferi. R \times Ω rubicundiss. \bigcirc ri, zvj . Sal. gemm. ziiiij . \ominus gemm. prius contusum retortæ vitreæ imponatur, cui Superfund. Ω dictus, & probè mixta per Aren. in Vas recipiens amplum destillentur ad Siccitatem Salis gemmæ, Servetur postea invitro forti benè clauso. Hæc est vera & genuina aqua regia, quâ \bigcirc ad quosvis labores Chymicos Solvi potest Suaviter. In ∇ si dissolv. 4ta pars. \ast , fit ∇ R.

Aqua

Pharmacopæia Chymica. A Q. 21

Aqua Rosar. Alb. ex Flor. alb. ab antheris ac Fol. virid. liberatis Junio collectis.

Aqua Rosar. Dam. eodem modo ex Flor. pp. ut Suprà.

Aqua Rosar. Rubr. ex Flor. pp. eodem modo.

Aqua Rutæ, ex plantâ cum Flor. Junio.

Aqua Salviae, ex Herbâ Floridâ Julio.

Aqua Sambuci, è Flor. Junio; è Baccis Septembri.

Aqua Saxifragiæ, ex Herbâ florente cum Rad. Maio collect.

Aqua Scabiosæ, ex Herbâ cum Flor. Junio.

Aqua Scordii Comp. vid. Pharmacop. Londinens.

Aqua Sperniolæ, per Alemb. è Spermate Ranarum Febr. vel. Martio collecto. Alii Sperma in vase Fictili in terram recondunt, loco sc. aprico, unde in aquam cum tempore convertitur.

Aqua Stephani. vid. Pharmacop. Shiptoni Londinens.

Aqua Tapsi barbati, ex Floribus Junio collectis.

Aqua

22 *Pharmacopœia Chymica. A Q.*

Aqua Taraxaci, ex Fol. Flor. & Rad. initio Maii.

Aqua Terebinthinata Quercetan. de quâ consule Pharmacop. Shiptoni. Londinens.

Aqua Theriacalis, ita ut Servetur Extract. Theriacle. Vid. Pharmacop. Londinens.

Aqua Theriac. per Infus. vid. Tinctur. Theriacal.

Aqua Tiliæ, ex Flor. cum Foliis Maio, vel Junio.

Aqua Tormentillæ, ex Herbâ totâ cum Flor. Maio.

Aqua Tussilaginis, ex Flor. Martio, vel ex Fol. Maio.

Aqua Verbenæ, ex Herbâ cum Flor. Julio.

Aqua Vitæ Hibern. vid. Usquebach.

Aqua Ulmarie, ex Herbâ totâ cum Flor. Junio.

Aqua Urticæ urentis, ex Radic. verno tempore.

Arcanum Corallinum Paracelsi, Sive ☿tus rubeus dulcis, R ☿ij optime purgat. ℥ij. Aq. Fort. ℥iij. in Matraccio colli brevissimi F. solutio ad calorem mediocrem, quod in Furno Arenæ ultra medietatem

dietatem Vasis collocetur, ignem gradatim admovendo, ut fiat evaporatio ad humiditatis absorptionem; hic labor ter repetatur, quo facto, materies exempta & pulveris. Crucibulo usque ad ejus incandescentiam calcinetur, agitando cum stylo ferreo, donec colorem rubicundum acquirat. Materia denique exempta iteratâ accensione V eidem ad eminentiam semidigit. affusi edulcoretur, & exiccetur. Dos. Pulveris gr. 4. ad 5. vel 6. operatur per Vomitum sat violentè, & certius quàm aliud quodvis Qij præparatum, Salivationem ciët.

Arcanum Duplicatum, Sal Ducis Holsatiæ, Panacæa duplicata, sive ☉rum ☉latum: R Cap. mortuum Aquæ fortis (ex ☉☉ri & ☉li an. part. æq. fact.) solvatur hoc aq. ferventi, & digeratur per 24 hor. dein crebris filtrationibus, solutionibus, & coâgulationibus ità depuretur, ut candidissimum existat: Hoc subtiliss. pulv. & cucurbitæ lutatæ impositum calcinatur, ità ut liquefiat. Melioris liquefactionis ergo ☉☉ri p. j. ad Salis illius part. ij. additur. Laborem hunc interdum 2. & 3. vice repetere convenit.

Argentum

24 *Pharmacopœia Chymica.* B A.

Argentum : Vid. Lun præparat.

Arsenici, seu *Realgaris fixatio* : R̄ Sal. Mirabil. Glauberi ℥iv. (quod est Sal ex destillatione Sp. Salis, vel Sp. Nitri, ad siccitatem Salis, vel Nitri, in fundo remanens) Arsenic. alb. crystallisat ʒß. Fluat Sal Mirabile in Crucibulo, cui adde Arsenic. pulv. Fluant simul per hor. integram. Ablue, & aquâ pluviali edulcora Arsenicumque tuum de novo cum eâdem portione Salis fundito : & 3tiâ vice repetito, & ultimò cum Alcohol Vini coquendo ad siccitatem maturetur. Ità enim Arsenicum à suo corrosivo, magnâ ex parte, liberatur.

A U.

Aurum. Vide Solis præparat.

Balneum,

B.

B *Alneum*, Infessus, Græcis ἐλγίθιμα,
 est propriè ventris inferiorumque
 partium, cui æger ad umbilicum insidet.
 Paraturque ex foliis quorum M. vj. x. xij.
 vel plures, radicum ꝑv. vj. feminum ꝑv.
 præterpropter sumuntur, & in Aq. f. q. ad
 3tiæ partis consumpt. coquuntur. Ad
 Thermarum autem & naturalium Balneo-
 rum imitationem Medicus multa in defe-
 ctu thermarum parare potest. Ità in
 Scabie, evacuato satis corpore, R. Alum.
 ꝑijß. Δ ris, ꝑj. \odot ri, ꝑß. Θ lis, P. ij. M. F
 Pulvis ad Balneum: Vel, R. Rad. Oxylap.
 ꝑij. Enulæ, ꝑß. fumar. parietar. betæ, sa-
 ponar. scabios. an. M. iiij. Sem. 4. frig.
 maj. an. ꝑj. \odot ri ꝑß. farin. fabar. in sacculo
 inclus. ꝑij. Coq. pro Balneo, in Scabie &
 cutis affectibus. De Balneis varij usus
 consulatur Mynsicht in Armamentario
 Medico-Chymico Section. 29. pag. 411.

Balsamum Apoplecticum: R̄ Ol. Nuc. Mosc. per express. ℥j. supra tabulam marmoream cum Balf. Peruv. ℥j. optimè teratur, & per se ad meliùs incorporandum reponantur: dein, R̄ Ol. Stillatit. Caryophyl. Cinnam. majoran. lavendul. rorismar. salv. angelic. thym. rhod. limon. aurant. an. gtt. xij. quibus mistis adde Balf. Peruv. ℥j. Ambr. grise. ʒß. Mosch. opt. ʒj. quæ cum Oleis Stillatit. simul supra tabulam alteram lapideam benè malacificentur, & in Balsamum tenuis consistentiæ unà redigantur; quibus artificiosè peractis, cum ☉ nuc. Mosc. priùs trito commisceantur omnia, & laboriosè simul super marmore terantur & lævigentur; hoc postero etiam die repetendo, terendo, & lævigando, donec in Balsamum nigrescentis coloris redigatur.

Balsamum Lucatelli; R̄ Ceræ citrin. in Vin. Canarin. tantillo liquat. ℥j. Ol. Oliv. opt. Terebinth. Venet. in aq. ros. lotæ, an. ℥iß. Coq. lenitèr s. a. addendo Santal. rub. pulv. ℥ij. F. Balsam. s. a.

Balsamum Martiale; R̄ Limatur. ♂ mundat. ʒiv. affund. ☉ Terebinth. ʒv. post guttatim immitte Ω Ori, ʒiij. Digere leni

leni calore dies aliquot, deindè decanta purum s. a. Summum est Vulnerarium.

Balsamum Polychrestum. R^x Sp. Vin. rectificat. ℥ijß. Sarsap. opt. incis. ʒv. Macerentur per dies 3. vel 4. ad minimum, retro fornacem vel ad Solem, & cola: dein adde colat. Gum. Guajac. ʒviiij. Balsam. Peruv. cochl. j. s. a. M.

Balsamum Saturni. R^x ☉ Tⁿi optime crystallisat. & pulv. ʒij. Ol. Terebinth. opt. ʒvj. Matraccio digerantur in Bals. Aren. igne moderato, sexies vel septies in die agitando, donec ☉ colorem rubicundum acquirat; his Camphor. ʒß add. ad solutionem digeratur; quo factò, in infundibulum per gossipium Balsamum transcoletur, in usus Chirurgicos.

Balsamum ⚊ris Terebinthinat. R^x Flor. ⚊ris, ʒj. ☉ Terebinth. ʒiv. Matraccio imposita collocentur in arenam, & primò hor. 2. vel 3. lentum ignem admove, quem postea auge ita, ut lenitè ebulliant, atque in eo postea gradu ignem conserva, donec ☉ Terebinth. tincturam ⚊ris perfectissimè extraxerit, & à floribus ⚊ quodammodò inspissatum observabis: tunc habebis per inclinationem ☉

C 2

five

five Balsamum rubicundum, quod refrigeratum per pannum villosum filtretur & ului reservetur. Paratur & Balsamum \triangle cum \odot Anisi, Succini, Olivarum, Lini, è baccis Juniperi, &c. eodem modo, ut supra.

Balsamum Vulnerarium. Cucurbitam vitream in B. M. ut artis est, collocato eique primum Ol. Hyperic. \mathfrak{ssj} . unâ cum Oliban. myrrh. aloë, mastich. sarcocol. benè pulv. an. \mathfrak{zj} . styrac. calamit. benzoin. an. \mathfrak{zj} . indito: accendatur ignis, & ubi Balneum incalescit, continuo \odot cum gumm. circumagitato, augendo ignem, donec aqua benè bulliat: ubi animadvertis gummi esse dissoluta (nempè si non amplius fundo adhæreant) adde Colophon. Terebinth. an. \mathfrak{zj} . Axung. human. \mathfrak{zvj} . porcin. $\mathfrak{z\beta}$. postmodum Cerae flav. \mathfrak{zvj} quæ ubi soluta fuerint, trajiciantur omnia per linteum rarum, & ubi paululum massa refrigerata est, adde Ol. Petræ, \mathfrak{zvj} . Spicæ, $\mathfrak{z\beta}$. M. Interiùs exhibeatur etiam hoc Balsamum in hæmorrhoidibus internis exulceratis ad. qu. nucis avellan. cum vino calido: quo in casu secretum est.

B E.

Bezoarticum Minerale. R̄ Butyr. ꝯij
 glacialis, q. v. Ei guttatim affunde in vi-
 tro oblongo Ω ☉ri rectificat. q. s. id est,
 quamdiu effervesceat: tum repone in dige-
 stione per diem & noctem, mox destilla
 liquorem limpidum ex retortâ vitreâ, in
 arenâ, ad siccitatem usque; retortâ re-
 frigeratâ, reaffundatur destillatus Ω, &
 adhuc semel destillatio instituatur ad
 siccitatem usque: (non opus est am-
 pliùs repetere affusionem Ω ☉ri, ut
 plerique volunt ad 3tium cohobium, quo-
 niam omnia corpora saturata suo acido
 nunquam ampliùs immutantur, vel alte-
 rantur) oportet verò leni igne uti; tum
 materiam albam relictam in fundo re-
 tortæ aufer, & in mortario vitreo ad pul-
 verem redige: hunc pulverem in cruci-
 bulo mundo super accensis carbonibus
 tamdiu reverbera, donec non ampliùs fœ-
 eat, nec Spiritus corrosivos emittat: sic
 obtinebis pulverem candidissimum, in-
 odoratum, nulliùsque saporis, Regulum
 scil. ꝯij per Spiritum ☉ri fixatum.

B O.

Bolus Armena præp. fit lævigando, rore Majali imbuendo, & in aëre vel ad Solem exiccando.

B U.

Butyrum sive ☉ ☿ij. & Antimon. crud. & elect. ♀ ☿ corrosiv. an. q. v. Terantur in mortario vitreo, misceanturque accuratissimè, tum in retortâ vitreâ reponantur simul in cellam per hor. 48. tum destilla ex arenâ, applicato recipiente vitreo; Retorta colli brevis sit & ampli; detur ignis primò lenis, dein cum igne 3ij gradûs per hor. 4. urgendo: sic prodibit in recipiens primò butyrum liquidum, postea sequetur butyrum glaciale, quod si collum Retortæ obstruat, carbone vivo admoto, butyrum coagulatum fluidum redditur: 3iò auctiore adhuc igne, inferius & superius posito per hor. circiter ij, procedit primò terra quædam fuliginosa subnigra ☿ij, & Mercurij vivi, in parvâ quantitate: ultimò Cinnabaris inten-

intensissimo ignis gradu, quæ fractâ retortâ eximenda est: Butyrum ℥ij cum liquore removendum est, ubi fuligo collo retortæ adhærescere incipiat; quod per novam concurbitam vitream, ex arerâ lento igne rectificâ, quousque ab omni fuligine, & sordibus liberatum sit; quo in casu instar nivis candidum erit, & ex quo fit Mercurius vitæ, & Bezoarticum minerale. Hoc oleum seu butyrum in carbunculis, & quibuslibet sphacelatis ac emortuis partibus à sanis separandis, mirabilia præstat: cum plumaceolo pars affecta levitè inungitur, vel ulcus Serpens circumducitur, nè ulterius serpere possit.

C.

Cassia Extracta pro Clysteribus. Vid. Pharmacop. Londinens.

Casbeiu, seu Catecu. Vid. Pharmacop. Batean.

Cataplasmata, Antiquis malagmata dicta, medicamenta topica sunt mollia, & pultis ferè consistentiam habentia, & tum præcipuè usurpantur, cum emplastorum applicationem membra minùs ferunt.

Cataplasma Apoplecticum. Vide Pharmacop. Batean.

Cataplasma Vigonis ad Contusiones.
 R Furfur. tritic. ℥iij. farin. lentium, ℥ij. Flor. ros. rub. bacc. myrt. balaust. an. ʒj. calam. aromat. ʒiβ. Flor. chamæm. melilot. an. ʒβ. Nuc. cupress. N^o vj. Pulver. omnia, & coq. in Vin. auster. q. s. ad consistent. Cataplasma. addendo Ol. ros. chamæm. an. ʒiij. Vel cum cerâ s. a. F. Catapl.

Cata-

Cataplasma Cynanchicum. Vide Pharmacop. Batean.

Catapl. contra Inflammationes. R Farin. hord. fabar. an. ℥iv. Sem. lin. fœnugr. pulv. an. ℥j. Flor. ros. rub. chamæm. sambuc. summitat. absinth. an. ℥iij. Coq. in Vino, sive communi lixivio, addendo Oxymel. ℥iij. Ol. ros. ℥j. & M. pro Catapl.

Catapl. Pestilentialia. Vide Pharmacop. Batean.

Catapl. Podagricum. Vide eandem.

Catapl. Soleare. Ibidem.

Catapl. Suppurativum. R Rad. lil. alb. Cepar. sub ciner. coct. an. ℥iv. farin. trit. ℥ij. axung. porcin. anserin. an. ℥i℥. croc. pulv. ℥℥. s. a. M. & F. Catapl. his adhibitis si tumor non decreseat, aut non indè mollescat, adde ferment. veter. ℥ij. Pulp. ficuum V extract. M. F. Catapl.

Catholicon. Vide Pharmacop. Londinens.

Cauteria dicuntur medicamenta, quæ adurendi corpus crustamque excitandi vim habent: Herculæ primus cauteria instituit: Sunt autem duplicia, Actualia vulgò appellata, quæ ferro candente perficiuntur; & Potentialia, quæ per medica-

camenta, πύρρινά atque urentia. Materia & compositio multiplex est, ac vix Chirurgus est, qui non hîc aliquid secreti jactitet. Communis ferè omnium materia est lixivium, è quo sapo niger coquitur. Id Sartagine exceptum lentissimo igne coquatur in lapidem, qui tesserarum in formam scinditur cùm refrixerit, ac vitro rectè obturato servetur, undè lapidem corrosivum vulgò appellant.

Cauterium Potentiale. Vide Pharmacop. Shiptoni Londinens.

C E.

Cerata. Tres secundum materiam Ceratorum sunt differentix: Vel enim componuntur tantùm ex cerâ, oleo, resinâ; vel ex iisdem, additis præterea pulveribus; vel præter hæc omnia, gummi & succi adduntur. Parantur autem hoc modo: si ex pulveribus saltem, oleo & cerâ fieri debet ceratum, cera & oleum ad ignem dissolvantur, pulveresque sensim inspergantur, & accuratè misceantur. Si pinguedines, gummi, vel alia igne liquanda recipiuntur, cum cerâ liquentur. Si gummi

mi in aceto aut vino dissolvenda adsunt, prius solvantur, oleo & ceræ misceantur, & acetum aut vinum coctione absumatur; hinc pulveres inspergantur. Si radices, fructus, vel semina addere placet; hæc prius coquantur; colatura iterum cum oleo coquatur ad humoris consumptionem. Tandem adduntur liquata & trita cætera, miscenturque omnia, & ad usum servantur. Ubi verò recentia in præsentem usum præscribere libet, ad magnum ceratum sufficiunt ℥iijß. ad mediocre ℥ij. ad parvum ℥j. & quidem specierum ad mediocre ceratum, ℥iij. vel iv. sufficiunt. Qualia in Pharmacopoliis parata haberi debent, sunt

Ceratum infrigidans; quod vid. sub titulo *Cerati Albi*, in Pharmacop. Batean.

Ceratum de Galbano; de quo vid. Pharmacop. Shiptoni Londinens.

Ceratum Santalinum; ibid.

Cerevisiæ medicatæ. Cerevisia Cataplasmas, sive ad Scabiem; de quâ consule Pharmacop. Batean.

Cerevisia Hydropica. Ibid.

Cerevisia Scorbatica. Ibid.

Cerevisia

Cerevisia Scrophularia. Ibid.

Cerevisia Vernalis. Ibidem. Vernalis altera, eademque Autumnalis. R. Rad. Oxylap. pp. polypod. quer. an. ℥iij. Rub. tinctor. ℥ij. Rhabarb. Anglican. ℥ij. Fol. Senn. ℥iv. Epithym. ℥ij. Santal. circ. ℥j. Sem. cartham. coriand. an. ℥iſſ. incif. & contuf. s. a. F. Sacculus pro 4. cong. Cerevis. post vj. dies fumatur ad ℥xij. plus minus manè: Cerevisia hæc Vere & Autumno per plures dies fumenda, & à quibusdam quotannis per totam vitam religiosè observatur.

Cerussa ♂ij, è puriore ejus parte, sc. Regulo cum ☉ro calcinato, (procedendo ut suprà in ☿io diaphoretico) parata, solummodò calx ejus purior, seu magis defæcata existit: in ejus præparatione ☐ additur, quoniam Regulus Sulphure (sine quo Nitrum non efflagrat) pauciore dotatur.

Cerussa Serpentaria. Id est, Fæcula Ari.

C H.

Chalybs præparatus. R. Limatur. ♂tis ex aciculis, q. p. hanc in Mortario terreo in

in pulverem tenuiss. contunde, & per cribrum angustum trajice: ferrum hîc habes ad incruentos quosvis usus instruatissimum.

Chalybs cum Δ re præp. R. Laminam opt. \S tis in Fornace Fabri Ferrarii intensissimè ignitam, cui suprâ vas aliquod aq. plenum detentæ Magdaleon Δ is admoveatur, ut \S guttatim in globulos liqueſcat, donec expetita quantitas habeatur; hæ guttæ dein ad consumptionem Δ is calcinentur, & in mortario terantur, ut in pulverem subtiliss. redigantur.

CI

Cinnabaris, \S ij. R. Caput mortuum relictum in destillatione butyri \S ij. redigatur in pulverem: Hic Sublimetur vel ex Phialâ parvâ, vel ex retortâ vitreâ sed loricatâ in igne aperto, itâ ut retorta probè igniatur: Sic Spatio hor. j. vel duarum caput mortuum serè totum Sublimabitur in collum retortæ relictò in fundo pauxillo \S ij crudi, quod Chymicis \S regeneratum dicitur: retortâ refrigeratâ & fractâ eximatur Cinnabaris, Separeturque à



38 *Pharmacopœia Chymica.* CL. CO.

à Scoriis, & Q̄io currente & hærente in principio colli; quæ in mortario vitreo radacta in pulverem, Sæpius eodem modo rectificatur, Sublimatûrque per se ex vitro puro, donec planè Sanguinei coloris evadat: Chymici Septies rectificari jubent, Sed Sufficit terna rectificatio: Collo retortæ imponunt carbonem vivum, quem vocant ignem Suppressionis, qui Cinnabaris colorem exaltat. Est enim nil aliud, quàm Mercurius, & Sulphur ☿ij.

C L

Clissus, Seu Quinta Essentia Portulacæ. R Succ. portulac. depurat. ℥viij. Sacch. alb. ℥j. clarifica & coque ad mellis consistentiam. Eodem modo fieri potest Clissus aliorum Vegetabilium.

C O

Colcothar Vitrioli, nihil aliud est quàm  lum ad rubedinem calcinatum. Vel, Caput mortuum post destillationem  li. relictum.

Collyria

Collyria, Dividuntur vulgò in Sicca & frigida, ac humida. Sicca hoc modo parantur. Medicamenta minutissimè trita in lapide prophyrice lævigantur, & s. q. album ovi, mucilaginisve alicujus excepta, in formâ pyramidis vel trochiscorum formantur, atque in umbrâ exiccantur. Ubi usus postulat, iterùm affuso liquore idoneo teruntur, atque indè guttatim liquor oculis instillandus paratur. Humida verò sunt duplicia; vel enim liquoris formâ oculis instillantur, vel linimenti formâ inunguntur. Ex. gr.

R Flor. æris, Seu æruginis, crystallif. ʒj. Ω Sal. Ammon. ʒj. Alcohol. Vin. camphorat. ʒjß. M. Sic obtinebis tincturam cærul. Misceantur hujus Tinctur. gtt. aliquot cum aq. convenient. ʒj. donec fiat cærulea appareat, ⊖ Saturn. gr. iij. M. F. Collyrium in omnibus inflammationibus, nubeculâ, & cæteris vitiiis oculorum.

Condita. Radices, & cortices, omnia quæ condiri debent, vel amaritudinem obtinent; vel aciditatem, vel fragrantem aliquem Saporem, & odorem. Illa quæ amara sunt, Sequenti modo condiuntur.

tur. R Cort. Aurant. vel rad. Eryng.
 Satyr. Calam. aromat. (demptis prius
 medullis) q. s. Infunde aquæ tepidæ per
 hor. 24. dein recens addatur Superfusa
 aqua, idque repetendo Singulis hor. 24.
 donec claræ, & pellucidæ evaserint, vel
 donec amaritudinem magnâ ex parte de-
 posuerint: quidam verò hæc omnia co-
 quunt ad teneritudinem: dein R Sacchari
 ad consistentiam tabulati coct. (Aquæ
 requiritur pars 4ta, ad summum) Super-
 fundatur cortic vel, radicib. ad Superemi-
 nentiam usque dig. ij. relinquantur simul,
 per ij. vel iij. dies; dein ubi Syrupus di-
 lutior factus fuerit, illum effunde, & ad
 consistentiam crassam cœctione redigito,
 & frigefactum cortic vel radic. Superfun-
 de, & illos ad usum Serva. Si Condi-
 tum Siccum expetatur, R Sacch. ad
 consistent. tabulati coct. q. v. huic fer-
 venti intinge cortic. vel radic. Superiori
 modo conditas, & extempore extrahe.
 Quæ nullam amaritudinem obtinent, tan-
 tum maceranda sunt per 2. dies in aq.
 comm. dein condienda ut Supra. Sic &
 de fragrantibus, quæ & Sequenti modo
 condiuntur, Si sint Flores: R Flor. quos-
 cun-

cunque, illos intinge Saccharo ferventi
& ità asserva.

Condita Caulium, (Sc. Cinaræ, Angeli-
cæ, Bardanæ, &c.) fiunt ut Suprà, Sed
ex medullis caulium Solis.

Condita Fructuum, Fiunt eodem modo :
condiri etiam dicuntur, Sed Muriâ &
Aceto, Flores Genistæ nondum aperti :
& inter Fructus, Cappares, Oliva, &c.

Confecta hoc loco, & cum Pharmaco-
pœis loqui libet, nihil aliud sunt quàm
condita arida, & parantur ut paulò Su-
prà:

Confect. Alchermes. vid. Pharmacop.
Shiptoni. Londinenf.

Confect. Hamech. ibid.

Confect. de Hyacintho. ibid.

Conservæ Absinth. vulgar. Acetosæ,
Cochleariæ, Lujulæ, Menthæ, Rutæ,
Scordii, &c. (quæ Semper sint in promp-
tu) fiunt ex Fol. Selectiss. optimè con-
tusis, vel molâ tritis, cum triplâ quant.
Sacch. opt. contundendo in mortario la-
pideo cum pistillo ligne s. a.

Conservas in hyeme quidam ità parant.
& Flores, & Folia, & conscindantur grosso
modo : dein in Setaceum reponantur non
nimis

nimis densum. Hoc Supponatur aquæ bul-
lienti, ut vaporem illum Simplicia excipere
possint, & quasi humectentur : deindè, ubi
satis mollia sunt, instar recentium proceda-
tur, ut Superiùs.

Conf. Aurantiorum, Beton. Borrag. Ca-
ruyphyll. Cichor. Genistæ, Lavend. Li-
lior. convallium Lujulæ, Malvæ, Nymph.
Papav. errat. Persicor. Paralys. Pæon.
Rosarum alb. rubr. caninar. Damasc. Sca-
biosæ, Tussilag. Violar. (omnes quæ sunt
Officinarum semper municipales) fiunt ex
Floribus & Saccharo ut suprâ.

Conf. Absinth. Rom. Anthûs, Centaur.
min. Euphragiæ, Fumar. Galegæ, &c.
(& hæ omnes Pharmacopolii sunt indige-
næ) Fiunt è Summitatibus & Saccharo
trititis, uti suprâ.

Conf. Allij, Enulæ, Pæon. Satyrii, Scor-
zoner. nostrat. &c. (& hæ debent esse
Officinarum semper incolæ) F. ex Radic.
coctis ad teneritudinem, & Sacchari triplo,
contundendo ut suprâ.

Conf. Aurant. Citri & Limon. (nec hæ
quidem alienæ sunt dignitati Pharmacopo-
lii) F. ex Flavedine extimâ minutiss. in-
cis. & opt. contusâ cum Sacchari du-
plo.

Conf.

Conf. Berber. Cydon. Cynosbat. Citri-
or. Prunor. Sylv. &c. (& hæ in parando
Pharmacopæi manus sibi justè vindicant)
F. ex Pulpæ Fructuum part. vj. & Sacchar.
albiss. p. x coctis s. a. ad mixæ consisten-
tiam.

Corallia præp. fiunt molando in mortar-
(Aq. Ros. guttis aliquot affusis) in pol-
linem, & formando pastillos exiccandos
s. a.

Coriandrum præp. Maceretur Semen
aceto opt. hor. 24. & Siccetur. Cuminum
eodem modo præparetur.

Cornu Cervi præp. & ejusdem Nova
præparatio. de quibus consule Pharmacop.
Londinens.

C R.

Cremor Tartari, R \square ri crud. opt. in
clibano, vel super ignem apertum vase fer-
reo tam diu exiccat. donec friabilis red-
datur, q. v. sc. ℥ss . recipe tum Lebetem
cupreum, sed stanno obductum cum aq.
pur. ℥vj . Cùm aqua ebullit, ingeratur
cochl. j. \square ri pulv. quo consumpto in-
geratur aliud, pergendo hoc modo, donec
omnis

44 *Pharmacopœia Chymica.* C R.

omnis ☐ sit ingestus, ab aquâ totalitèr
Solutus : tum adde album. Ov. conquas-
sat. & coque, donec sæces cum albumi-
ne sint cōigulatæ, tum albumina indurata
cochleari perforato detrahe, aquam verò
ferventem per pannum densum cola : co-
laturam statim in Lebetes mundo redde
igni : fac iterum bulliant ; detrahe cuti-
culam terream, quæ inter coquendum e-
mergit, cochleari perforato, & repone in
ollam vitreatam ; & sic perge, donec to-
tus ☐ per ejusmodi cuticulas sit detarctus,
hic enim est Cremor ☐ri dictus, debet-
que ad Solem exiccari. Cum non am-
plius velis detrahare, effunde aquam in
vasculum ligneum, quod repone in cellâ
per hor. 24. Sic cremor emerget in su-
perficie aquæ ; ad latera verò vasis &
in fundo concreſcent lapilli Splendentes,
vulgò dicti Chryſtalli ☐ri : vulgò om-
nia conjunguntur post aq. decantatam,
ad ignem ſiccantur, redigunturque in
pulv. albiſſ. uno nomine Crem. ☐ri.
dictum.

Crocus Martis aperitivus, ſit ponendo
chalyb. cum ☐re pp. ad ignem Rever-
berii per 3. vel 4. dies, ut elevetur ma-

teria

teria rubicundissima, ac instar farinæ volatilis. Sic ☉ lum ♂ lento igne ad rubed. calcina.

Crocus ♂ adstringens. R. ♂ tis limatur. Scor. aut lamin. vel Crocum ♂ aperient. in fornacis reverberio ità collocentur, ut à flammâ intensâ continuò lambantur: Vel extendatur pulvis in quadratis conchis fictilibus, quæ transversum digitum altitudine non superant; ponantur etiâ ad flammam Reverberii ut prius, per 3. vel 4. dies, quod commodissimè fiet in fornace Vitriariorum: ♂ hoc modo igni nudo exposit. primùm aliquatenus rubescet, ac in glomeres duriusculos concrescet; post 3. vel 4. dies, subitò in acervum altiore intumescens, summè levis, impalpabilis, & coloris purpurei elegantissimi evadet: reliquum (ut prius) ignis flammâ urgeatur, donec nihil croci ampliùs extrahatur: qui super marmore cum aq. Plantag. vel Simil. in pollinem tenuiss. lævigatus, & supra chartam elegantè exiccatus ad usum servetur.

Crocus Metallorum, Sive Hepar ꝑij.
 & ꝑij. electiss. Ori puriss. an. part.
 æq. singulatim trita, dein probè mista,
 additâ quandoque Spumâ Vitri liquefacti
 (Sandiver dictâ) in Crucibulum candens
 fornace Anemii collocatum cochleatim in-
 jiciantur; & cùm universa mixtura jam de-
 flagraverit, ac stridor cessaverit, amoveatur
 ab igne ut quamprimùm refrigerescat; quo
 facto, Crocus ad fundum descendet, qui ef-
 fracto crucibulo à scoriis partim nigris, par-
 tim albidis circumcircà jacentibus separe-
 tur, & usui Servetur. Dos. in Substantiâ,
 gr. vj. in infuso, gr. xx. ut, & Vin. Gallic.
 ꝑij. Croc. Metal. gr. stent in calore per hor.
 vj. dein vinum clarum à pulvere effunda-
 tur, & propinetur.

Decoctum

D

Decoctum Album. R. C. C. C. micæ panis albiss. an. ℥ij. Coq. in Aq. font. ℥iv. ad dimid. F. colat. citò per li-
netum rarum cum levi expressione. cui
add. Syr. de succ. Aurant. ℥iij. vel Sacch.
albiss. q. p.

Decoctum Amarum. R. Summit. Centaur.
min. Flor. Chamæm. an. P. j. Rad. Gen-
tian. ℥j. Senn. Card. ben. Sem. an. 3j.
Coq. in Aq. Font. q. s. ad ℥iv. F. colat.
Si omittatur Sena dicitur Decoct. Ama-
rum Alterans.

Decoct. Antiphthysicum. Vid. Pharma-
cop. Bateanam.

Decoct. Aperiens & Antiscorbuticum. R.
Rad. gramin. Cichor. Fænic. Asparag. an.
℥j. uvar. Corinth. passul. enucleat. an ℥ij.
Fol. hepat. ling. cerv. capill. Ven. an. M.
j. Fol. Beccabung. Sub finem addit. M.
j. coq. in s. q. Aq. Font. an. ℥ij. Sub
Finem adde Vin. Rhen. ℥ß. Colaturâ
adhuc

48 *Pharmacopœia Chymica.* D E.

adhuc calente, infunde ad ij. hor. va
clauso, Cochlear. hort. M. j. colat. add
Syr. è 5. rad. è Succ. Aurant. an 3j
Aq. Cinnam. hordeat. 3j. M. Dos. ʒj
manè & 5tâ pomerid. per 14. dies.

Decoct. comm. Clysterifans. vid. *Pharma*
cop. Shiptoni Londinens.

Decoct. Epithymi. ibid.

Decoct. Ictericum. R Rub. Tincto
Rad. Curcum. an. 3j. Chelidon. ma
cum toto, Summit. Centaur. an M. j
coq. in æq. part. Vin. Rhen. & aq
Font. ad ʒij. colatur. dissolv. Syr. de
rad. 3ij. M. Dos. ʒss. calidè manè &
ferò usque dum convaluerit: addendo et
am unicuique Dosi Vin. ʒ ab. 3j.

Decoct. Pectorale. vid. *Pharmacop*
Shiptoni Londinens.

Decoct. comm. Purgans. R Tamarind
3ss. Fol. Sen. 3ij. Rhei. 3jss. coq. in f. q
aq. ad 3iij. colatur. dissolv. Mann. Syr
Ros. Solut. an. 3j. M. F. Potio.

Decoct. Senæ. Gereon. vid. *Pharmacop*
Londinens.

Decoct. Sudoriferum. R Rasur. lign
Sanct. 3ij. Sarsap. 3iij. Chin. 3j. Santal
omnium, an 3ss. ras. Ebor. C. C. an. 3ij

Antimon

Antimon. pulv. & nodulo ligat. ℥iij. f. a.
infund. & coq. in aq. font. ℥viiij. ad me-
dietetatem, & F. colatura: Magmati Ingre-
dientium residuo affunde parem aq. quant.
F. infusio, & decoctio ad 3iæ partis con-
sumption. addendo Passular. ℥bj. liquirit.
℥j, colatura servetur pro potu ordinario.
Qui plura de his velit, consulat Armament:
Medico-Chymic. Mynsicht. Section. 26.
De Decoctis.

Decoct. Traumaticum. vid Pharmacop.
Shiptoni. Londinens.

Dentifricia, Græcis ὀδοντοειμυρία,
& σπρήγματα ὀδόντων, non uno modo pa-
rantur. Primò enim liquoribus conveni-
entibus ablui, aut gossipio vel panno
lineo apto liquore imbuto dentes fricari
possunt: ut, R & ℥li. camphorat. ℥j. (vul-
gò apud nostrates insignitur, nomine pul-
veris Capitanei Green) Aq. font. ℥bj.
M. in vitro, conquassetur, & dein liquor
per Subsidentiam clarescens, usurpetur. 2.
Formâ linimenti eadem adhiberi possunt, si
pulveres melle, oxymelite Simplici, Scil-
litico, melle rosato vel Syr. ros. excipi-
antur. ut, R Pulv. rad. bistort. malicor.
bol. armen. O ust. an. ℥j. Mel. ros. q. f.

D

adde

adde Ω ⊕ li, ʒj. M. F. linimentum. 3.
 Formâ pulveris dentibus affricantur. R
 Lap. prunel. ʒj. Crem. ☐ri, ʒij. O ust.
 ʒij Lap. pumicis ʒiij. F. pulv. Subtiliss.
 sub finem adde Ω ⊖ri gtt. x. Ol. Cin-
 nam. gtt. ij. Ling. Rhod. Jasmin. an. gtt.
 j. M. F. Pulv. 4. Formentur trochisci vel
 penicilli instar Suppositoriorum, quibus
 exiccatis & induratis dentes fricantur.

Dentifricium Dominarum. Vide Pharma-
 cop. Batean.

Dentifricium Infantum. ibid.

Dentifricium Scorbuticum. ibid.

Dentilavium Scorbuticum, ibid.

D I

Diacarthamum. Vid. Pharmacop. Ship-
 toni. Londinens.

Diachylon Simplex. Vide Pharmacop.
 Londinens.

Diachylon Magnum, & cum Gummi.
 ibid.

Diacodium. ibid.

Diacorallion. ibid.

Diacy

Pharmacopœia Chymica. D I. 51

Diacydonium Simpl. cum Speciebus, & Magistrale comp. ibid.

Diagrydium. i. Scammon. pp. v. Suo loco.

Diapenidion cum, & sine Speciebus. ibid.

Diarrhodon Abbatis. Vide Pharmacop. Shiptoni. Londinens.

Discordium. ibid.

Diateffaron Potabile. R. Sp. Vin. Gallici. ℥iv. Succ. limon. ℥ij. Syr. Viol. ℥v. Hydropeg. ℥xij. M. F. Julap. gratum, ante paroxysmos febriles bibendum.

adde Ω \oplus li, \Im j. M. F. linimentum. 3.
 Formâ pulveris dentibus affricantur. R
 Lap. prunel. 3j. Crem. \square ri, 3ij. \bigcirc ust.
 \Im ij Lap. pumicis 3ij. F. pulv. Subtiliff.
 sub finem adde Ω \ominus ri gtt. x. Ol. Cin-
 nam. gtt. ij. Ling. Rhod. Jasmin. an. gtt.
 j. M. F. Pulv. 4. Formentur trochisci vel
 penicilli instar Suppositoriorum, quibus
 exiccatis & induratis dentes fricantur.

Dentifricium Dominarum. Vide Pharma-
 cop. Batean.

Dentifricium Infantum. ibid.

Dentifricium Scorbuticum. ibid.

Dentilavium Scorbuticum, ibid.

D I

Diacarthamum. Vid. Pharmacop. Ship-
 toni. Londinens.

Diachylon Simplex. Vide Pharmacop.
 Londinens.

Diachylon Magnum, & cum Gummi.
 ibid.

Diacodium. ibid.

Diacorallion. ibid.

Diacy

Pharmacopœia Chymica. D I. 51

Diacydonium Simpl. cum Speciebus, & Magistrale comp. ibid.

Diagrydium. i. Scammon: pp. v. Suo loco.

Diapenidion cum, & sine Speciebus. ibid.

Diarrhodon Abbatis. Vide Pharmacop. Shiptoni. Londinens.

Discordium. ibid.

Diateffaron Potabile. R Sp. Vin. Gallici. ℥iv. Succ. limon. ℥ij. Syr. Viol. ℥v. Hydropeg. ℥xij. M. F. Julap. gratum, ante paroxysmos febriles bibendum.

D 2

Ebur

E

E*Bur, Præparatum, & ejus Nova præparatio, fit quemadmodum Cornu Cervi.*

E C


Eclegmata, vel eclecta, à verbo ἐκλείχω, i. e. delingo, delambo, Arabibus lohoch, seu linctus, & lambilia vulgò dicta. vide Lohoch.

E L

Elaterium nihil aliud est, quàm Fæcula cucumerum agrest. Siccata. Modum conficiendi vid. in Pharmacop. Londinens.

Electuarium, deductum aut potius corruptum est vocabulum à Græcorum nomine ἐκλεικτὸν vel ἐλλεικτὸν, quo nomine ipsi medicamentum appellant, quod lingendo quasi absumi potest. ab ἐκλείχειν vel ἐλλείχειν.

— *Album.*

Album. R̄ Sal. prunel. ʒiij. Crem.  ri, ʒvj. Terebinth. Cypr. ʒijß. Dos. qu. nuc. castan. manè & vesperi : quòd si Patiens recidivam patiatur, add. pulv. rad. jalap. ʒijß.

— *de Baccis Lauri.* Vide Pharmacop. Londinens.

— *Castitatis.* Vide Pharmacop. Battean.

— *ad Diarrhæam inveteratam, & Dysenteriam.* R̄ Conserv. Absinth. vulgar. cum æq. parte Sacchari. Fact. ʒvj. (in constitutione calidiori. Conf. ros. rub. recipiatur) Spec. diarrhod. Abbat. ʒij. Santal. alb. rub. pulv. an ʒj. Croc. ♂ opt. ʒß. cum s. q. Syr. ♂ F. Dos. qu. nuc. mosch. bis in die, except. purgandi. temporib.

— *Lenitivum.* Vide Pharmacop. Ship-toni. Londinens.

— *Lenissimum, & Suavissimum, tam in operatione, quàm in gustu.* R̄ Agaric. Fol. Senn. an. ʒiv. Scammon. ʒvj. ros. pallid. ʒij. Exprimatur Succus è Flor. ros. & cum hoc Succo, additâ s. q. aquâ, extrahantur Species : extractos liquores evapora cum Sacch. ʒbj. Pulp. Cassiæ, Tamarind.

54 *Pharmacopœia Chymica. E L.*

rind. an. ℥iv. ad consistent. usque Electuar. cui adde ☉ ☽ li, q. s. ad gratiam :
☉ Crinam. gtt. vj M. F. Electuar.

— *de Ovo.* Vid. Pharmacop. Londinenf.

— *Oxydorchicum.* Vide Pharmacop. Batean.

— *Pectorale.* ibid.

— *è Sassafras.* Vide Pharmacop. Shiptoni. Londinenf.

— *è Succo Rosarum.* ibidem. Et hæc Omnia sint genuina & parata Soboles Pharmacopolij.

*Elixys & Tincturas Magistrales, cum duobus Menstruis Sequentibus facile confici-
es.* R ☉ ☽ li rectificat. ℥vj. V alchlisat. ℥xvj. M. & destilla in retortâ vitreâ cum ternis cohobiis : in vitro probè clauso ad usum servâ. R ☉ ☽ ri cærulei, ℥iij. digerantur in Matratio cum V alcholis. ℥j. ad extractionem tincturæ : hoc sit aliud menstruum, quo è Gumm. aromatis, &c. Elixys parabis eodem modo.

Elixir Propriet. R Myrrh. Alöes, Croc. an. ℥j. Hisce grosso modo pulver. Superfunde V alchosif. donec instar pulpæ humectentur, dein Superfunde ☉ ☽ p. camp.

camp. vel Ω \oplus li ad Supereminentiam dig. j. digerantur simul per hor. 24. deindè effunde \odot \triangle ris, & superfunde \vee alcholisat ad Supereminentiam 7. vel 8 digit. digerantur denuò per Septimanam: dein effundatur Ω , & ambo Spiritus tincti confundantur. digerantur denuò simul, per 3. 4ve dies, ut quicquid adhuc sæcum supersit, ad fundum deprimi possit; dein tinctura per chartam filtrata, & clara usui reponatur.

Elix. Propriet. Pestilentiale. Vide Pharmacop. Batean.

Elix. Propriet. Tartari satum; Fit ex Myrrh. aloës, croc. an \mathfrak{z} j. Tinctur. \ominus is \square , xij. digeerndo filtrandóque s. a. ut priùs.

Elix. Salutis. Vide Pharmacop. Batean.

Elix. Vitrioli Mynsichti. Ibidem.

Elleborus niger præp. Vide Pharmacop. Londinens.

E M.

Emplastra: In Emplastris, ubi Lithargyrium, vel aliqua alia calx plumbi ingreditur,

D 4

ditur, primò debet coqui cum oleis, vel axungiis corpus Emplastri conficientibus: Cera & resinæ post coctionem in eâ massa dissolvuntur. Alba fiunt Emplastrum ubi additione s. q. aq. comm. oleo & calce, simul coquantur: optimè attendendum est, nè aqua desit, sed evaporatæ loco recens semper substituatur, ut largam semper aquæ copiam obtineat, ut in Diapalmâ, Diachylo cum gum. Empl. de Minio, &c. Si tamen nigrum Empl. vel obscurius expetitur, tum sine aquâ coctio fit, continuò etiam agitando donec duritiem Empl. assequatur, quod explores guttulas aliquot in aq. frigidam instillando: ubi maximus calor Empl. cessat, adduntur ei gummata in Terebinthinâ vel aceto soluta: ultimò post gummata adduntur pulveres & miscentur, donec in unam massam abeat; tamdiu conterendo Empl. pistillo ligneo, donec planè æquale reddatur: dein præcedente malaxatione F. indè Magdaleones. Color nigerrimus Empl. conciliatur, addendo quant. nuc. mosch. Δ ris com. Pharmacopœi in omnibus Empl. ubi Lithargyrium præscribitur, acetum debent addere, etsi in Receptis non fuerit præscriptum.

Empl.

Pharmacopœia Chymica. E M. 57

Emplast. Album coctum, sive de Cerussâ
Vide Pharmacop. Shiptoni Londinens.

Empl. Adhæsivum pro Fontanellis. Vide
Pharmacop. Batean.

Empl. ex Ammoniac. Vide Pharmacop.
Shiptoni Londinens.

Empl. è Baccis Lauri. Ibidem,

Empl. de Betonicâ. Ibid.

Empl. Catarrhale. Vid. Pharmacop. Batean.

Empl. Cephalicum, cum, & sine Eu-
phorbio. Vide Pharmacop. Londinens.

Empl. è Cicutâ cum Ammoniac. Ibid.

Empl. è Cretâ. Vide Pharmacop. Ship-
toni Londinens.

Empl. de Crustâ panis. Ibid.

Empl. de Cymino. V. Pharmacop. Londinens.

Empl. Diachalciteos. Ibidem.

Empl. Diachylon. Vide *Diachylon simpl.*

Empl. Divinum, Vide Pharmacop. Lon-
dinens.

Empl. Epispasticum. R. *Empl. Melilot.*
simpl. ʒij. *Terebinth.* *Cantharid.* an, ʒj. *pic.*
Burg. ʒiij. M. F. s. a.

Empl. Flos Unguentorum dictum, interiùs
etiàm usurpandum. Vide Pharmacop. Lon-
dinens.

Empl. ad Herniam. Ibidem.

53 *Pharmacopœia Chymica.* E.M.

Empl. Hystericum. Ibid. vel, R Galban. in Tinctur. Castor. solut. & colat. ʒiij. Tacamah. ʒij. M.F. Empl. Umbilico admovend.

Empl. Ischiadicum. R Pic. nav. ʒij. Terebinth. ʒij, liquefactis, & ubi opus fuerit cum Ol. Chamæm. s. q. subactis, adde successivè inspergendo & benè agitando Pulv. succin. mastich. an. ʒj. Flor. Δ ris, ʒij. M. inducantur super alutam, aut lin-teum crassum.

Empl. Mamillare. Vide Pharmacop. Ba-tean.

Empl. de Mastiche. Vide Pharmacop. Shiptoni Londinens.

Empl. de Meliloto, simplex & compositum. Ibid.

Empl. de Minio, comp. & simplicius. Ibid.

Empl. de Mucilaginibus. Ibid.

Empl. Nervinum. Vide Pharmacop. Lon-dinens.

Empl. Nigrum. R Ceruss. lbj. Ol. Lini, lbj. coq. in Empl. s. a.

Empl. Opiatum. Vide Pharmacop. Ba-tean.

Empl. Oxycroceum. Vide Pharmacop. Shiptoni Londinens.

Empl.

Empl. Podagricum. Vide Pharmacop.
Batean.

Empl. in Phthisi. R. Cerae flavæ odorat. ʒiʒ. Terebinth. opt. ʒvj. ad ignem solutis adde Ol. Terebinth. ʒij. Anisi, ʒʒ. M. F. Empl. s. a. thoraci imponendum.

Empl. Vigonis de Ranis cum Q̃io. Vide Pharmacop. Londinens.

Empl. de Sapone. Vide Pharmacop. Shiptoni Londinens.

Empl. sine pari. Ibid.

Empl. Sticticum. Vide Pharmacop. Londinens.

Empl. Stomachicum Magistrale. Ibid.

Empl. ad Strumas. Vide Pharmacop. Batean.

Empl. Synanchicum. Ibidem.

Empl. Tibiale. Ibid.

Empl. Vermifugum. Ibid. Omni hac suppellectile instructus eat Pharmacopœus ; sua interim tela , ex ditiori armamentario depromenda, Chirurgus concedendo.

Emulsiones ab emulgendo sic dictæ.
R. Lactescentia , quæ adhibere animus est, (excorticata si excorticari possint, ut amygd. sem. frig. maj.) pista in mortario (præstat lapideo) subinde nonnihil, liquoris

ris (nè attritu pinguescant) instillando, hinc affunde liquoris. medietatem circiter, exprime per linteum Residuum, (quia substantia latefcens vix tota unâ vice emulgetur,) contunde denuò, ac emulge cum reliquo liquore. Pro re natâ, ex tempore ad præscriptum parari solent, & ad libitum edulcorari.

Emulſio Cathartica. Vide Pharmacop. Batean.

Emulſio Cretacea. Ibidem.

Emulſio Pœoniata. Ibid.

Emulſio Pleuritica. R Amygd. dul. ex-corticat. N^{ro} v. Sem. Melon. Pepon. an. ʒβ. Sem. Papav. alb. ʒiij. aq. Hord. ʒiij. Aq. Ros. ʒij. cum s. q. Sach. cand. F. Emul. s. a. Dos. ʒiv. 4tâ quâque horâ.

E N.

Enema. Vide *Clyſter.*

———*Dysentericum.* R Neogalaçt. ʒxij. Opij, ʒj. croc. ʒβ. coçtis addendo Sacch. alb. ʒiβ. vitel. ov. N^o.ij. M.

Ens Veneris. R Colcothar benè edulcor. Sal. Armon. an. part. æq. simul probè trita & per cribrum trajecta M. diligenter

gentèr in mortario ferreo : hæc massa sub-
limetur ex cucurbitâ terreâ in igne aperto,
in capitellum vitreum, quamdiu aliquid ad-
scendit, quod paucarum hor. spatio contin-
git. flores lutei qui ascendunt, à sordibus
separentur, servanturque usui sine edulco-
ratione : quidam autem sublimant tribus
cohobiis. Sulphur vero ☉ li à Sale Am-
moniaco hîc separetur, si flores digerantur
per noctem cum alchocol Vin. quod po-
steâ decantatum, & evaporatum, relin-
quit △ ☉ li purissimum, quod Primum
Ens Veneris dicitur.

E P.

Epicapia Febrifuga. Vide Pharmacop.
Batean. Vel, ☿ Terebinth. Venet. Oli-
ban. an. part. æq. M. F. Epicarp. carpis In-
fantum vel Puerorum hor. 2. adhibend. ante
Paroxysmum.

Epithemata fiunt ex Aq. stillatitiis,
succis, decoctis, emulsionibus, aliisque
liquoribus convenientibus, sive solis,
sive cum pulveribus, speciebus, electuariis,
& similib. commixtis : penetrationis ergo
additur nonnunquam aliquid Vin. odorif.
aceti, Spirituum seu Aq. Spirituos. Propor-
tione

tio liquor. ℥ss. Pulver. ʒj. ad ʒss. & ultra.
Vini vel Spiritûs, plûs minûs.

*Epithema ad tumorem Testium inflamma-
tur, &c.* R Aq. calcis viv. rec. ℥j. ad jss. V
camphor. ʒss. adj. Ceruss. vel Sacch. ʒij.
ʒi ss. M. urgente dolore, Opij aceto solut. ʒj.
addi possit.


Epithema in Vigiliis nimis. Aq. Ros.
ʒviii. Opij, ʒj. croc. ʒij. M. Hoc lintea
imbuta tepidè temporibus applicentur.

*Epithema in Vomitu Febrium maligna-
rum, &c.* R V rectif. vel Aq. Apoplect.
ʒiiij. Theriac. ʒi ss. camph. ʒss. M. calefiant
in vasculo clauso, & intincta lintea celer
manu applicentur, idque crebriùs.

E R.

Errhina, sunt medicamenta quæ intra
nares adhibentur, quod vario fine fit, &
variis parantur formulis: viz. liquoris ex-
tracti, linimenti, pulveris, &c.

Errhinon in formâ Pulveris. R Elleb.
alb. ʒj. Castor. Euphorb. an. ʒss. Majoran.
odorat. Fol. Rut. an. ʒij. M. F. Pulv. Ster-
nutator.

Errhinon Liquidum. Fiat ex  lo ad
albed

albed. calcinat. in aq. Majoran. diluto,
utà ut gr. 5. vel 6. pro ʒj. sufficiant: li-
quor is naribus attrahatur.

E S.

Essentia. Vocabulum hoc apud Chy-
micos valdè est ambiguum, & de parte
omni, quæ à toto separata, & vires totius
erè comprehendit, accipitur: & significat
accuratè loquendo balsamicam rei partem
crassiori separatam: quare cum exactis-
sima rei separatio beneficio extractionis
peragatur, fit ut pars illa balsamica à cras-
siori corpore extracta *Essentia* καὶ ἐξοχὴν
dicatur, aliàs à modo fiendi *Extractum*.
Præterea etiam ex Succis essentiæ paran-
tur. In quibus omnibus hoc spectatur, ut
vis medicamenti in quantitatem minimam
ligatur.

Esula præp. Vide *Pharmacop. Londi-
nens.*

E U.

Euphorbium præp. Ibidem.

Ex-

E X.

Extracta generalem conficiendi modum.
Vide Pharmacop. Londinens.

Extractum Absinthij. R^x Summitat. Absinth. sicc. q. p. Eis affunde ☉ ☐ri per deliq. ut madesiant : ponantur in digestionem per 24. hor.. Tum super-affundatur V alcolisat. ad supereminet 4. digit. reponantur iterum in digestionem, donec flavo viridi colore Ω sit tinctus ; quem per inclinationem effunde : & si majorum virium expetatur, addatur M. j. Absinth. & denuò ad digerendum reponantur per tres vel quatuor hor. liquor filtratus ad consist. Extracti evaporetur, addendo singulis unc. ciis Extracti ☉lis Absinth. 3ß. Eodem modo fiant Extract. Cardui, Centaur. Gentian. &c. Vel, fieri potest ex succis depuratis evaporando in MB. f. a.

Extractum Bezoarticum. Vide Aq. Bezoart. in Pharmacop. Shiptoni Londinens.

Extract. Chalybis. Vide Pharmacop. Batean.

Extract. Croci. Vide Spir. Croci.

Extract. Drasticum. Vide Pharmacop. Batean.

Ex

Extract. Ecphrasticum. Ibidem.

Extract. Febrifugum. R Cort. Peruv. ℥iij. Centaur. min. Rad. Gentian. an. ʒiʒ. Serpentar. Virgin. ʒʒ. contund. grosso modo in mortario lapideo, irrorando cum Oleis opt. ʒʒ. dein Matracio inditis affunde tenuioris cum Ole \square i ad flavedinem imprægnat. ℥iij. digerantur clausè & calidè in arenâ per 3. vel 4. dies. liquor totus filtretur, in Balnei calore avocetur ad consistentiam Extracti.

Extractum Gentianæ. Vide *Aq. Gentian. comp.*

Extract. Hystericum. Vide *Aq. Bryon. comp.*

Extract. Pectorale. Vide *Pharmacop. Batean.*

Extract. Rudij. Vide *Pil. Rudij.*

Extract. Theriacale. Vide *Aq. Theriacal.*
Extracta omnia si genuino sapore prædita expectantur, igne vulgari non sunt evaporanda, neque in arenâ, sed in MB. seu aq. bulliente. Reservanda sunt omnia Extracta, & Pilulæ, in vesicâ suillâ oleo amygdalarum vel alio aromatico, illitâ. Extracta suprâ memorata è penu Pharmaceutico semper excerpta prostant in rem Medicam; quorum centonem qui desiderat, adeat

adeat Armamentar. Medico-Chymicum
Minsychti, Section. 3.

F.

F*Lores* ☿ij. R ☿ Select. & subtilissi-
triti, q. v. in Cucurbitâ cum Alembico, vel in furno cum vasis terreis. ad hoc opus adaptatis sublimetur igne moderato, aut per se, aut cum arenâ, vel pulvere laterum, vel ☐ro calcinato admixtis: flores ascendunt flavi, citrini, & albi, quorum qui albissimi sunt, colligantur, & usui reserventur. Antimonij flores albi colliguntur, si vehementi satis igni per se ☿ exponatur: flores verò fiunt rubri, si additis * æq. part. sublimatio fiat.

Compendiosius additamento ex ☿ crudo flores parantur, si habeatur Sublimatorium, quod in latere canalem vel tubum habeat, eique luto inducto, ut moris, in furnum apertis solum spiraculis posito, Alembicus cæcus, vel etiam plures Ollæ Sublimator. sibi incumbentes applicentur, ignisque

hisque successivè admoveatur, donec fundum Sublimatorij, seu Cucurbitæ fictilis ab igne incanduerit: quo facto, per tubum post singulas injectiones limo probè obtundum, cochleari ℥ij parum, circiter ʒß. ful. injiciendum, & post horam dimidiam vel integram tantundem injiciendum. Ità enim flores albi, flavi, rubri, prout ignem exeris, faciliùs in cæcos Alembicos eleventur, præcipuè si stylo ferreo per tubulum immisso sæpiùs Antimonium agiter.

Flores Benzoini. R Benzoin pulv. q.v. injiciatur ollæ terreæ rotundæ, superposito Alembico chartaceo ad pyramidis figuram confectæ, & igne leni fiat sublimatio: singulâ hor. ʒß. si ignis satis fortis fuerit, flores cum plumaceolo amoveantur. Sic flores elegantissimi ad instar serici albicantis colliguntur: postea vitro inclusi servantur: signum absolutæ sublimationis est, si charta seu alembicus, oleo tanquam madefacta apparere incipiat. Ex ℥ij. Benzoin, ʒiß. vel ʒij. florum colliguntur.

Flores 4. Cordiales sunt Borag. Bugloss. Ros. rub. Violar.

Flores Salis Ammoniaci. R Caput mortuum

tuum relictum in destillatione Ω $*$: Solvitur in aquâ ferventi, & filtra per chartam; coloraturam limpidam evapora, in ollâ vitreatâ ad siccitatem usque, agitando spatulâ ferream, donec \ominus relictum fuerit siccum, & albidissimum: hoc \ominus sublimetur per alembicum sine ullâ additione ex cucurbitâ terreatâ in igne aperto quamdiu aliquid ascendit, quod ex fumo cognoscitur, & acquiruntur in alembico magnâ copiâ Flores albidissimi, qui servantur ad usum.

Flor. $$ Martiati.* R $\&$ Sal. Ammoniaci pul. lbj. Limatur. ferri, 3xij. simul trita, & mixta destillantur in retortâ colli amplioris in igne reverberij per gradus aucto: liquor flavescens, qui Ω \ominus is est, in recipiens expressabit, atque flores partim in hujus latera, partimque in retortæ collum sublimabuntur, qui collecti in vitro servantur. Hæc operatio peragitur miscendo $*$ cum colothare loto, etiam cum calce aut Oleo \square ris. Quando sublimatio cum ferro, aut calce \square ris peragitur, è capite mortuo utroque, Tincturæ cum \vee non contemnendi usus eliciuntur.

Flor. \triangle ris. R $\&$ \triangle crud. crassè pulv. q. v. ponatur in bocciam oblongam, seu Vesicam

ficam fictilem, seu Cucurbitam terream,
ignem apertum artificiosè repositam,
applicato capitello vitreo satis amplo, at-
que in arenâ primò lentum ignem adhi-
bit, & post ij. hor. vapores humidi attollen-
tur, ac liquor quidam acidus extillabit:
post hor. 4. vel 5. flores sublimari incipi-
unt: itaque rostrum Alembici claude, ig-
nem auge, & flores attollentur, undè di-
gitis inter sublimandum sæpiùs removeri
debent, nè nimis concrecant, aut etiam
coquant in unam massam: calor verò non
debet intensior, quàm ut possis manum ali-
quantidiu in Alembico sine damno retinere:
non autem incommodum est, Alembicum
semel atque iterùm mutare, vel flores exi-
mere, ut iis liberior pateat ascensus; aliàs
nim decidere solent & colliquari: quare
non abs re foret duos in promptu habere
Alembicos, quorum alter alterius vicem sine
morâ subire possit: Alembicus ante im-
positionem ad ignem caleseat, quippè secùs
facile diffiliet: si \triangle fortuitò accenderetur
firinâ vel cinere injecto extingui flamma
poterit. Alij \triangle ri addunt \ominus comm. de-
crepitatum, aut \oplus lum calcinatum ad
subedinem, aut etiam arenam; sed præ-
stat

stat nil addere. Si sublimatio cum ☉
 fixo repetatur, flores evadunt albi. Ex th
 △ris, ℥iv. florum colligi possunt.

F OE.

Fæcula Ari, Bryon. Irid, &c. præpara
 tionem vid. apud Pharmacop. Londinens.

Fotus Arthriticus, de quo vid. Pharma
 cop. Batean. Vel,

—R̄ V per croci infus. flavescentis
 ℥iiij. Camph. ℥j. bulliant parum: deinde
 dissolv. Opii, 3j. eoque liquore pars dolens
 illinatur.

—R̄ Menth. absinth. an. M. ij. Flor. cha-
 mæm. ros. rub. an. P. ij. galang. nuc. mosch.
 an 3j. macis, cinnam. an. 3ß. balaust. 3j.
 Coq. in s. q. Vin. rubr. pro fomento Ven-
 triculi. Nonnunquam simplicia facculis
 lineis includuntur, & in aqua, vel vino,
 vel lacte coquantur, calidâque loco affe-
 cto applicantur. Interdum liquore deco-
 cti vesica suilla vel bubula ad dimidium
 repletur, & parti affectæ calida applicatur.
 Fiunt & fomenta ex animalibus vivis dis-
 sectis, & adhuc calentibus, præcipuè co-
 lumbis, ut ex animalium recens mactato-
 rum

① Ex his partibus adhuc calentibus, ut pulmo-
ribus, omento; vel iisdem oleo calefactis.
interdum solum vapor à parte affectâ ex-
cipitur. Sicca autem fomenta per Saccu-
los fiunt; componuntur verò sacculi ex
herbis, floribus, corticibus, radicibus, se-
minibus, aromatibus, gummi: qui capiti
imponuntur, longi, vel pilei aut tiaræ
formam habere debent, vulgò Cucuphas
appellant; qui pro Ventriculo parantur,
scutiformes sunt, atque indè scuta etiam
dicuntur, & sic de cæteris.

F R.

Fragmenta quinque Lap. pretiosorum sunt
Granati, Hyacinthi, Sapphiri, Sardæ, five
Corneoli, Smaragdi.

Gargarismi

G.

Gargarismi, Diaclysmata, (Collutiones oris) sunt liquores, qui in ore detinentur, iterumque expuuntur. Liquores hi in Officinis pro usu nulli extant, sed ex tempore, ad præscriptiones datas, dispensantur. Ex. gr.

Gargarisma Apoplecticum. Vide Pharmacop. Batean.

Garg. expertum ad omnem Inflammationem. R Flor. malv. hortens. sive arbor. M.j. Ros. rub. Herb. prunel. Veron. Salv. an. M. β . Rad. Polypod. z ij. ad $\text{z}\beta$. Coq. in aq. comm. t iv. Acet. Vin. $\text{t}\beta$. ad casum transversi pollicis, cum levi expressione.

Garg. ad Linguae lentorem. R Hord. integr. Salv. Hyssop. an. M. β . Caricar. Nro v ij. Coq. in s. q. Aq. pur. in Decocti $\text{t}\beta$ ij. dissolv. Syr. Acet. simpl. z ij. vel Oxy mel. z ij. M. Licet & talibus oris collutionibus aliquot gtt. Ω \ominus li addere, qui egregiè lingue & faucium lentos humores incidit & abstergit.

Garg.

Garg. Scorbaticum. Vide Pharmacop. Batean.

Garg. Synanchicum. Ibid. Vel, R Aq. Plantag. ℥ss. Acet. Vin. ʒj. ad ʒi℥. Sacch. alb. ʒj. ad ʒi℥. pulv. Sem. Sinap. ʒj. M. quo calidè gargarisetur Ot.

Garg. ad Uvulæ relaxationem R Aq. Tormentil. plantag. ros. rub. an. ʒiij. Syr. de ros. ficc. Myrt. an. ʒss. Ω ⊕ li, ʒj. M. pro Gargarism.

G E.

Gelatina sive Galreda est Succus inspissatus, purior, clariusculus, cum Saccharo in scatulas effusus & congelatus; & hinc Gelatina dicitur. Paratur è fructibus nonnullis succulentis, tum è cornibus ac ossibus tenerioribus. R Fructus, exprime succum, expressum coque & clarifica cum album. ovi, hinc addito Saccharo inspissasensim & effunde in scatulas. Vel, R Fructus, coque in Aq. decoctionem citra expressionem decanta, vel filtra, saccharumque addendo inspissa.

Gelatina Cornu Cervi. Vide Pharmacop. Batean.

74 *Pharmacopœia Chymica.* G I. G L.

Gelatina Corroborans. Ibid.

Gelatina Cydoniorum. Vide Pharmacop. Londinenf.

Gelatina Ichthyocollæ. Vide Pharmacop. Batean.

Gelatina in Phthifi. R̄ Raf. Ebor. C.C. an. ʒiv. Cort. Aurant. condit. in frustula concis. N^{ro} j. coq. in aq. font. ʒiv. ad ij. vel iʒ coletur : ad libitum Dos. cochl. 3. vel 4. per se, vel in jusculis calefact. Tempore usûs, ad palatum, adde Syrup. Meliss. Caryophyll. è rub. Idæo, Aurant. vel Limon.

Gersa Serpentaria. Id est, Fæcula Ari, quam vide suprà.

G I.

Gilla Theophrasti, nihil aliud est, quam
⊕ lum album depuratum.

G L.

Glauberi Sal Mirabile. R̄ Sal. comm. marin. ʒiv. Solvatur hoc in s.q. aq. comm. Solutioni adde Ol. ⊕ li fortiss. ʒiv. destillentur hæc simul ex retortâ vitreâ, in arenâ, ad siccitatem usque : quod prodit in recipi-

ens

ens est genuinus Ω Θ lis comm. Glauberi, qui sine rectificatione servetur usui. & Caput mortuum in destillatione præcedenti relictum, dissolve id aquâ ferventi, vel ad minimum tepidâ, nè tamen vitrum rumpatur: Solutum filtra per chartam, colaturam evapora ad 4tæ partis remanentiam: tum reponatur vitrum in locum frigidum, humidum, per 24. hor. & liquor magnâ ex parte concrescet in crystallos; in superficie præsertim, quæ vocantur Sal Mirabile Glawberi. In fundo autem hærebit liquor valdè corrosivus, qui à crystallo separandus est: crystallo verò non debent esse corrosivæ, sed vel Salsæ tantùm, vel ex Salso dulces: quòd si corrosivæ sint, necesse est adhuc semel dissolvere aq. purâ, iterùmque filtrare; tum evaporare; sed cautè, nè nimium aquæ evaporetur, sed tantùm, ut possit hoc Sal commodè crystallisari. Hæ crystallo super chartâ albâ & arenâ calidâ, lenitèr calcinatæ in pulverem albissim. coägulant omnis generis liquores, ut est Vinum, Acetum, Cerevisia. Debet autem sumi una pars hujus Salis, & tres partes liquoris, reponanturque per noctem. De cæteris hujus virtutibus consulendus ipse Autor.

H

Hepar ꝯij. Vide Croc. Metallor.

Herbæ 5. Capillares sunt, Adiantum nigrum sive Capillus Veneris, Adiantum album sive Ruta muraria, sive Salvia vitæ, Ceterach, seu Scolopendrium, Lingua Cervina, Polytrichum sive Trichomanes.

Herbæ 5. Emollientes sunt, Althæa, Beta, Malva, Mercurialis, Violaria.

Herbarum omnium Succi inspissati. R. Succ. earundem herbarum virid. v. g. ℥iv. Extempore immittantur cucurbitæ vitreæ, & ℥iv. circitèr liquoris abstrahantur: reliquum apertâ cucurbitâ evapora ad consistent. usque Pilular. huic succo adhuc calido, admisce ℥iv. prædicti liquoris, & ita asserva usui. Sic fiunt Succi inspissati. ex omnibus herbis cephalicis, antiscorbuticis, & menses moventibus.

Hiera

H I

Hiera cum Agarico. Vide Pharmacop. Londinens.

Hiera picra Simplex. ibid.

Hirci Sanguis pp. Fit Soli exponendo, ut cōaguletur & Siccetur.

H Y

Hydromel, Mulsu, & Melicratum ejusdem potūs medicamentosi nomina sunt, ex aquâ sc. & melle, interdum & aliis simul coctis confecti, aut si quæ inter hæc est differentia, in solâ vetustate est. Inter Mulsæ genera, quæ ætatem ferre possunt, hodiè notissimus est potus ille, quem Medonem vulgò nominant.

Hydromel Simplex, quo communiter Pharmacopœi utuntur, ita fit. R Mell. opt. ℥ij. Aq. ℥. viij. fiat commistorum coctio ad perfectam mellis despumationem.

Hydromel cum Succo Cerasorum. R Aq. Font. ℥xij. Mell. alb. ℥ij. Coquantur simul, donec mel amplius Spumam non emittat:

mittat: adjice Succ. Ceras. acidulor. ℥ij. rursùs bulliant parùm, Spumam auferendo quàm fieri potest accuratissimè, tum hydromel è cerasis habebis Saporis jucundiss. Eodem planè modo conficies è Succo Citri, aliisque Succis gratis & acidis.

Non Solùm autem *Hydromel* ex aquâ & melle paratur verùm etiam ex variis aromatibus & herbis, & radicibus, aliisque utrumque genus, & quod in præsentem ac subitum usum, & quod durabilius est, paratur.

Hydromel in præsentem usum hoc modo paratur. R̄ Herb. Salviæ, M. j. Rad. Enul. camp. ʒijß Puleg. beton. hyssop. an. M. ʒ. Macerentur hor. 24. in ℥vj. hydromelit. Simpl. dein coque ad medietat. consumpt. addendo sub finem coctionis Flor. Lil. conval. Calend. Lavend. an P. ij. tum demùm transcolentur per manicam Hipp. & aromatisentur, Si velis, cum paucis cinnam. nuc. mosch. Cardamom. & fiat hydromel antiparalyticum. Dos. ʒiv. manè & vesperi.

Hydromel quod ætatem ferre potest. Mell. opt. part. j. vel ℥x. Aq. pluv. aut font. p. 6. vel ℥. 60. imponito in cacabum, utrumque simul

simul confundito, coquito, & crassio-
rem fecem despumando detrahito : deindè herb.
quæ sequuntur resiccatas imponito, Sa-
culoque concludito : Ling. Cerv. M. ij.
Heder. terrestr. M. j. Rorismar. Cynos-
bat. an. M. β . Daçtyl. $\text{ʒij}\beta$. Omnia simul
bulliant, & à spumâ expurgentur ad 3iæ
partis consumpt. vel donec decoctio ovum
recens valeat sustinere : fiat omnium re-
frigeratorum exquisita per pannum tra-
jectio : Colatura recondatur uno aut plu-
ribus doliolis ; vasa autem Vin. alb. gene-
rosum antè adservârint, quæ etiam firmissi-
mè ligneis circulis cöagmentata sint : elapsis
3. ant. 4. dieb. à fervore, nodulum suspen-
dito, cujus hæc sit materia, Cinnam. Ca-
myoph. Galang. Granor. Paradis. an. $\text{ʒ}\beta$.
Aliquot dies ferverescendo & fermentando
liquori concedito : Tandem singula vasa
ad eorum capedinem replebis eodè li-
quore, quæ accuratè occludes, & in ali-
quâ cellâ repones, Sed memineris aroma-
ticum nodulum relinquendum esse. Post 3.
menses liquorem habebis planè vinosum,
linguam jucundissimè afficientem, & Hy-
dromel simul Thoracicum.

Hydromel aliud Vinaceum. R Mell. virgin. lb. x. Aq. com. lb. L. Coq. simul, donec ovum in Supremitate Supernatare possit: dein effundatur in vas album, ut læces Subsidere queant; quo facto, liquor decantetur, & in vas reponatur, addendo ad singulas pint. 5. Anglicanas, ℥ij. Spiritus Vin. Gallic. Reponantur in cellam, & quò vetustius, eò melius: hæc in se, & per se sola fermentant, adeoque ab initio occludi possint.

Infusionis

I.

Infusionis (*infusi*) nomen potionibus potissimum imponitur, iisque purgantibus.

Infusioni jam factæ & colatæ, Si Θ lem \square ri addideris, illicò tinctura, Sive color ejus multò saturatior evadet. Exemplæ sint.

Infusio Antiscorbutica. R \square fol. Senn. $\mathfrak{z}\beta$. Rhabarb. $\mathfrak{z}\mathfrak{v}$. Méchoac. Turbith. gum. an. $\mathfrak{z}\beta$. Fibr. helleb. nig. $\mathfrak{z}\mathfrak{i}\mathfrak{j}$. Θ \square ri, $\mathfrak{z}\mathfrak{i}\mathfrak{j}$. Santal. citrin. $\mathfrak{z}\mathfrak{i}\beta$. cort. Winter. $\mathfrak{z}\mathfrak{i}\mathfrak{j}$. incis. & contus. digerant. in Vin. alb. $\mathfrak{t}\mathfrak{b}\mathfrak{i}\mathfrak{j}$. per $\mathfrak{i}\mathfrak{j}$. dies F. colatura clara sine expressione: Sumatur vel per se ab $\mathfrak{z}\mathfrak{v}$. ad $\mathfrak{v}\mathfrak{j}$. vel in extractum, aut Syrupum, aut electuarium redigatur s. a. addendo pulv. arthritici, vel diasennæ, q. s. &c.

Infusio Benedicta. Vide Pharmacop. Batavian.

82 *Pharmacopœia Chymica.* IN.

Infusio in Dysenteriâ. R Rhabarb. incis. ʒij. myrob. citr. ʒiſſ. Santal. citr. ʒſſ. Cinnam. pulv. ʒj. \ominus absint. ʒſſ. F. infus. per noctem in Aq. Plantag. Cinnam. hord. an. ʒiijſſ. Expressioni forti. add. Aq. Cinnam. Fort. ʒij.

Infusio Tympanitica. R Flor. persicor. Ros. Damasc. an. P. ij. genist. Sambuc. centaur. min. an. p. j. Fol. agrimon. absint. marin. an. M. j. Senn. opt. ʒj. Rhabarb. ʒvj. Sem. cartham. ʒſſ. ebuli, ʒij. Sant. citrin. ʒiij. rad. Galang. ʒij. incis. & contus. includantur Sacculo ex Serico, qui vitro indatur cum Vin. alb. ʒbij. Aq. Saxifrag. ʒbj. \ominus \square ri, ʒiſſ. stent per 48. hor. Dos. ʒiv. ad ʒvj. diebus ʒiis aut qtis.

—Vel, R Aq. Mineral. Cathart. ʒbvij. \ominus absinth. ʒij. liquori, leni Balnei calore, evaporato ad ʒbij. adde rad. mechoac. turbith, an. ʒſſ. Rhabarb. ʒvj. sant. citr. ʒij. Caryophyl. ʒj. digerantur clausè & calidè per ij. hor. filtretur calidè per chartam emparet. tenuem; Dos. ʒiij. vel iv.

Quòd si, quod sæpè accidit, usû urgente, quanto opus erat tempore, medicamenta macerari non possint, defectum illum una atque altera, sed levior ebullitio

com-

compensare potest : postea colatura cum
vel sine expressione instituitur. Interdum
simul & decoctio & infusio instituitur.
Referenda huc etiam sunt Infusa Vomito-
ria ; quando infunduntur vehementiora
illa emetica, ut helleborus, ☿, commu-
nitèr per chartam emporet. colatura in-
stituitur.

Injectio Auricularis. Vide Pharmacop.
Batean.

Injectio Benedicta. ibid.

Injectio Consolidans. R. Rad. consolid.
ʒj. caud. equin. pilosel. an. M. ʒ. Flor.
ros. rub. hyperic. an. Pj. F. decoctio in
f. q. Aq. chalybeat. In colatur. ʒiij. dis-
solv. mel ros. colat. ʒj. injiciatur in Ve-
sicam.

Injectio ad Vesicæ, vel Uteri dolores.
R. Trochis. Gordon. ʒij. vel iij. dissolv.
in Lact. recens mult. ʒss. vel Hydromel.
vel Decoct. Hord.

Injectio ad Ulcus Urethræ. R. Aq. Cal-
cis viv. ʒiv. Alöes, myrrh. an. ʒss. Mell.
ʒvj. F. injectio in penem : potest etiam
addi Calomel loco Alöes ; vel Decoctum
Calomel. cum melle edulcoretur.

IO

Jovis Amalgamatio. R̄ Jov. opt. part.
 ♀ per corium trajet. p. iij. Stannum p
 se prius in Crucibulo fundatur, cui par
 lulum refrigerato infund. ♀ius, & flue
 simul per tempus sinantur, ut abeant
 massam nec tenuem, nec crassam nimir
 postea in aq. frig. injiciat. & vera fiet Am
 gamatio.

Jovis Calcinatio. R̄ Jov. q. v. Crucibu
 inter prunas ardentes collocato indatur,
 rudiculâ ferreâ tamdiu è latere in latus
 gitetur, donec cineritium sive gryseum in
 colorem induat, & longius calcinand
 in pulverem redigatur omninò impalp
 bilem.

Jovis Præcipitatio. R̄ Calcem Jov
 & Solve in Ω Ⓢri, aut Aq. Forti,
 cum insigni effervescentiâ abibit in ca
 oem albam; quam evaporando liberabis
 menstruis, & reverberatam, aut edulcoratam
 aquâ; Servabis usui. Convenit ulceribus
 & inflammationibus repellendis; estque
 tantum externi usus.

JU

part. m p
i p
flue
ant
nim
Am
eum
acib
tur,
atus
yseu
inanc
fit.

Julebi (julepi) julebia, & zulapia; pa-
ti in Officinis nulli. extant, Sed ex
tempore parantur; de quorum nominis
etymologiâ Solus Actuarius l. 5. c. 1.
method. inter veteres verba facit: Vel,
Amel prout, expedire arbitramur; denuò
eum medicamento, quòsque convenerit ac
stiterit, coquimus & σιγάριον vel ζελά-
tur, ut nominamus. Undecumque verò hæ
atque appellationes sint deductæ, Pharmacopæ-
ysena in quibusdam non erudire nobis ne-
inandum sit.

palp
Jovi
ti,
n ca
rabis
orata
eribu
estiqu

Julapium Cretaceum in Cardialgiâ. Vide
Pharmacop. Batean. Dos. ℥iij.

Julap. Hysteric. Camphoratum. ibid.

Julap. Hysteric Fætidum, ibid.

Julap. Hyster. Moschatum. ibid.

Julap. in insultibus Epilepticis. R. Aq.

or. Tiliæ, ceras. nig. an. ℥iij. Pæon.

comp. Epidem. an. ℥j. Pul. Gascon. La-

. contrayerv. Serpentar. Virgin. Pulv.

Guttet. an. ʒß. Sacch. alb ʒß, vel Syr.

Pæon. comp. ʒx. M. F. Julap. Dos.

cochl.

cochl. 3. vel. 4. agitatâ phialâ, 4tâ quâque hor.

Julap. Perlatum. Vide Pharmacop. Batean.

Julap. Purpureum. ibid.

Julap. in Sanguinis Sputo. R Aq. Plantag. ℥ij. Gum. Tragac, Arab. pulv. an. ʒß. M. & dissolve; dein adde Syr. è ros. ficc. ʒijß. M. F. *Julap.* Dos. ʒiij. hor. quâque 3iâ vel 4tâ.

Julap. sive Decoct. ad Sitim. R Fol. acetos. M. ij. coq. q. s. ad ℥ij. colat. adde succum xij. limon. Vin. Rhen. ℥ij. Sacch. alb. ʒiv. vel. q. s. ut F. gratissimum.

Julap. Vitæ. Vide Pharmacop. Batean.

Juniperi Baccæ candefactæ, F. irrorando Bacc. Selectiss. ℥ij. Vin. Hispan. dein ex cribro Sach. opt. pulv ʒiv. inspergendo, & lentè Siccando s. a.

Jura instaurata, consummata, & Analeptica, F. ex cochlearum, limacum, conchorum carnibus in Aq. hord. donec ferè liquecant in Gelatinam decoctis, per Setaceum transmissis, cùmque amygd. dulc. nucleis pin. Sem. frig. maj. Sacch. cand. vel perlato conditis; quæque aquis temperatioribus parùm diluantur. Vide Gelatin.

Lac

L.

L *Ac Ammoniaci.* R Gum. Ammon. puriss. 3iij. Solve in aq. Hyssop. frigid 3vj. in mortar. frigid. f. a.

Lac Asæ fœtidæ. Solve Asæ fœtidæ. opt. 3iij. in aq. Ceras. nigr. 3vj. Sine calore in mortar. frig. ut lactescat, f. a.

Lac Benzoini. R Tinctur. Benz. 3ij. Aq. ros. 3iv. M. in phiolâ, & totus inde liquor acquires colorem planè lacteum.

Lac Mercurii. Vide Pharmacop. Ba-
tean.

Lac Scammonii. ibid. Vocatur & Li-
quor Acuens.

Lac Sulphuris. R Flor. Δ ris bis sublimat 3iv. \bigcirc \square ri, 3iij. in mortario ferreo simul mista vasi terreo amplo, in quo aq. fontana ad ebullitionem ferè, concitetur, indantur; & spatulâ lign. tamdiu inter se agitentur, donec liquor Δ re satis soluto colorem rubicundiss. acquirat,

acquirat, qui per pannum laneum tepidus percoletur: colaturæ frigidæ affund. Acet. destillat. $\text{tt}\beta$, ut pulvis omnis ad fundum præcipitetur, qui Lac Δ ris liquidum nominatur: post Subsidentiam liquor clarus effundatur, pulvis verò relictus novies vel decies probè diluendo edulcoretur; quo factò aqua filtretur, & pulvis exiccatus ad usum conservetur, qui Lac Δ ris Solidum, Sive Magisterium appellatur.

Lac Virginale. Vid. Pharmacop. Ship-toni. Londinens. Vel sic. fiat nempe Solutio lithargyri in acet. destillat quæ ab \odot \square ri per deliq. affuso, in liquorem instar lactis albicantem præcipitatur, quo facies & manus bis in die laventur, & blandè confricentur. Medicamentum huic simile aut idem, Saltem ejusdem virtutis, paratur ex Solutione minij, vel cerussæ, in eodem menstruo factâ, & cum aq. Aluminis aut Salis gemmæ præcipitatâ.

Lac Virgin. aliud. R \bar{V} rectificatiss. 3ij . Flor. Benz. 3ss . Styraç. calam. 3ss . Ol. lign. Rhod. gtt. vj . mosch gr. ij . zibeth. gr. ij . M. Digerant. Simul per hor. 24 . deinde clara à facibus separentur. Si

parum.

parum \ominus \square ri ei ante digestionem immisceatur, tantò sælicius tincturam extrahes. R. Hujus Essentiæ 3j. Aq. lil. alb. vel cujuscunque odorifer. 3j. M. Hæc aqua insuper omnibus oculorum inflammationibus succurrit, ut in Erysipelate &c. sed apud Dominas tantum in usum venit.

Lacca præp. Vide Pharmacop. Londinens.

Lachrymæ Vitis, Succus est ex, amputatis palmitibus extillans.

Lapis Calaminaris præp. Vide Pharmacop. Shiptoni Londinens.

Lapis Contrayerva. ibid.

Lapis de Goa. Vide Pharmacop. Baſean.

Lapis Infernalis. Vide Pharmacop. Londinens.

Lapis Lazuli præp. ibidem. Sic præp. *Lap. pretiosi.*

Lapis, Seu Sal prunel. ibidem.

Lapis Septicus. Vide Lap. Infernal.

Laudana conficiendi modus. Pro Laudano liquido pariter ac Solido conficiendo, pari terè ritu, Opij, & adjunctorum tincturæ seorsim extrahantur, quibus dein con-

confusis, & menſtruis ad medietatem avocatis, manebit pharmacum Splendidè rubescens : circa hæc utriusque generis Laudana, maximè interest cum quo menſtruo Opij tinctura extrahitur ; attamen si in formâ liquidâ, nullum præstantius Opij Solutivum occurrit, quàm V ☉le ☐ri volatilifato impregnatus. Hinc Empirici cujusdam pilula Opiatica, in quâ Opij dissolvens est ☉ ☐ri ☉ Terebinthinæ imbutus, usus non contemnendi habetur.

Laudanum. Vide Pharmacop. Londinens.

Laudanum liq. Cydoniat. Vide Pharmacop. Batean.

Laudanum Helmontii. R Opii Thebaici in taleolas disciss. ℥iv. croc ℥j. Cucurbitæ impositis adde Succ. Cydon. depurat. tepesacti, & in fermentationem per Flor. Cerevis, cochl. viij. conciti, ℥iiij. stent Simul leni calore ad digerendum per ij. dies, ut materia ad fundum Vasis descendat ; quæ per pannum laneum trajecta, & Cucurbitæ cum Alembico & Recipiente indita, digeratur iterùm hor. 24. quo tempore fæces satis ad fundum subsidebunt, quæ unâ cum liquore exemptæ

emptæ, per chartam emporet. filtratæ, & Cucurbitæ benè lotæ eodem modo rursum impositæ, additis xyloal. cinnam. caryoph. crassiusculè contus. an. ʒiij. Simul agitentur, & spatio 3. dier. in Aren. digerantur; liquor dein effusus & filtratus, in Alembico usque ad 3iam partem abstrahatur, qui in phiolâ Seorsim Servetur, & pro Vehiculo Laudano inserviat; quod verò manet sub formâ Syrupi in fundo Cucurbitæ sensim effundatur, & 4. hor. ad subsidendum sepositum usui conservetur.

Laudanum Opiatum. R̄ Opij. cum V. ☐ sat elaborat. dum adhuc est in consistentiâ Syrupi, ʒj. adde croc. opt. pulver. ʒj. Castor. pulv. ʒss. Evapora, vel potius desicca lenissimo igne super aren. tepidâ, vel sine loco calido Sponte exiccari ad consistentiam pilul. quod relinquitur, dicitur Laudanum Opiatum.

Laudanum liquid. Sydenham. R̄ Vin. Hispan. ℥j. Opij, ʒij. Croc. ʒj. Cinnam. Caryphyl. pulv. an. ʒj. infundant. simul in B. M. per ij. vel iij. dies, donec liquor debitam consistentiam acquirat, Colatura servetur pro usu.

Lauda-

Laudanum liq. Tartari sat. Vide Pharmacop. Batean.

Laudanum Universale. R Opij. chymicè præp. ʒß. Myrrh. ʒij. Croc. Flor. ʒij. an. ʒj. Mac. ZZ. galang. an. ʒß. c. V q. s. F. Extractum : Dos. gr. iv. vij.

Laureola præp. Fit cum aceto, omnino ut Esula: de quâ vide Pharmacop. Londinens.

L I.

Linclus. Vide Lohoch.

Linimentum, Seu litus, Græcis *χέλιδιον* & *ὀύχεσμα*, & quoddam lassitudinem tollit, *ἀνοππον* dicitur : nimirum, medicamentum liquidum quod extrâ illinitur, medium inter oleum & unguentum consistentia. Constat autem ex Oleis, butyro, cereis, pinguedinibus, sevo, medullis, lachrymis arborum, succis, mucilaginibus. His accedunt interdum farinæ, pulveres, resinae. Paucis hinc ex multis Pharmacopœum, sapienter vâ interim Medicinæ dignitate, non gratulari vaticinor. vaticinor.

Linimentum

Linimentum ad Ambustiones. Fiat Solu-
Cerussæ aut Minij. cum acet. stillat.

acetum plumbo imprægnatum & e-
coratum si concutiatur cum ☉ quovis,
Semin. rapâ express. evadet mixtura
ar linimenti.

Linimentum ad Dentium casus. R ☉ li
phorat. C. C. ust. an. ʒj. nuc. molch.
Mel. opt. q. s. M.

*Linimentum ad Ulcera Gingivarum, in-
flammationes, laxitatem, &c.* R Pulv.
oleg. Salv. menth. nuc. mosc. an ʒʒ.
ust. ʒj. Mell. ʒiv. M.

Linimentum in Paralyfi. R Ung. Ner-
ʒiij. Sp. Lavend. comp. Cochlear.
teris. an. ʒjʒ. M. quo inungantur par-
affectæ ut spina dorsi, &c. manè &
med

*Linimentum in Pleuritide, & ad dolo-
quosuis spasmodicos.* R Ung. Dialth.
☉ lil. alb. laterit. an. ʒiij. M. F.
His ament. post Fotum usurpand.

*Linimentum per ventrem inferiorem Pur-
m, sars. R Aloës, fell. taurin. an. ʒj. pulv.
on grætham. ʒij. cum ☉ liliac. & pauxillo
ceræ. F. liniment.*

94 *Pharmacopœia Chymica.* L O.

Linimentum pro emollitione Scrophularum. R Sp. Salis, Ol. ceræ stillat. an. ʒj. Sp. Sal. Ammon. V rectificat. an. ʒj. Ol. laterit. petræ, an. ʒj. Sapon. Hispan. ʒij. M. pro linimento.

Linimentum ad Tendines induratos & tumefactos Artus. R Ung. Dialth. Nervin. an. ʒj. Ol. Scorp. lil. alb. an. ʒʒ. Ol. Anis. Chym. ʒij. M. Aegro in lecto jam posito, & in Sudores disposito, usurpetur.

Liquor Betulæ, Succus est ex caudice perforato verno tempore effluens.

Lithargyrus præp. Vide *Pharmacop. Londinens.*

L O.

Lohoch, Linctus, sive Eclegma, nihil ab Electuario differt, nisi quod consistentiam habet paulò fluidiorem, inter Syrupos & Electuaria quasi mediam, & in Specie affectibus thoracis & pulmonum variis dictatum est.

Lohoch Album. Vide *Pharmacop. Batavian.*

Lohoch Benedictum. *ibid.*

Lohoch

Pharmacopæia Chymica. LO. 95

Loboch in Defluxione tenui. R. Conf. ros. rub. ℥ij. Syr, jujub. Diacod. an. ℥j. Olib. Mastich. Succin. an. ℥j. ☉ nuc. mosch. express. gr. vj. M. F. Loh. de quo lambat Sæpè ; bis in die cap. cochl. instillando Bals. Δ ris Anisat. à gtt. viij. ad xij.

Loboch Domesticum. Vide Pharmacop. Batean.

Loboch Febrisugum in infarctione Pulmonum, R. Ol. Amyd. dul. rec. Syr. ex Erysim an. ℥ij. pulv. Peruv. Subtiliss. & elect. ℥j. Sacch. crystal. alb. ℥β. M. exactissimè, F. Linctus: Dos. cochl. j. extra Paroxysm. 4tâ quâque hor. Superbib. ℥iv. Apozem. Pectoral. calid.

Loboch de Farfara. Vide Pharmacop. Londinens.

Loboch in quâvis Hæmorrhagiâ. R. Syr. Portulac. ℥iij. bol. ver. Sang. dracon. Troch. de Spodio, terr Sigill. an. ℥ij. ter. Japon. ℥j. gum. tragac. in aq. plantag. Solut. q. s. M. Dos. cœchl. j. Sæpiùs.

Loboch Incrassans. R. Conf. ros. rub. Syr. Viol. Diacod. an. ℥j. Sem. papav. alb. ℥iij. contundantur simul & per Seta-
ceum trajiciant. deinde add. ☉ nuc. mos.

96 *Pharmacopœia Chymica.* L U.

mos. expres. gr. vj. M. è baculo liqui
fumend.

Lohoch Lubricans vel Expectorans.
Smegmat. Castil. ʒijß. ☉ amyg. dul. Sy
Viol. an. ʒijß. Sacch. alb. q. s. M. Ve
R Lohoch Domest. ʒiij. Smegm. Cast
ʒj. M.

Lohoch de Papavere. Vide Pharmacop
Shiptoni. Londinens.

Lohoch è Passulis. ibid.

Lohoch è Pino. ibid.

Lohoch de Portulacâ. Vide Pharmacop
Londinens.

Lohoch è Pulmone Vulpis. ibid.

Lohoch sanum & expertum. ibid.

Lohoch Scilliticum. ibid.

*Lohoch in Tussi perpetuâ, & Vigiliis per
tinacibus Phthysicorum.* R Syr. Alth
Portulac. an. ʒijß. Spec. diatrag. frig
pulv. Haly, an. ʒij. Diacod. ʒijß. M. è
cochleari, vel bacul. liquir. fumend.

L U.

Lumbrici terrestres præp. vid. Phar
macop. Londinens.

Luna

Lunæ Calcinatio. R \mathcal{D} Subtiliter laminat. part. j. ♀ ♂ , p. ij. Simul mista vitro indantur, & ad exhalationem ♀ ij Super igne evaporent ; quo facto, in fundo remanet argentum instar Resinæ.

Lunæ calcinatio immersiva. R \mathcal{D} puræ vel impur. $\text{z}\beta$. Aq. Fort. zij . pone per noctem in digestionem donec tota luna ab aq. fort. sit consumpt. Si alia metalla conjuncta fuerint, solventur illa quæque ab ∇ . Si luna pura fuerit, solutio erit alba. Si verò cuprum admixtum fuerit, erit viridis. Hanc solutionem in vitro evaporatorio evapora ad siccitatem usque, & in fundo relinquitur calx Lunæ. Vel, destilla ex retortâ vitreâ ad siccitatem, & recuperabitur ∇ in recipiente : calx verò lunæ relinquetur in fundo retortæ. Cuprum Separari potest a calce reverberatâ cum aq. regiâ : Stannum, & plumbum verò, cum Ω aceti ; Sic acquireretur calx purissima Lunæ.

Lunæ Crystalli. R Tinctur \mathcal{D} , q. v. quæ furno digestionis ad medietatis assumptionem evaporet ; liquor dein residuus filtretur, & in loco frigido reponatur, ut in Crystallos concreascit ; à qui-

bus separatus liquor iterum exhalet, & ad crystallifandum in frigido ponatur, hoc repetendo, donec Cryſtalli non ampliùs concreſcant, quæ exemptæ & exiccatae uſui medico reſerventur.

Lunæ Hydragogæ præparatio. R Cryſtal. ꝯ ut ſuprà præp. & in rore Majali vel aq. pluvial. deſtillat. diſſolve, & digerantur per 24. hor. ut ſæces, ſi quæ ſint, fundum petant: aquam per filtrum trajice, & ad 4tæ partis remanentiam aufer, & cryſtallos in loco quieto expecta, quas exime, & exicca, & uſui *Serva*: reliquum de novo ad cuticulæ apparentiam evapora, Cryſtallos ut priùs expecta. Doſ. à gr. iij. ad v. vel vj. in hauſtulo Vin. calidi, vel aq. Cinnam. vel ſimil. convenient. vehiculis.

Lunæ Pilulæ. Solutio Argenti in aq. Stygiâ facta, & benè depurata, parùm evaporando in Cryſtallos elegantes redigitur; quæ per ſe (aut Ole Oſi ad ferociam Oli Dnaris retundendam adjecto) cum micâ panis in pilul. formantur. Doſ. Pil. modò j. modò ij. aut iij. pro ratione operationis, & virium tolerantia.

Pharmacopœia Chymica. L U. 99

Lunæ Solutio & Tinctura. R \mathcal{D} per
Cupellam purificat. q. v. cui Vitro in-
ditæ ∇ , seu potius Ω \bigcirc ri duplum af-
fundatur, & in digestionē tepidā F. so-
lutio; liquor dein filtretur, quo modo
Tinctura viridis evadet, quæ & Solu-
tio & Tinctura \mathcal{D} appellatur. Vel, Ex
 \mathcal{D} commodissimè Tinctura extrahitur, si
prius cum ♀ ♂ calcinetur, & postea
Menstruum ex Sale Urinæ volatili, &
 ∇ affundatur; quo modo cærulea fit
Tinctura: Viridis autem, Si Ω \ominus lis af-
fundatur.

M.

Magisterii nomen diversimodè usurpatur. 1. Datur pulveribus Solutione ac præcipitatione paratis, ut Mag. C. C. Coralliorum. 2. Tribuitur resinis seu extractis resinosis, ut sunt Mag. Scammon. Jalap. &c. Accuratè tamen loquendo magisterium vocari volunt Chymici ubi nonnihil menstrui cum essentiâ extractâ conjunctum mansit. Materiam ex quâ Magisterium parare constitutum est, tere aut comminue grossè, hinc affunde liquorem convenientem, acidum vel Similem ut Solvatur vel extrahatur; Solutio præcipitetur (affus. liquore vel materiâ cujus vi Solventis vis obtundatur,) præcipitatus pulvis abluatur, si opus sit, aq. communi, hinc exiccetur lentè. 1. Mineralibus tritis affunditur Solvens, Solviturque f. a. Solutio præcipitatur eluitur & Siccatur. 2. Vegetabilibus tritis grossè vel incisis affunde lixivium forte ex \ominus comm. \boxplus ri, &

& aq. pluvial. pararum, extrahatur, decantetur & præcipitetur affundendo aquam aluminis (in quâ \bigcirc Solutum) exicca lentè. Sulphureis id est, quæ oleosâ parte Scatent, extrahitur Tinctura beneficio ∇ rectificat. præcipitatúrque affusâ aq. comm. vel. aq. aluminis.

Magisteria Coralliorum, Margaritarum, Perlarum eodem modo fiunt. Vide Pharmacop. Londinens.

Magisterium Gum. Gutt. fit ex Gum. Gutt. \mathfrak{z} ij. \odot \square ri per deliq. \mathfrak{z} j. ∇ \mathfrak{z} vj. digestis ac evaporatis s. a.

Magisterium Martis. Vide Extract. Chalybis.

Magisterium Sulphuris. Vide Lac \triangle ris.

Magnes Arsenicalis. R \odot crud. Arsenic. alb. \triangle comm. an. \mathfrak{z} j. Tere omnia seorsim minutissimè. M. & in patellâ terrea, super carbonibus accensis, Sive flammâ, movendo identidem Spatulâ ferreâ, funde, ut fluant instar picis, cavendo nè materia accendatur: materiam fluidam effunde super laterem in tabellas, & habebitur medicamentum grisei coloris, quod servetur usui, gestetur de collo, amuleti loco, contra pestem.

Margaritæ præp: fiunt quemadmodum Corallia.

Martis Calcinatio. R $\&$ Limatur. ♂, 3ij. Ei in vitro contentæ oblongo affunde guttatim ∇ , q. s. donec nil ampliùs effervescat, sed omnia evadant liquida; observabiturq; cum insigni calore strepitus, Spuma, particularum effluvium, magna materiæ attenuatio, & rarefactio: hoc modo ♂ in Substantiam fluidam redigetur, quæ vulgò dicitur solutio, sive præcipitatio, sive calcinatio immersiva ♂tis. Hæc Solutio per noctem digeritur, tum in vitro evaporatorio evaporatur ad ficitatem usque: ita cõagulatur evaporando in pulverem rubicundum, qui reverberatus vulgò dicitur Crocus ♂, estque ipsa calx ♂. Dos. internè est \mathfrak{z} j. ad $\mathfrak{z}\mathfrak{ss}$. Hæc dicitur etiam vulgò Crocus ♂ aperitivus.

Mars Potabilis. R $\&$ Limatur. ♂ tenuiss. trit. \square Rhen. albiss. crud. an. p. æq. Aq. pluviæ. filtrat. q. s. ut indè formari queant globuli: quos in Sole exiccato, & in clibano unà cum panibus excoquito: de novo in pulverem conterito, & cum s. q. aq. pluv. ut priùs globulos formato,

to, iterumque in clibano excoquito: hanc operationem repetendo quousque ♂ in quovis liquore Solubilem experiaris. In aq. pluv. cochleatim datur. Dos. à gr. vj. ad xvj. & ʒj.

Masticatoria, διαμασθήματα, Sunt Apophlegmatifantia ità dispensata, ut dentibus mastificentur. Vide *Apophlegmatism*.

M E.

Mel Anthosatum. Vide *Pharmacop. Londinens.*

Mel Mercuriale. *ibid.*

Mel Mororum. Vide *Diamorœon* in *Pharmacop. Londinens.*

Mel Nuceum. Vide *Diacaryœon.* *ibid.*

Mel Rosat. comm. Seu Foliatum. *ibid.*

Mel Rosat. Colatum. Vide *Pharmacop. Londinens.*

Mel Rosatum, & *Mel Rosat. Solutivum* *ibid.*

Mel Scilliticum. *ibid.*

Mel Violaceum, paratur omninò ut *Rosatum.*

Mercurii opt. Nota & Probatio. Optimus ex Hispaniâ, vel Hungariâ affertur, qui ex Poloniâ nimis aqueus, & Hispanico longè inferior. Optimus ille est, cujus ʒj. in cochleari argenteo puro, super carbones posita, post evaporationem, maculam relinquit flavam vel albam: Sed qui cochlear denigrat, purgari debet, antequàm ad usum Medicum adhibeatur.

Mercurii Purificatio, diversimodè perficitur, Vel trajiciendo per alutam: vel lavando cum acet. & Sal. mixtis: aut cum aq. Calcis, Sæpiùs agitando: Vel fortitèr agitando cum V in vitro obturato: Vel destillando in aren. per Retortam igne forti; idque per se, vel addito ☉ ☿, ☿, ☿. Vel aaando cum ☉ vel ☿, ac posticà per retortam à corpore admixto Separando.

Mercurius præcipitat. corrosivus. vide Pharmacop. Londinens.

Mercurius præcipitat. Dulcis. ibid.

Mercurius præcipitat. diversi coloris. R ☿ viv. ʒj. ☿ generos. ʒij. M. F. Solutio ad calorem mediocrem: Solutionem hanc in 4. partes divide: Primæ infunde ☉ ☿ per deliq. & præcipitabitur ☿ coloris

coloris
tem,
adde
cadet
dicitu
cus.
randa
cretâ
pora
albus
rubel
Subli
bus a
amitt
maco
cipita
ille f
hunc
si in
☿ ij
evap
hatur
☿ =
dis,
paru
cipit
mur

coloris lutei. 2dæ instilla urinam recentem, & præcipitabitur incarnatus. 3iæ adde satis magnam aq. Salsæ copiam, & cadet sub formâ pulveris albissimi, qui dicitur vulgo ☿ ☿ albus, & cosmeticus. Tria hæc præcipitata aquâ edulcoranda, donec insipida sint; dein super cretâ exiccanda sunt. 4tam partem evapora ad Siccitatem usque, Sic primò fit albus, 2dò flavus, 3iò igne vehementiore rubescere incipit ☿; cavendum verò nè Sublimetur, quoniam hoc modo à Spiritibus acidis Spoliatur, & figuram rutilantem amittait. Pulvis hic vocatur apud Pharmacopolas ☿ ☿ ruber, & absolutè Præcipitatum: Pulvis item Vigonis. (Vigo ille fuit nobilis Chirurgus Italus) Chirurgi hunc quoque edulcoratum V, in parvâ dosi intra corpus exhibeant. Si solutioni ☿ij addatur pauxillum Cupri, & Solutio evaporetur, & postea cum Ω. acet. extrahatur, iterumque coaguletur, habebitur ☿ ☿ viridis, vulgò dictus Lacerta viridis, & laudatur in Gonorrhæâ; sed tamen parum tuti usûs est medicamentum. Præcipitatum luteum omnium est debilissimum: incarnatum paulò fortius: album

duplò fortius præcedente : rubrum omnia præcedentia exuperat, tam in quantitate quàm in qualitate. In genere omnia vomitum movent, Salivationem cient, & horrenda Symptomata producant, nisi cum cautelâ in usum adhibeantur. Dos. Præcipitat. rub. ad gr. 3. vel 4. alb. gr. 8. vel 10. incarnat. ad ℥j. lutei, eadem.

Mercurii Sublimat. Corrosivus. Vid. Pharmacop. Londinens. Hoc opus multò faciliùs sic procedet. R̄ ♀ crud. q. p. dissolve in q. s. ∇. generos. post dissolutionem, leni igne aq. fortem ad siccitatem pulveris auferto ; cui misce æq. part. ⊖ comm. decrepitat. sublimato simul igne fortiori, quousque ♀ instar sublimati appareat in phiolâ : hæc operatio 5. vel 6. hor. Spatio perfici poterit, & æquè corrosivum præbet ♀ium.

Mercur. Sublimati Dulcis. Vide Pharmacop. Londinens. Si ♀ ☿ cum Mercurio vivo digeratur per diem j. aut saltem leni calore, eò meliùs Salia acida in corrosivo ♀io existentia ♀rij. vivi poris sese insinuare possunt, & mediante illo aciditas tantò magis infringitur corrosiva, ità ut unicâ tantùm Sublimatione planè dulcis

dulcis
nem
ties :
eò m
Præst
Subli
Me
citur
& ex
trum
gi, c
Dos.
gr. i
ctem
nim
mar
tion
tis t
cibu
in t
am
put
ma

dulcis postea evadat. Vulgò Sublimationem adhuc aliquoties repetunt, vel Septies: Sed quò Sæpiùs Sublimatur ♀, eò magis deponit vim suam purgatricem. Præstat itaque contentum esse 2dâ suâ Sublimatione.

Mercurius Vitæ. ibidem. Qui vulgò dicitur pulvis Algoreth, vel Aquila alba, & ex puro ☿io constat, possitque in vitrum ☿nij pellucidum brevi fusione redigi, quod vulgò Succinum ☿nij dicitur. Dos. in Substantiâ sunt gr. iij. In infuso, gr. iv. vel v. & tum digeritur per noctem, & colatur per pannum. Pulvis iste nimis atrociter Vomitivus si cum ☉le marino calcinato teratur, & crebrâ ablutioneedulcoretur, longè mitior, & Satis tutus evadit, Porro si iste ☿ro in crucibulo fuso indatur, particulis Sulphureis in totum ablatis vim emeticam prorsùs amittit, atque ☿ diaphoreticum purum putum evadit.

Mezereon præp. Fit ex Foliis in aceto maceratis, ut *Esula*.

Millepedes

M I.

Millepedes præp. fit (deterfis sordibus) exiccando in furno, & in pulv. redigendo f. a.

Mithridatium. Vide Pharmacop. Londinens.

Miva Cydon. v. *Gelatin. Cydon.* ibid.

Mixtura Simplex, de Tribus dicta, sive *Diaphoreticum Paracelsi in Peracutis.* Vide Pharmacop. Batean. Secundum Riverium hoc modo proportionatur. R̄ Sp. ☉ li, part. j. Sp. ☐ ri, p. iij. Sp. Aq. Theriac. camphorat. p. iv. M. Ab aliis fit hoc modo: R̄ V rectificat. ℥iij. Sp. volat. ☉ li, ℥j. Aq. Theriacal. Camphorat. ℥v. M. f. a. Dos. ℥j. in conveniente vehiculo.

M U.

Mumiæ præp. R̄ Carnis hom. violentâ morte perempt. q. p. In taleolas conscindito, quas per hor. 24. in f. q. Ω ☉ lis, macerato: postmodum inter lintea complicata exiccato, & myrrhâ alcoholizatâ fricando imprægnato, quantum fieri potest:

test: filoque trajicito, & aëri libero exponito. Ità enim obtinebis carnem humanam per Ω Θ lis & balsamum myrrhæ, à putredine præservatam: cujus tincturam si desideraveris, procedito, ut in methodo tincturas extrahendi. Alcohol autem Vini tincturâ Mumix imprægnatum ad dimidias evaporato; ità enim habebis verum Microcosmi balsamum. Mumix extraneæ quæ ad nos deferuntur, parari solent ex carne, a corpore Ω volatili, Δ re, & Θ le abundante, exemptâ: & sæpissimè ex corporibus sub arenis exiccatis à vehementi Solis calore in desertis Arabiæ; vel à carne ex corporibus eorum, qui languido morbo, diuturnâve ægritudine, extincti fuere. Dos. à gr. xv. ad xxx.

Nepenthes

N.

N*epenthes Opiatum.* Vide Pharmacop. Londinens. *Nepenthes* dicitur a similitudine, quam habet cum *Nepenthe Helenæ* quâ omnes languores tollebat. (ut est apud Homerum.)

NI

Nitri Probatio. Si vis probare \textcircled{O} ri bonitatem, mitte \textcircled{O} in carbonem ignitum, Si omne avolaverit, bonum; sin autem aliquid remanserit, malum.

Nitrum Fatum. Vide Pharmacop. Batean.

Nitrum Cachecticum. R $\&$ \textcircled{O} li \textcircled{S} tis, part. iv. Arcan. duplicat. p. v. \textcircled{O} ri, p. vij. M. ac in Arenâ ad rubedinem calcina s. a.

Nitrum Catharticum. Vide Pharmacop. Batean.

Nitrum

Ni
opt 3
qui pu
impor
instar
carbon
istud
fiit c
jectio
non a
sub m
rectè
N
beri,
 \textcircled{O} ru
Solu
evap
quet
quod
frig
filtr
prin
que
ficio
que
ma

Nitrum Fixatum. R̄ ①ri puriss. & opt ʒiv. Teratur in pulverem subtilem : qui pulvis indatur crucibulo mundo, quod imponatur carbonibus accensis, ut fluat instar aquæ : cùm fluxerit, indatur frustum carbonis igniti, expecteturque, tandiù donec istud frustulum effervescente cum ①ro sit consumptum : tum repete illam injectionem carbonum toties, donec ①rum non ampliùs inflammetur, sed relinquatur sub massâ siccâ, & virescente, erit ①rum rectè alcalisatum.

Nitri fixi Liqueor, Sive Alchabest Glauberi, id est, menstruum universale. R̄ ①rum fix. Solvatur s. q. aq. fervent. Solutum filtretur per chartam : colatura evaporetur ad Siccitatem usque : & relinquatur in fundo Sal quoddam acerrimum, quod in orbe vitreo reponatur in locum frigidum, ut solvatur per deliqu. solutum filtra per chartam, & servetur usui. Imprimis gummata & resinas resolvit, atque ità aperit, ut postea commodè, beneficio Alcohol Vini, genuina tinctura elici queat.

Nitrum Hermaphroditicum. Vide Pharmacop. Batean.

Nitrum

Nitrum Nitratum. R̄ ☉ puriss. ℥ij. ☉ ☉ri, ℥ijj. macerentur simul per hor. aliquot: dein igni Superponantur, ut omnis liquor evaporetur: Sic in fundo remanebit ☉ candidissimum fracto vitro examinandum. Aliter Sic; R̄ Sp. ☉ri rectificat. part. iv. ☉ purificat. p. vj. M. ac destilla ad siccit. cum terno cohobio, urgendo ignem postea s. a. Dos. à gr. iij. ad ℥j. permiscetur plerumque tribus part. Sacch. albissimi. Externè gingivarum putredini illitum convenit. Eodem modo omnia Salia muriatica Spiritu proprio exsatiari possunt, ut magis convenientia palato fiant, & viribus excellentioribus prædita.

Nitri Regeneratio. R̄ Sp. ☉, 3℔ Ei in vitro affunde ☉ ☉ri per deliq. guttatim, donec strepitus cesset: evapora liquorem ad cuticulæ apparentiam, & in cellâ crystallos expecta, quæ in chartâ emporeticâ exsiccentur: easdem possidet vires, quas ☉rum, sed puriores: hoc etiam flammam igne arripit, quod nec ☉ ☉ri, nec Sp. ☉ri, per se faciunt.

Nitrum Vitriolatum. Vide Arcan. duplicat. Vel, parari potest ex ☉, p. ij. ☉ ☉^{li},

℞ li, p. j. M. ac destilla ad siccit. ter
obobando, & urgendo ignem postea ad
vasis excandescientiam.

N O.

Nodulus Hystericus. ℞ Castor. pulv.
℞. Asæ Fætid. ℞j. Ol. Succin. ℞ß. M.
& in serico involve, ut F. Nodulus.

N U

Nutritum. Vide Ung. Nutritum.

Oculi

O.

O *Culi Cancrorum*, parantur omnino
Corallia.

O D.

Odoramenta, & ipsa naribus Suscipiuntur: materia horum omnia sunt, quæ suam odorem de se Spirant: variis autem modis ista adhibentur; primò enim in pulveres redigi solent, & vel in pyxidibus ac vase ligneo asservantur, vel in nodulum, aut Sacculum ex serico includuntur. 2do eadem odorata medicamenta in pulverem redacta, Gummatibus, quibus aliquando Terebinthinæ quoque addi potest, excipiuntur, atque in unam massam pilâ calidâ, affundendo aq. Ros. rediguntur, & quâ globus formatur, vulgò Poma ambræ vocant. Vel, R. Mosc. Ess. Zibet. gr. v. Balf. Peruv. gtt. xij. Ol. Caryophyl. gtt. iv. Lign. Rhod. gtt. ij. excipiantur omnia

nis \ominus \boxplus ri, 3ß. M. optimè, donec om-
 nia unita sint; dein adde ∇ rectificat.
 3ij. reponantur simul in loco calido (vel
 in calore Solis, si tempus anni patiat) ad
 digestionem per 3. dies, bis in die
 materiam agitando: Sic fiet Essentia odo-
 ratissima à sæcibus Subsidentibus per in-
 clinationem Separanda. Cardiaca est, præ-
 cipuè si gtt. ij. Ol. Cinnam. in compo-
 sitione addantur in mixturis, & Summo-
 perè conducit; ut medicamenta gratio-
 ra evadant, & fœtor tollatur. Indè eti-
 am præparantur Aq. odoriferæ, Moschatæ
 dictæ, & Ambratæ, Sequenti modo: R
 Aq. ros. 3j. Ei infunde hujus Essent. gtt.
 j. vel ij. & erit fragrantissima. Indè eti-
 am fit Aq. Vitæ Ambrata, si, in pintâ
 unâ, gtt. ad summum xx. hujus Essent.
 infundantur. Vinum etiam fit Moschatum,
 si, in pintâ unâ, gtt. j. vel ij. infund.
 Confectiones, & Conservæ, odoratissimæ
 indè fiunt, si in singulas uncias gtt. iij.
 vel iv. permiscantur. Liqueur sequens e-
 vaporationi committatur super ignem, si
 camera perfumanda sit; linteamina verò,
 & vestimenta eo humectentur, & lentè
 exiccare permittantur. R Aq. Ros. La-
 vend.

116 *Pharmacopœia Chymica.* O E O L
vend. an. ꝥß. Essentiæ hujus Regiæ,
M.

O E.

Oesypum parandi modus. Conficitur
lanâ Succidâ in aq. ferventi maceratâ, sa-
piusque lotâ s. a. ut Pinguedo aquæ inn-
tans colligatur.

O L

Olea propriè sic dicta, triplicis generis
in Officinis occurrunt 1. Distillata. 2. Ex
pressa. 3. Infusa cocta. Olea stillatitia
ex singulis simplicium familiis parari possunt,
Mineralium, Vegetabilium, ac Animalium.
Mineralia, quæ oleum fundunt, maximè sunt
ex genere Sulphureorum; ut Succinum, & simil.
Ex Animalium familiaria exhibent oleum, cornua,
medulla, cerebra, ossa, ungulæ, pinguedines, San-
guis, Stercora. Vegetabilia primaria, ex quibus
Olea destillantur, sunt Aromata, Cortices,
Flores, Fructus, Herbæ, Ligna, Radices, Semina.
Secundaria sunt Olea, Gummi, Resinæ.

1. Ex

1. Ex Aromatibus. R̄ Aromat. grossè
contus. (pulveres minus olei fundunt,)

Aq. Font. f̄bx. macerentur simul per

24. hinc destilla per Vesicam, seu

Alembicum cum suo refrigeratorio:

quam adhibe ad novam destillationem.

steterit itidem \ominus comm. vel \ominus \odot ri,

\ominus \square ri, M. j̄ß. admisceri, Semper ad

medietatem destillando. Separatio olei ab

quâ fieri potest. 1. Subsido. Nimi-

si aliquamdiu (dies 14.) destillatum

motum in cellâ steterit, subsidet oleum.

Filtrando per chartam. 3. Per gossi-

um.

2. Ex Corticibus, non lignosis in aq.

ij. Septiman. maceratis, oleum ad e-

dem cum Aromat. paratur modum, v.

ex cort. arantior. citrir, &c. Præstant

artices nondum exiccati, ab albâ parte

teriori Separati, & contusi.

3. Ex Floribus. (Siccis præcipuè) olea

eundem modum destillantur, si con-

si per diem unum cum aq. fuerint ma-

crati. Sic fiunt oleum Chamæmel.

avendul. Ros. &c.

4. Ex

4. *Ex Fructibus.* ex gr. baccis juniperi, lauri, & Similibus, Oleum educitur contusis, in aq. tepidâ (Sumendo ad singulas baccarum lb. aq. lbvj. vel, si sicciiores fuerint baccae, aq. lbx.) per hor. 24. maceratis, & per Vesicam, seu Alembicum destillatis.

5. *Ex Herbis.* R̄ Herbas virides, vel Siccas (Siccæ tamen feré plus olei suppetant) earum Scil. lbj. aq. font. lb. xx. macerentur per hor. 24. & fiat destillatio per Vesicam cupream, cum suo operculo, & rostro oblongo in Spiras convoluto, per aq. frigidam transeunte.

6. *Ex Lignis & Viscis.* R̄ Segmenta lignor. arida q. v. imple retortam (lutatam) ac destilla in Recipiens sat amplum, igne nudo gradatim adhibito, sic extillat primùm liquor clarus, continuato hoc igne post hor. (4. 5.) sequentur Spiritus nebulosi, tandem auge ignem, ut fundus retortæ candescat, sic ascendit oleum nigricans & foetidum, quod à liquore separa ac rectifica. Sic fiunt olea è ligno guajaci, agallochi, buxi, coryli, ebeni, juniperi, fantali, serpentariæ, Sic & viscorum coryli, querni & simil. Sunt & lig-
na,

sed pauca, quæ oleum suum, (quod
ilius ac volatilius est,) per Vesicam
aq. font. destillata tardè licèt, pro-
unt, ut Sassafras, lignum rhodium,
ressinum. Scil. lignum ferratum vel
utim incisum, maceretur in aq. ali-
mdiù, dein destilletur per Vesicam ;
illatione dies aliquot continuatâ prodit
em oleum.

Ex Radicibus. R Radices, conquas-
digere cum aq. per dies 6. vel 8.
destilla per Vesicam : præstant siccæ,
& quæ collectæ fuerunt, antequàm in
ones abierint : majorem olei copiam
petas, destillationis residuum cum
illâ destill. macera, ac destilla ite-

Ex Seminibus. R Semin. contus.
Aq. Font. lb. xx. Macerentur per
hor. dein destillentur per Vesicam,
per Alembicum cum suo Refrigerera-
to.

Ex Resinis. R Resinar. lbij. affun-
duplum vel triplum aq. puræ, de-
enturque per Vesicam : Sic prodibit o-
n, quod primò clatissimum stillat aquæ
ernatans (Dicitur vulgò Spiritus.)
hinc

hinc incipit paulatim flavescere, quod fiet forsan post hor. xij. muta itaque receptaculum, & suscipe flavum hoc oleum (si placet seorsim) continuando destillationem, donec nihil olei amplius extillet (dicitur Oleum) tandem exime materiam in vesicâ resistantem, (quæ colophoniam dicitur,) eamque destilla ex retortâ in arenâ, & extillabit oleum crassum rubrum (Balsamus vulgò.) Si volupe sit per Retortam ea simul destillare, exæstuatio præcaveri potest, si pro quâlibet librâ resinæ liquefactæ, arenæ vel farinæ laterum thj immiscueris.

10. Ex Gummi resinis. R Gummi resin. thj. inde retortæ vitreæ, (ventre capaci) ut Saltem 3ia pars impleatur, destilla per aren. in receptaculum, aliquotâ parte aquæ adimpletum, primò igne lento, & prodibit oleum, dein auctiori, & extillabit Balsamum: ut fervescentiam præcaveas, arenæ aliquid admiscere poteris. Sic fit oleum è Mastich. Tachamah. Myrrh. &c.

11. Ex Gummatibus, (præcipuè ferulaceis) Olea elici possunt ad eundem modum quo ex resinis: Sed si mavis destillatione

latione

latione unâ eâdemque oleum subtilius & crassius per retortam elicere, destilla initio calore leniori, ac Suscipe oleum subtilius seorsim, dein collige crassius igne auctiori; præstat tamen per Vesicam.

Exprimuntur Olea ex Seminibus ac nucleis nonnullis oleosis. & Nucleos ficos (ex gr. amygdal.) non rancidos, ex-cortica ac contunde in mortario lapideo minutissime, hinc indè sacco, ac exprime fortiter sub prælo. Præstat ut plurimum massam illam tritam in sartagine torrere, vel vapore aq. calidæ tepefacere: sic exprimuntur olea ex semine Lini, papaveris & simil. Eliciuntur quoque Olea, sed pauca, per decoctionem rei in aquâ, quâ decoctione pars oleosa supernatat, sic fit Balsam. Peruv. oleum lauri, & similia. Olea sine igne expressa sunt saporis gratioris.

Olea per infusionem & coctionem cùm Simplicia, tùm composita Officinis usitatissima sunt. Simplicia recentia incisa coquantur oleo mixto aquæ, vino, aliive liquori convenienti, idque tantisper donec humiditas aquea exhalârit. Commodior modus hicce est.

G

pulveris.

122 *Pharmacopœia Chymica.* O L.

pulveris. affunde oleum, digereque in MB. hor. 12. dein exprime fortitè, expressio- nem expone calore leni, ut sæces subside- ant, quas Separa. Vel, R̄ Ol. Oliv. q. s. infunde ei herb. recentes, demptis cauli- bus: stent in maceratione per dies ali- quot: dein coq. in BM. per hor. j & ex- primantur, & denuò recentes herbæ oleo infundantur, denuò coquantur & expri- mantur, hanc operationem adhuc semel repetendo: ultimò, post colaturam, adde oleo cocto oleum illius herbæ stillatitium in f. q. v. g. ℥j. olei cocti, 3j. vel ij. ol. stillat. & erit oleum efficacissimum.

Olea ex ordine sequentia Pharmacopœ- um apprimè gnarum sibi vendicant; quip- pè non tam locum in Officinis tanquam inquilini, quàm ut Satellites ejus in omne munus parati domicilium ibi jure occu- pant & cohonestant.

Oleum Absinthites, & *Ol. Absinthii chy- micum*. Vide Pharmacop. Londinens.

Oleum Amygdalarum dulc. *Ol. Amygdal. amar.* ibid.

Oleum Anethinum. ibid. *Ol. Anethi chym.* Vid. *Oleum ex Seminibus destillat.*

Oleum

Pharmacopœia Chymica. OL. 123

Oleum Anisi, è Sem. contus. & Aq. ut *Anerhi*.

Oleum Anthûs chym. è Summit. Rorimar. Sicc. & Aq. font. ut *Absinthii*.

Oleum Antimonij. vide *Butyr. Antim.*

Oleum Arsenici. Vide Pharmacop. Londinens.

Oleum Asæ fætide destillatur ut *Ceræ*.

Oleum Avellanarum, exprimitur è nucleis ut *Amygdalar*.

Oleum Aurantiorum, exprimit. è Semin. eodem modo. Ol. *Aurant. chym.* destillatur è corticibus Sicc. & Aq. ut *Absinthii*. vid. *Olea ex Herbis destill.*

Oleum Balaninum, vel de *Been*. Exprim. è nucleis uti *Amygdalarum*.

Oleum Benedictum. Vide Pharmacop. Londinens.

Oleum Benzoini. Destillatur per retort. uti *Ol. Saccini*.

Oleum Buxi. ex ligno per retort. quemadmodum *Guajaci*.

Oleum Cannabis. exprim. è Sem. contusis s. a.

Oleum de Capparibus. Vide Pharmacop. Londinens.

124 *Pharmacopœia Chymica.* OL.

Oleum Carannæ. Destillatur ex gum. & pul. regular. ut *Ceræ.*

Oleum Cartbami. Exprim. è Semin. confusis.

Oleum Carui chym. fit per vesicam, ut *Ol. Anethi chym.*

Oleum Caryinum. exprim. è nucleis Jugland. ut *Amygdalarum.*

Oleum Caryophyllorum. fit per vesicam, ut *Anethi chym.*

Oleum de Castoreo. & *de Castoreo comp.* Vide *Pharmacop. Londinens.*

Oleum Catellorum. ibid.

Oleum Ceræ. R. *Ceræ flav.* liquat. ℥ij. pulv. regularum, ℥iij. destilla per retort. & rectificetur cum aq. copiosâ s. a.

Oleum Cerasorum. exprim. è nucleis, ut *Amygdalarum.*

Oleum Chamæmelinum. fit ex flor. & oleo, ut *Anethinum.* *Oleum Chamæmelichym.* ex Florib. Siccis per vesicam, ut *Absinthii.*

Oleum Cheirinum. ex Flor. & oleo, ut *Anethinum.*

Oleum Chrysomelinum. exprim, è nucleis *Mali Armenii* s. a.

Oleum

Pharmacopœia Chymica. O L. 125

Oleum Cinnamomi. Destillatur per vesicam, ut *Anethi chym.*

Oleum Citri exprim. è semin. contusis, f. a. *Ol. Citri chym.* fit ex cort. sicc. & Aquâ ut *Absinthii chym.*

Oleum Citrulli. exprim. è Sem. excort. & contusis, f. a.

Oleum Costinum. Vide Pharmacop. Siptoni. Londinens.

Oleum Crocinum. Vide Pharmacop. Londinens.

Oleum Cucumerum. exprim. è Sem. excort. contusis.

Oleum Cydoniorum. Vide Pharmacop. Londinens.

Oleum Cymini chym. fit per vesicam, uti *Anethi chym.*

Oleum Dauci chym. ex Semin. eodem modo.

Oleum Ebuli. exprim. è Semin. contus. f. a.

Oleum Enulatum. Vide Pharmacop. Londinens.

Oleum Euphorbij. ibid. *Ol. Euphorbij comp.* ibid.

Oleum Euphorbij chym. destillatur per retort, ut *Succini.*

126 *Pharmacopœia Chymica.* O L.

Oleum Excestrense. Vide Pharmacop. Londinens.

Oleum Fœniculi chym. fit è Semin. ut *Anethi chym.* Vel, ex Herbâ recent. per *Vesicam.*

Oleum Formicarum. Vide Pharmacop. Londinens.

Oleum Gagatis. destilla per retort. ut *Ol. Succini.*

Oleum Galbani. destillatur ut *Ceræ* per retort.

Oleum Guajaci. Vide Pharmacop. Londinens.

Oleum Hederæ chym. paratur è baccis, ut *Anethi chym.*

Oleum Hirundinum. Vide Pharmacop. Londinens.

Oleum Hyoscyami, exprim. è Sem. confusis. f. a.

Oleum Hyperici simplex, sive Balsamum. Vide Pharmacop. Londinens. *Ol. Hyperici. comp.* ibidem. *Ol. Hyper. Magis comp.* ibid.

Oleum Hyssopi chym. Fit ex Herb. cum flor. sicc. ut *Ol. Absinthii chym.*

Oleum Jasminum. ex Flor. & ol. veteri insolatis & expressis.

Oleum.

Oleum Irinum. Vide Pharmacop. Londinens. *Ol. Irinum comp.* ibid.

Oleum Juniperi chym. ibid. Vel, destillari potest è ligno, eodem modo.

Oleum Lateritium Philosophorum. Vide Pharmacop. Londinens.

Oleum Lavendulæ chym. ex flor. Siccis, ut *Absinth. chym.*

Oleum Lauri chym. è Baccis per Vesicam, ut *Anethi chym.* *Ol. Laurinum.* Vid. Pharmacop. Londinens.

Oleum Liliorum alborum. ex Flor. rec. & *Ol.* ut *Rosaceum.*

Oleum Lini. exprim. è Sem. contusis, f. a.

Oleum Limonum chym. fit ex cortic. sicc. ut *Abs. chym.*

Oleum Lumbricorum. Vide Pharmacop. Londinens. & Batean. quod ad Paralyfin curandam mira præstat.

Oleum Macis. exprim. ex macere contus. f. a. *Ol. Macis chym.* fit per vesicam, ut *Anthei chym.*

Oleum Majoranæ commune. Vide Pharmacop. Londin. *Ol. Majoranæ chym.* fit ex Summit. Siccis, ut *Absinth. chym.*

128 *Pharmacopæia Chymica.* O L.

Oleum Majoran. comp. Vide Pharmacop. Shiptoni Londinens.

Oleum Mandragoræ. Vide Pharmacop. Londinens.

Oleum Mastiches. Vide Pharm. Londinens. *Ol. Mastiches chym.* fit per retort. ut *Succini.*

Oleum Meliloti, ex Summitatibus, ut *Anethinum.*

Oleum Menthæ. ex Herbâ & *Ol. omph.* ut *Rosaceum.* *Ol. Menthæ chym.* ex Herb. Sicc. & Aq. ut *Absinth. chym.*

Oleum Moschis, Sive Moschelaum. Vid. Pharmacop. Shiptoni. Londinens.

Oleum Myrrhæ per deliq. Vide Pharmacop. Londinens. *Ol. Myrrhæ chym.* ibid.

Oleum Myrtinum. ibid.

Oleum Narcissinum. ex Flor. rec. *Narcis.* alb. & oleo, ut in *Rosaceo.*

Oleum Nardinum. Vide Pharmacop. Londinens. *Ol. Nardinum. comp.* ibid.

Oleum Nasturtii hort. Chym. ex Herb. ut *Absinth. chym.*

Oleum Nenupharinum. ex Flor. rec. & oleo, ut in *Rosaceo.*

Oleum

Pharmacopœia Chymica. OL. 129

Oleum Nicodemi. Vide Pharmacop. Londinens.

Oleum Nicotianæ. è Succ. & Ol. an. p. æq. coctis f. a. *Ol. Nicotianæ chym.* ex Fol. Siccis, & Aq. ut *Abfinth. Chym.*

Oleum Nucistæ chym. ex Nuc. mosch, & Aq. ut *Anethi chym.*

Oleum Nucis Moscbatæ. exprim. ex nucibus contusis f. a.

Oleum Olivarum comm. exprim. ex Olivis maturis, è pulpâ, non ex nucleis.

Oleum Omphacinum, Seu *Omotribes.* exprim. è pulpâ Olivarum ante maturitatem.

Oleum Opopanacis chym. Distillatur omnino ut *Ceræ.*

Oleum Origani chym. ex Flor. Siccis ut *Abfinth. chym.*

Oleum ex Vitellis Ovorum. Vide Pharmacop. Londinens.

Oleum Papaveris. ex Flor. capit. Fol. papav. Sativ. & Ol. *Omphacin.* eodem modo quo *Anethin.*

Oleum Papaveris. è Sem. contus. & expressis.

Oleum Paralyticum. Vide Pharmacop. Batean.

130 *Pharmacopœia Chymica. O L.*

Oleum Picis liquidæ, fit per retort. ut *Ceræ*.

Oleum Piperis chym. Destillatur per Vesicam, ut *Anethi chym.*

Oleum Populneum. Vide Pharmacop. Londinens.

Oleum Pulegii chym. Fit ex Herbâ, cum Flor. Siccis, uti *Absinthii chym.*

Oleum Quercûs chym. ex ligno per retortam, ut *Guajaci*.

Oleum Rapi. exprim. è sem. ut suprâ.

Oleum Rhodii. Distillatur è ligno cum Aq. ut *Anethi chym.*

Oleum Rorismarini chym. ex Herbâ, vel ligno per vesicam, ut *Absinth. chym.*

Oleum Rosac. Omphacinum. Vide Pharmacop. Londinens. Ol. *Rosac. completum* ibidem. Ol. *Rosar. chym.* seu *Spiritus.* ibid.

Oleum Rutæ chym. ex Herbâ cum aq. ut *Absinthii.* Ol. *Rutaceum.* ex Herb. rec. & oleo, ut *Rosac.*

Oleum Sabinæ comm. & chym. similiter.

Oleum Sacchari comp. Vide Pharmacop. Batean.

Oleum

Pharmacopœia Chymica. O L. 131

Oleum Sagapeni. omninò ut *Ol. Cerae*,
per retort.

Oleum Salis, seu Spiritus. Vide *Phar-*
macop. Londinens.

Oleum Salviæ chym. ex *Herb.* cum
Aquâ, ut *Absinthii*.

Oleum Sambucinum. ex *Flor.* & oleo, ut
Rosaceum.

Oleum Sampsuchinum. Vide *Ol. Majo-*
ranæ.

Oleum Sanctum. (i. e.) *Ol. Chamæme-*
linum.

Oleum Sassaparas. Destillatur ut *Anethi*,
ex ligno cum aquâ.

Oleum Satureiæ chym. ex herb. cum
flor. ut *Absinth. chym.*

Oleum Scorpionum. Vide *Pharmacop.*
Londinens.

Oleum Sesaminum. exprim. è *Sem.* con-
tus. f. a.

Oleum Sicyonium. Vide *Pharmacop.*
Londinens.

Oleum Solani. Fit è *Bacc.* matur. lbj.
Ol. lbij. coctis f. a.

Oleum de Styrace, è *Styrac.* & *Vin. an.*
ʒj. *Ol.* ʒiiij. coctis f. a. *Ol. Styracis li-*
quidæ, destillatur per retort. ut *Cerae*.

Oleum

Oleum Succini. Vide Pharmacop. Londinens. Vel, R Fragmentor. Succin. alb. q. v. hisce repleatur retorta vitrea, ut 3ia ipsius pars remaneat vacua. hisce, si visum fuerit, adjice M. j. vel ij. silicum pulv. vel arenæ lotæ: instituatur destillatio lento primùm igne, sic enim stillantem primò observabis Ω succini subacidum: ignem successivè auge, ità enim prodibit ol. flavum & limpidum; vehementiori tandem igne prodibit ol. rubrum unà cum sale volatili undecùmque lateribus colli retortæ, & Recipientis, adhærente: omnibus refrigeratis. ol. à Spiritu per tritorium separa, quod lenissimo igne per se, vel cum cineribus elixivatis rectifica, vel, si candidissimum velis, cum pluvîa rectifica: ità enim obtinebis ol. Succini album, vel subcitrinum, quod Spirituale; nigrum verò & foetidum, Balsamicum nuncupatur.

Oleum Sulphuris. Vide Pharmacop. Londinens. Vel, R Δ ris Mineral. q. v. habendum est vas vitreum paropsidis vel patinæ instar, è cujus centro surgat meta, suprâ quam catinus vel crucibulum statuatur Δ re crassiusculè contuso & liquefacto

liquefacto repletum; \triangle carbone vivo
 admoto accendatur: Supra \triangle Campana
 vitrea aq. purâ prius madefacta suspenda-
 tur, eâ distantia nè Flamma lambat cam-
 panam: \triangle aliquoties moveatur, nè flam-
 ma suffocetur: sic Spiritus acidi, ex accen-
 tis \triangle re volantes, & ad campanæ latera
 impingentes, in liquorem abeunt, ac de-
 cipiunt in modum Aquæ, vel Olei: loco
 Aris deflagrati recens \triangle substituendum
 est; vel ollæ duæ in promptu sint, ut,
 Aris in unâ absumto, recens liquefactum
 substitui possit: signum benè procedentis
 operationis est, ubi Campana à fumo \triangle Aris
 non turbatur, sed perspicua manet: con-
 tinua hanc operationem in loco frigido
 & humido, imprimis tempore pluvioso,
 quamdiu libitum fuerit; & accipies ex ℥ij.
 Aris Miner. ℥iv. vel. vj. Olei seu Spiri-
 tus: Oleum hoc modo paratum retort.
 vitreâ in furno Aren. rectificetur, eo mo-
 do, quo ☉ ☿ li: ☿ qui destillando cla-
 rus & albus ascenderit, ☉ quod in fundo
 retort. ponderosum, acidum, & rubicun-
 dum restabit, simul in Vitro obturato usui
 serventur.

Oleum Taccamahaccæ. destillatur per retort. ut *Cera.*

Oleum Tanaceti chym. ex Herb. cum aquâ, ut *Absinthii.*

Oleum Tartari per deliq. Seu *Liquamen* fit solvendo ☐ ad albed. calcinat. in loco frigido.

Oleum Tartari comm. seu *Aqua Tartarea.* R. ☐ ri alb. elect. ac Splendescens loti, & exiccati. tbiv. destill. per retortam terream in fornace Reverberii collocatam cum Recipiente amplo, primò leni igne per hor. vj. dein per gradus aucto, donec vapores albi penitus cessent; primo ascendet Phlegma, dein Ω acris & penetrans ☉ flavum, ac ultimò ☉ nigrum & foetidum, quod ☉ ☐ ri combustibile appellatur; hoc postremò separato & ad usum seorsim servato, liquor reliquus cucurbitæ vitreæ inditus, calore Aren. bis terv rectificetur, abstrahendo quâque vice 3 ias solummodò partem: Nota bonitatis ejus est, si cum acido effervescat.

Oleum Terebinthinæ. Vide Pharmacopœiam Londinens.

Oleum

Oleum Thuris. fit per retort. ut Ol.

cin.

Oleum Thymi chym. Eodem modo quo
synthii.

Oleum Verbenaceum. ex herb. & ol. ut
faceum.

Oleum Violaceum. ex Flor. & Ol. Om-
acin. ut *Rosaceum.*

Oleum Vitrioli. Vide Pharmacop. Lon-
nens. Vel, R \oplus li Hungaric. vel An-
ci optimè exiccat. & pulverisat. q. v.
de retortæ terreæ, in igne reverberii,
plicato Recipiente amplo, cujus juncti-
accuratè clausa sit: accendatur ignis
adatim, & post 3. ferè hor. exudabit
rtio phlegmatica cum Ω volatili \oplus li:
nem dein successivè auge, atque ità conti-
etur per integrum diem, quousq; retorta
obè candere incipiat; & continuetur la-
r in diem 3ium, donec Recipiens fumis
tendentibus antea obscurum, clarum eva-
rit: Sic enim transit Ω \oplus li acidus, &
ndem ad extremam ignis violentiam tran-
bit in vas recipiens \odot \oplus li rubicundum,
ldè corrosivum: Omnibus sensim refri-
eratis rectificetur Ω in phialâ longioris
lli Balneo Aren. à phlegmate destillando,
donec

136 *Pharmacopæia Chymica.* O P O R.

donec acidæ guttæ stillare incipiant: reli-
quum retortæ vitreæ committatur, & me-
diocri igne destilletur Ω clarus & albus,
remanente in fundo Retortæ ☉ rubicun-
do, transparenti, acri & valdè ponderoso,
quod seorsim per se servari possit.

Oleum Vulpinum. Vide Pharmacop.
Londinens.

O P.

Opium præp. Ibid. Vel, R Opii Thebaïc.
℥iij. exiccetur super laminam ferream cale-
factam, donec digitis in pulverem conteri
possit, & odorem malignum deposuerit:
solvatur dein in V. Aq. Lavendul. an.
℥ix. solutum percoletur, & colatum ad
consistentiam molliorem pristinam reduca-
tur. R Hujus Opii, ℥ij. Croc. opt. ℥ij.
castor. 3j. Ol. Caryophyll. gtt. iv. M. F.
Laudanum Opiatum.

O R.

Orvietanum. Vide Pharmacop. Batean.

Ossium

O S.

Ossum Præparatio, fit omninò ut *Cor-
nu cervi*: *Ossum nova præparatio*, fit ut
Cornu cervi.

O X.

Oxycroceum. Vide *Empl. Oxycroceum*.

Oxymel Simplex. R Mel. ℥ij. Aq.
ont. ℥iiijß. Acet. ℥j. Coq. in vase ficti-
; & despuma, donec Syrupi liquidio-
is consistentia acquiratur.

Oxymel comp. Vide Pharmacop. Ship-
oni. Londinens.

Oxymel Elleboratum. Vide Pharmacop.
Londinens.

Oxymel Falianizans. ibid.

Oxymel Scilliticum Simplex, & *comp.*
ibid.

Oxysaccharum Emeticum. R Vitri ᷑ij.
pulv. ʒj. Acet. opt. ℥j. Macerent. in MB.
(sæpè agitando) hor. 24. Colaturæ filtratæ
add. Sacch. opt. ʒviij. coq. ad Syrupi con-
sistentiam. Dos. ad ʒj. vel ultrà.

Paris

P.

P*Anis Diasarsæ.* Vide Pharmacop. Batean.

Passulæ Laxativæ. ibid.

Pasta regia. Constat conservis, pulpis, Syrupis, & pulver. cā industriā præpar. & simul subactis, ut ex misturâ tractabilis quædam exurgat massa, instar pastæ, ex quâ boli aut parvuli panes dulciarii cujuscvis figuræ concinnantur, qui sensim exiccantur, nè usûs tempore digitos contractantium lentore quodam commaculent. Ex. gr. R Amygd. dul. excort. pistacior. mund. pinear. in aq. ros. infus. an. ʒj. pulp. passul. jujub. dactylor. an. ʒvj. guw. Arab. tragacant. an. ʒj. amyli, ʒj. pul. rad. ireos, ʒß. conf. q. s. M. F. pasta regia.

Pasta Halientica. Vide Pharmacop. Batean.

Pasta Hippiatri. ibid.

Pessaria,

P E.

Pessaria, Pessi, Barbaris Nascalia, ad digitiformam ferè formam consueverunt, suntque ex rebus medicinalibus uterinis, quæ vel suscipiuntur, Sacculo lineo oblongo, lanâ conceptâ, gossipiôve; vel incorporantur cum melle, ladano, galbano, erâ, succo, similive re. formanturque ad dictam formam digiti. Solent autem pessi vesperi & sub somno indiri, & hor. 6. in utero detineri. Ex. gr. R̄ Sterc. Asinin. vel Suill. q. s. deficca & pulverisâ, involvatúrque pulvis panno de serico, pro pessario hæmorrhagium uteriistente, &c.

P H.

Philonium Magistrale. Vide Pharmacop. Londinens.

Philonium Persicum, & Romanum. Vide Pharmacop. Shiptoni. Londinens.

Phosphorus. Vide Pharmacop. Batean.

Pilulæ

P I.

Pilulæ Æthiopicæ. ibid.

Pilulæ de Agarico. Vide Pharmacop. Londinenf.

Pilulæ Aggregativæ, five *Polychrestæ* ibid.

Pilulæ de Aloe lotâ. Pil. *Alæphanginæ.* Vide Pharmacop. Shiptoni. Londinenf.

Pilulæ de Ammoniaco magistrales. R Gum. Ammon. acet. Scillit. præp. ζij . Aloës opt. $\zeta j\beta$. myrr. mastich. benz. an. $\zeta j\beta$. croc. Sal. absint. an. ζij . Syr. de Absint. q. s. M. F. Massa.

Pilulæ Anticolicæ. R Pulv. Rutæ, Sal. gemmæ, an. p. æq. Mell. q. s. ut F. Massa.

Pilulæ Antipodagricæ. Vide Pharmacop. Batean.

Pilulæ Aurææ. Vide Pharmacop. Londinenf.

Pilulæ Castitatis. Vide Pharmacop. Batean.

Pilulæ Catarrhales. ibid.

Pilulæ

Pharmacopœia Chymica. P I. 141

Pilulæ Catholicæ. R Aloës opt. ʒß.
myrr. ʒij. mastich. ʒj. croc. opt. ʒß. Mag-
nesiæ Saturninæ meteorisat. ʒj. cum s. q.
Syr. Ros. Solutiv. F. Massa. Dos. gr. 24.

Pilulæ Cochis majores, & minores. Vide
Pharmacop. Shiptoni. Londinens.

Pilulæ Crapulariæ. Vide Pharmacop.
Batean.

Pilulæ de Cretâ Palmarii. ibid.

Pilulæ de Cynoglossô. Vide Pharmacop.
Londinens.

Pilulæ Diambæ. Vide Pharmacop.
Shiptoni. Londinens.

Pilulæ Diureticæ. R Pulv. Sem. Bar-
dan. ʒij. Urtic. urent. ʒj. Sal. Succin. ʒj.
Ol. Nuc. Mosch. ʒß. Terebint. Cyr. q.
F. Massa. Dos. 4. vesperi, & manè
primo.

Pilulæ ex Duobus. Vide Pharmacop.
Londinens.

Pilulæ de Eupatorio majores. ibid.

Pilulæ Fætidæ. Vide Pharmacop. Ship-
toni Londinens.

*Pilulæ de Guttâ Gamandræ, five Hy-
dropicæ Bontii,* ibid.

Pilulæ *Pilulæ*

142 *Pharmacopœia Chymica.* PI.

Pilulæ Hydropicæ. Vide Pharmacop. Batean.

Pilulæ de Hermodactylis. Vid. Pharmacop. Shiptoni. Londinens.

Pilulæ Hieræ cum Agarico. Vide Pharmacop. Londinens.

Pilulæ Hystericæ. Vide Pharmacop. Batean.

Pilulæ Imperiales. Vide Pharmacop. Londinens.

Pilulæ de Lap. Lazuli. ibid.

Pilulæ Macri. ibid.

Pilulæ Mastichinæ. ibid.

Pilulæ Mechoachanæ. ibid.

Pilulæ Matthæi, aliàs *Starkii.* Vide Pharmacop. Batean.

Pilulæ de Opopanace. Vide Pharmacop. Londinens.

Pilulæ Pacificæ. R̄ Opii opt. Supra laminam ferri exiccat. & pulv. ʒij. Benz albifs. ʒij. Croc. Nuc. mosch. an. ʒiij. ☉ aneth. nuc. mosch. stillat. an. ʒj. Sapon. ☐ri, q. s. ut F. Massa s. a. Dos. gr. xv.

Pilulæ de Pice liquid. Vide Pharmacop. Batean.

Pilulæ

Pharmacopœia Chymica. PI. 143

Pilule Polychrestæ. Vide *Pil. Aggre-*

galiv.

Pilule Restringentes. Vide *Pharmacop. Batean.*

Pilule Rudii. Vide *Pharmacop. Shiptoni. Londinens.*

Pilule Russi. Vide *Pharmacop. Londinens.*

Pilule Sinapinæ. Vide *Pharmacop. Batean.*

Pilule Sine Quibus. Vide *Pharmacop. Londinens.*

Pilule Stomachicæ, & *cum Gummi.* *ibid.*

Pilule de Styrace. *ibid.*

Pilule de Succino. Vide *Pharmacop. Shiptoni. Londinens.*

Pilule Tartaræ Bontii. R. Aloës opt. ℥ij. Gum. ammon. acet. Scillit. depurat. ℥jss. \square ri \oplus lat. 3ss. cum Syr. Ros. Solu-
tiv. F. Pilul.

Pilule ex Tribus dictæ. Vide *Pharmacop. Londinens.*

Pilule Vaticanæ. Vide *Pharmacop. Batean.*

Pilule Vermifugæ. *ibid.* Has, & plures *Pilularum* formulas intra *Officinas* recipi-
fas sit; nobis verò non *pyxides rerum va-*
cuas,

144 *Pharmacopœia Chymica*. PL PO.
cuas, titulis solùm plenas, adornare ; sed
Pharmacopœum non jaſtante erudire, &
mos eſt, & ſemper animus.

Piſa lutea, rubra, viridia, pro Fonta
nellis apertis ſervandis.. Vide. Pharma
cop. Batean.

PL

Pleres Archonticon. ibid. Ex hujus ꝑ
& Sacch. alb. in Aq. Menth. ad Tabu
lat. cōſt. ꝑviij. fieri Solent Tabulæ Sto
machicæ.

Plumbum lotum. Vide Saturn.

PO.

Pomum Ambræ. Vide Odoramenta.

Pomatum. Vide Ung. Pomatum.

Potio, de quâ hîc agimus, eſt liquo
in quo alia Medicamenta craſſiora diluta
ſunt, & præcipuè purgantia : quin &
ſolæ infuſiones nonnunquam ſufficiunt.

Potio Alba. R^o Terebinth ꝑß. ☉ ſti
lat. nuc. moſch. gtt. j. Vin. alb. ꝑiv. Vi
tell. Ob. j. Syr. de Alth. ꝑj. M. ſ. a. F
Haufus.

Poti

Pharmacopœia Chymica. P O. 145

Potio Communis purgativa. R̄ Tamarind. ʒʒ. Fol. Senn. ʒij. Rhabarb. ʒʒ. coq. f. q. Aq. ad ʒiij. in colaturâ dissol-
ve Mann. & Syr. Ros. Solut. an ʒj. M.
F. Potio.

Potio Febrifuga. R̄ Sal. Absinth. ʒj.
Ω Δris, ʒʒ. Aq. Card. ben. ʒiiij. M. Vel,
R̄ Cort. Peruv. pulv. ʒij. Vin Rhen. ʒij.
stent simul infusione frigidâ, & coletur
per manicam Hippocr. Usûs tempore;
Dof. ʒiij. 3iâ vel 4tâ quâque horâ.

Potio Hydropica. R̄ Vin. alb. ʒiv. jalap.
opt. pulv. ʒj. ZZ. pulv. ʒj. Syr. de Spin.
Cerv. ʒj. M. F. Potio. Vel, R̄ Gum.
Gutt. gr. xv. Vin. alb. Aq. Cichor. an.
ʒʒ. Syr. de Spin. Cerv. ʒʒ. M. F. Potio.

Potio Philomedica. R̄ Flor. Cyani Se-
getum, Bugloss. an. M. j. ccq. lenitèr in
q. aq. pluv. per hor. quadrantem, & in
fine bis terve ebulliant: & stillatim in-
funde Ω ⊕ li, f. q. ad gratam acidita-
tem: itâ illicò rubescit totâ tinctura instar
sanguinis, quam per pannum laneum fil-
trato, tantumque Sacch. puriss. addito. q.
ad gratiam. Valet in febribus ardentibus,
f. a. morbillis, in siti extinguendâ.

146 *Pharmacopœia Chymica.* PR. PT. PU

Potio Pleuritica. Vide Pharmacop. Batean. Vel, R. Aq. Papav. Rhæad. ʒiv. \ominus prunel. ʒj. Syr. Viol. ʒj. M. F. Potio sumend. ter vel quater in die post phlebotomiam. Sed manum jam de tabulâ, nè Medicos ipsos erudire profanus præ me feram; pluribus verò qui inhiat, vide Infusion.

P R.

Pruna laxativa. Vide *Passul. laxat.*

P T.

Ptisana Cathartica. Vide Pharmacop. Batean.

P U.

Pulmonum Vulpis præpar. Vide Pharmacop. Londinens.

Pulveres ac Species (vulgò etiam *Trageas* vocant; *Tragemata* equidem, unde proculdubio vox *Tragea* corruptè diducta est, propriè bellaria, & omne mensæ secundæ genus significat.) fiunt triturâ la-

vigatione

vigatione, quarum apparatus nonnunquam exiccatio, calcinatioque antegressæ.

Pulvis Æthiopicus. R Bufones vivent. N° 30. vel 40. comburantur in ollâ novâ ad cineres nigros : F. pulv. subtil. Dos. ʒß. vel ultra.

Pulvis Anticardialgicus. Vide Pharmacop. Batean.

Pulvis Antilyssus. Vide Pharmacop. Londinens.

Pulvis Ari compos. ibid.

Pulvis Bezoardicus Magistralis. ibid.

Pulvis Cardiacus Magistralis. ibid.

Pulvis è Chelis comp. ibid.

Pulvis Chermes comp. vide Pharmacop. Niptoni. Londinens.

Pulvis Dialthææ. ibid.

Pulvis Diasenæ. Vide Pharmacop. Londinens.

Pulvis Epilepticus. Vide Pharmacop. Batean.

Pulvis Febrifugus certus. ibid.

Pulvis Hæmoptoicus. ibid. Vel. R Bol.

men. ʒj. pulv. rad, Symphyt. ʒij.

err. Sigill. Lapid. hæmatit. lachrym.

ng. dracon. an. ʒj. Sacch. albiss. ad

ndus omnium, M. F. pulv. Subtiliss.

148 *Pharmacopœia Chymica.* P U.

Dof. ʒj. ter in die, Superbib. Apozem. convenient. ʒiv.

Pulvis Haly. Vide Pharmacop. Shiptoni. Londinens.

Pulvis Hermodactylorum comp. Vide Pharmacop. Londinens.

Pulvis Hollandicus. i. e. *Pulvis Senæ comp. major.*

Pulvis Liliaceus. Vide Pharmacop. Batean.

Pulvis Martialis comp. ibid.

Pulvis Ophthalmicus. ibid.

Pulvis Oxytocus. ibid.

Pulvis Pepticus. ibid.

Pulvis Purpureus. ibid.

Pulvis Sanctus. i. e. *Pulv. Diasenæ.*

Pulvis Saxifragiæ comp. Vide Pharmacop. Shiptoni. Londinens.

Pulvis Saxonicus. ibid.

Pulvis Senæ comp. Major & Minor. Vide Pharmacop. Londinens.

Pulvis. Sternutatorius. Vide Pharmacop. Batean.

Pulvis Sympatheticus, fit calcinando
⊕ lum Rom. Radiis solaribus per Vitrum
cauterizans, & pulverizando.

Pulvis

Pharmacopœia Chymica. P U. 149

Pulvis ad Ulcus Renum & Vesicæ.

R Pulv. Rad. Consolid. Maj. Gum. Arab.
an. ʒj. Sacchar. Penid. ʒij. M. F. Pulv.
Dof. cochl. j. bis in die, Superbib. De-
coct. Traumat. cochl. 6. vel 7.

Pulvis Uvularis. Vide Pharmacop.

Batean.

Pulvis Warvicensis Comitissæ, sive Cor-

nachini. R Scammon. \triangle at. ʒij. \oplus

diaphoret. ʒj. Crystal. \square ri, ʒß. M. Dof.

ʒß.

R.

R *Adices quinque Aperientes, sunt Apij, Asparagi, Fœnic. Petrosel. Rusci. Radices conditæ. Vide Conditæ.*

R E.

Regulus Antimonii, Fit ex ☿ crud. ☉, ris an. calcinatis s. a. Vide Pharmacop. Londinens.

— *Jovialis.* R. Stann. Angl. opt. ℥iij. Regul. ☿, ℥ij. fluat ♀ in Crucib. ignito, cui statim injiciatur pulv. Regul. ☿, & illicò unà fluent: effundatur leniter materia fluida in Crucib. mundum, ut abeat in Regulum, qui inservit parando Butyro, & Bezoardico Joviali.

— *Lunaris,* fit addendo Regul. ☿ij. fusi. ℥viiij. Dnæ, ℥j. s. a.

— *Martis.* R. Limatur. ♂. opt. ℥ij. igniantur in Crucib. Super carbonibus accensis: ignitis adde ☿ij. pulv. ℥iv. relinquantur

linquantur simul clauso crucib. per quadrantem hor. vel donec fluxerint: tùm addatur ☉ pulv. per vices, ʒj. ut omnia fluant instar aquæ; hoc facto removeatur crucib. ex igne, & perpetuò pulsando sinatur refrigerari: crucib. refrigerato & fracto, in fundo reperietur massa alba & metallica, quæ est Regulus ☿ Martialis, undè præter Butyrum & Bezoardicum ☿ ale, inservit etiam multis aliis arcanis Chymicis.

— *Solaris*, fit ex Regul. ☿ij. fusi, ʒiv. ☉lis, ʒβ. s. a.

— *Veneris*, ex ♀ris, ☿ri, ☉ri, an. ʒiv. ☿ij, ʒviii. detonatis s. a. ut in Regulo ☿tis.

Resina Jalapii. R. Jalap. opt. pulv. lbj. Alcoh. Vini, lbij. digerantur clausè & loco calido per 3. aut 4. dies; quinquies vel sexies in die materiam optimè agitando, ut omnis resina in V dissolvatur. dein filtretur, & præcipitetur liquor cum s. q. aq. comm. Sic lactescet solutio: postea evapora, vel si placet, per cucurbitam humilem alembico instructam V abstrahatur; sic in fundo subsidebit resina clara, super papyrus oleo imbutam in Sole exiccanda.

152 *Pharmacopœia Chymica.* R O.

Eodem apparatu ex Scammon. Agaric. Turbith. extracta resinosa conficiuntur. Alii per compendium aliter parant.

R O.

Rob, ab Arabibus dicuntur, succi inspissati & medicati. Parantur plerumque è Succo fructuum, nonnunquam etiam florum. Officinales sunt, *Rob simplex*; de *Berberis*: de *Cerasis nigris*: de *Cornis*: *Cydoniorum*: *Prunorum acidorum*: de *Ribes*, *Sambuci*: de quibus omnibus. Vid. Pharmacop. Londinens.

Rosata Novella. Vide *Spec. Elect. Rosat. Novell.*

Rosa Solis. Vide Pharmacop. Batean.

Rotulæ nomen à figurâ. imprimis quam obtinent, acceperunt. Vide *Tabell. Tabul. & Trochisc.*

Rotulæ Pectorales. Vide *Troch. Bech. alb.*

Sacculi

S
Ac
cop. I
Sae
Shipt
Sae
Lond
Sae
quàm
ut re
natur
um P
vel c
non
j. ad
cipuè
tur.
Sa
pos. V
Sa
Lond
bis c

S.

Sacculi. Vide *Fomenta Sicca*. p. 17.

Saccharum Penidium. Vide Pharmacop. Londinens.

Saccharum Perlatum. Vide Pharmacop. Shiptoni. Londinens.

Saccharum Rosatum. Vide Pharmacop. Londinens.

Saccharum Saturni. ibid. Est nil aliud, quàm \ominus Aceti cum portione Saturni, ita ut reviviscat H , si carboni vivo imponatur: dicitur vulgò *Sal*, & *Magisterium* H ni. Signum bonitatis est, si Soli, vel calori ignis exponas; Si, dissolvatur, non est ritè paratum. Dos. internè à gr. j. ad x. Pectoris vitiis Succurrit; præcipuè si *Tinctura* cum V indè abstrahatur.

Saccharum Tabulatum Simplex & compos. Vide Pharmacop. Londinens.

Sal Absinthii fixus. Vide Pharmacop. Londinens. Eodem modo ex reliquis Herbis conficiuntur Sales fixi.

Sal Absinthii Volatilis. ibid. Hoc modo conficitur ex aliis etiam herbis amarulentis facile. Vulgus Authorum minus rectè ad Salia Volatilia refert: est enim potius succus integræ plantæ, vel particulæ magis activæ ejus, repræsentantes ex parte naturam totius plantæ, undè etiam saporem ejus, & odorem produnt.

Sal. Chalybis, sive \oplus lum I^{stis} . R Li-
matur. I^{st} part. ij. \odot \oplus li phlegmate
suo permixt. p. iij. Limatur. affunde stil-
latim \odot \oplus li, quousque effervescentiam
sedatam observaveris, & hor. xij. quies-
cant: dein affunde aquam pluv. ad emi-
nent. 3. vel 4. digit. transvers. hanc filtra,
& leni igne ad cuticulæ apparentiam eva-
pora, & in loco quieto crystallos expecta
virides: reliquum liquoris de novo ad
cuticulæ apparentiam evapora; & pro-
cede, ut prius: crystallos collectæ super
papyrum in umbrâ exiccentur. Ex liquo-
re restante, qui crystallizari non vult
(& sub nomine Spiritûs Spadani reserve-
tur) F. Aquæ Minerales acidulæ sequenti
modo: R Aq. Font. vel pluv. I^{ss} Sp.
Spadan. q. s. ut saporem ingratum effici-
at, gtt. sc. x. vel xij. Lintei \triangle at. longi
medii

med
illud
exci
Sapo
sibus
Sa
desti
Sa
Essen
S
dupl
S
Sal.
S
q. v
ad e
dige
clar
que
sipi
nis
tur,
tam
gid
ital
tate
do

medii circiter dig. Suspendatur linteum illud incensum super aquâ, ut vaporem excipere possit : dein usui fervetur Aqua. Saporis gratiâ, addere poteris singulis dosibus grana aliquot Sacchari Anisati.

Sal. Cornu Cervi. Ascendit cum ☉ in destillat. Ω. quem vid.

Sal. Elemental. i. e. *Sal. Fixus.* *Sal. Essentialis.* i. e. *Sal. Volatilis.*

Sal. Fixus. Vide *Sal. Absinth. Fix.* *Sal. duplex.* Vide *Arcan. duplex.*

Sal. Fuliginis. Ascendit cum ☉, ut *Sal. Corn. Cervi.* Vide *Spirit. Fulig.*

Sal. sive Crystalli Jovis. R̄ ℥ calcinat. q. v. cui Matraccio indit. affund. Ω Acet. ad eminentiam 3. vel 4. digit. & stent in digestionem per 3. vel 4. dies : liquor dein clarus effundatur, novum Ω addendo, hocque toties repetendo, donec non amplius sapidus percipiatur ; quo facto, liquor omnis conjunctus per chartam emporet. filtre-
tur, & ad pelliculam superficie condensatam evaporetur ; & Crystalli in loco frigido concresecunt : liquor residuus ad crystallisandam iterum exhalet, vel ad siccitatem abstrahatur : Massæ tandem in fundo residuæ Alcohol Vin. affundatur, quo post

post factam digest. destillando ad Siccitatem avocado, \ominus relictum filtretur, & exiccatum fervetur ad usum.

Sal. Martis. Vide Sal. Chalyb.

Sal. Polychrestum Parisiensium. R \circ $\textcircled{1}$ puriss. Flor. \triangle , an. z ij. terant. subtiliss. cribrent. & misceant. hæc massa per vices ingeratur in crucib. ignitum, comburaturque in pulv. griseum: quem solve in aq. fervent. filtra per chartam, & evapora ad siccitatem, & relinquetur \ominus albiss. Dos. z j. in cerevisiâ, vel aq. purâ: insigne est deobstruens in Febr. intermittentibus.

Sal. Prunellæ, Lapis Prunellæ, sive Crystallum Minerale. Vide Pharmacop. Londinens. Vel, R \circ $\textcircled{1}$ ri puriss. z j. Ω $\textcircled{1}$ ri, $\text{z}\beta$. & abstrahatur lento igne Ω $\textcircled{1}$ ri; sic subsidebit \ominus albiss. quod cum duplâ parte Sacch. Canariens. & gtt. j. vel ij. Ol. Cinnam. misceri poterit.

Sal. Saturni. i. e. Sacch. Saturni.

Sal. Succini. Ascendit cum oleo. Vide Ol. Succini.

Sal. Tartari. R \circ $\textcircled{\odot}$ \square ri per deliq. q. v. Evapora in cochleari ferreo mundo, aut etiam vitreo; ad siccitatem usque, & relinquetur \ominus albiss. Fit etiam ex \square ro calcinato

cinato, non secùs ac ex aliis cineribus Sal. extrahi solet: quod, quia impurum, in crucib. erit reverberandum, tum aq. purâ solvendum, filtrandum, iterùmque in \ominus revaporandum: hoc modo Sulphura aperit, ut cum ∇ tinctura genuina elici possit. Potest & elivixiari ex capite mortuo post destillat. Ω \square ri relicto. si ulterius comburatur. Vel,

Sal. Tartari compositum. R \square ri opt. \odot crud. an. ζj . terant. subtiliss. cribrant. & misceantur, tum per vices in crucibulo super carbonibus ignito detonentur, sicque in momento habebitur \ominus \square ri extemporaneum; cum omnia sunt refrigerata, crucibulum confringe, & invenies \ominus tuum coloris subcærulei viridis: hoc in crucib. ignito per quadrantem hor. reverbera; refrigeratum solve aq. purâ; filtra; & evapora lenitèr ad siccitatem: quod relinquitur modico igne carbonum fortitèr exicca, ita fiet albiss. quod in vitro subere accuratè claudatur, nec fluet per deliq. Dos. $\mathfrak{z}\beta$. Sæpiùs in cerevis. sumend. in quotidiano usu, ad temperandum sodam, sive fermentum acidum.

Sal.

Sal. Vitrioli variis modis præscribitur, sc. ex colcothare elixiviato, ex ☉ lo cæruleo calcinato & elixiviato, juxtà Angelum Salam; ex ☉ lo albo crebris solutionibus, & coagulationibus purificato; quod medicamentum *Gilla Theophrasti* vulgò appellatur, estque omnium tutissimum & paratu facillimum; attamen duo pharmaca priora insignitè styptica, & quatenus ignem passa, nonnihil corrosiva existunt.

Sal. Volatilis. Vide *Sal. Absinth. Volatilis.*

Sapo Simplex. Vide *Rob Simplex.*

Sapo Tartareus. R ☉ ☐ri (ex ☐ro & ☉ro, añ. fact. s. a.) ℥iv. ☉ Terebinth. ℥viij: stent simul vase amplo, in loco frigido, & humido ad menses aliquot: tamdùm scil. (sæpè interim quotidie agitando, & plus olei, quoties opus fuerit, adjiciendo) usque dum ☉ planè triplum Olei absorbuerit: atque in unam massam, Saponis instar, spissam conspiraverint homogeneam, nullatenus Separandam. Pro parandis Pil. pacificis & Pil. Mathæi.

Saturni

Ph

Satur

Satur

inde pat

ni satis

tulâ ferr

at in pu

tio even

si paulò

flavus;

nis, fiet

Officini

quàm ca

do Sacce

*, pro

Satur

nuiss. S

per vap

in fimo

pulv. a

abrade,

ribus A

verem

addition

Satur

cop. L

Satur

Saturni Balsamum. Vide p. 6.

Saturni Calcinatio. R \bar{x} $\bar{\text{H}}$ ni crud. $\bar{\text{z}}$ iv. inde patellæ terreæ, quam admovebis igni satis forti, ut $\bar{\text{H}}$ fluat: fluentem Spatulâ ferreâ tamdiù agita, donec totus abeat in pulverem; quod dimidiæ hor. Spatio eveniet: hic pulvis primò est subniger; si paulò diutiùs continuetur ignis, evadet flavus; si per hor. 5. aut 6. urgeatur ignis, fiet pulv. rubicundiss. qui vulgò in Officinis Minium dicitur; estque nil aliud, quàm calx $\bar{\text{H}}$ ni reverberata. Inservit parando Saccharo $\bar{\text{H}}$ ni, ut & Sublimationi cum *, pro parando Mercurio $\bar{\text{H}}$ ni.

Saturni Cerussa. R \bar{x} Lamel. $\bar{\text{H}}$ ni in tenuiss. Substantiam redact. suspendant. super vapore Aceti fortiss. digerant. simul in fimo equino per 3. Septiman. donec pulv. albus laminis adhæreat; pulverem abra-de, & laminas restantes denuò vaporibus Aceti expone, donec planè in pulverem abeant. Vires Aceti augeri possunt additione vicesimæ partis Aq. fortis.

Saturni Lotio, & Ustio. Vide Pharmacop. Londinens.

Saturni Saccharum. Vide p. 36.

160 *Pharmacopœia Chymica.* S C. SE.

Savanetta Cosmetica. Vide *Pharmacop.*
Batean.

S C.

Scammonii præparatio duplex. Vide
Pharmacop. Londinens.

Scammonii Resina. Vide *Resin. Jalap.*
P. 130.

Scilla præp. Vide *Pharmacop. Lon-*
dinens.

S E.

Semina 4. calida majora sunt, *Anisi,*
Carui, Cumini, Fœniculi.

Semina 4. calida minora sunt, *Ammeos,*
Amomi, Apii, Dauci.

Semina 4. frigida majora sunt, *Citrulli,*
Cucumeris, Cucurbitæ, Melonum.

Semina 4. Frigida minora sunt, *Cicho-*
rii, Endiviæ, Lactucæ, Portulacæ.

Sief

S I.

Sief de plumbo. Vide Pharmacop. Londinens.

Sief de thure. ibid.

Sinapismus est cataplasma aut emplastrum,
ex sinapi imprimis, undè & nomen habet ;
vel aliis, quæ sinapi viribus æmulantur,
compositum : Scil. ex Sem. Sinapi nastur-
rii, urticæ ; radic. thapsiæ, cyclamin.
bryon. Scillæ, allii, Euphorb. cantharid. &
Similibus, Susceptis pulpâ ficuum, fermen-
to, melle, oxymelite, sapone, & simili-
bus. Ex. gr. R Pulp. caricar. in acet.
coct. ℥ij. Sem. Sinap. ʒj. M. Ruborem
cuti inducit, ideóque Græci *ποινυγμόν* no-
minant.

S O.

Solis Calcinatio immersiva. R ☉ inte-
gri vel signati, vel crudi, ʒj. Aq. Regiæ
(ex ∇ , lbj. \ast , ʒβ.) ʒvj. M. & repo-
ne in vitro clauso in digestionem per noct.
vel donec totum aurum ab ∇ devo-
ratum sit : hanc Solutionem limpidam
decanta,

decanta, & destilla ex retortâ vitreâ, in arenâ, ad siccitatem usque: ita in fundo retortæ relinquetur calx ☉ purpurei coloris: huic calci affundatur Alcohol Vini, ℥j. digere per noctem, tum decanta tinturam, & serva usui: calcem verò in fundo relictam collige, & serva. Dos. gtt. ij. vel iij.

— ☉ *Fulminans* R. ☉ tenuiss. laminat. part. j. R. p. iv. ad lentum calorem F. solutio, cui stillatim affunde ☉ ☐ ri per deliq. præcipitatione verò sensim factâ, pulvis ad fundum subsidet; qui liquore effuso, aq. calidâ sæpius eluendus, & edulcorandus est; dein filtretur, & leni calore. solis vel Baln. aren. probè exiccatus, usui fervetur. Hujus pulv. gr. β. cultri apici impositum, & per aliquantum temporis suprâ candelæ flammam detentum, ingenti strepitu explodetur. Hujus etiam ℥j. fortius & potentiùs operatur, quàm ℥β. Pulv. tormentarii: Sed cum Ω Sal. comm. aut Δris guttatim affuso, vim φλογιστην ac fulminantem adimas. Et probabile est, quòd ex aliis Metallis solutis & præcipitatis, ob strictas ☉lis cum materiâ metallicâ cohæsiones, & violentas abrupti-

ones,

ones, calces ~~καθαρῶν~~ parari poterint: ♂
enim in ♀ Solutus, & ☉ ☐ris reper-
cussus, eâdem fulminandi potestate pol-
let.

— ☉ *Musivum*, sive *Mosaïcum*. R
Stann. Angl. opt. ʒj. ♀ purificat. ʒβ. △,
*, an. ʒβ. Vel, R Stan. ʒj. ♀, ʒij. *,
an. ʒj. Vel, R Marcasitæ auri, ♀, △,
*, an. F. Amalgama. f. a. Stanni &
♀ij, quod in alcohol teratur cum △re
& *: Sublimentur autem ex cucurbitâ
vitreâ loricatâ.

S P.

Sparadrapum pro fonticulis. Vide Phar-
macop. Shiptoni. Londinens. Est autem
Linteum Emplastro ad ignem fluenti im-
mersum, extensum & refrigeratum. dici-
tur & tela emplastica.

— *Sparadrap. Seu Tela Galteri*. Vide
Pharmacop. Londinens.

Species dicuntur in officinis Simplicia
(ingredientia) pro compositis indè confi-
ciend. cöordinata: præ reliquis tamen hoc
nomen sibi vendicant pulveres nonnulli,
tüm aromatici tüm cathartici. Species Of-
ficinarum,

ficinarum, quæ nomenclaturam hîc non merentur, vel ut infimæ sortis, seu potius ut contemnendi usûs à Pharmacopoliis nostris procul amendantur.

Species Cordiales temperatæ. Vide Pharmacop. Londinens.

Species Diaborracis. R. Borrac. Venet. ʒß. Cassiæ lign. croc. orient. an. ʒj. Raf. lign. Sabinæ Succin. alb. pp. an. ʒß. Oll. de corde cerv. visc. querc. Flor. Cheiri, an. ʒj. M. F. Pulv. Subtiliss. Dos. à ʒj. ad ij. & ʒj. in Aq. cinnam. vel Artemis. Seu in vino albo generoso: ad partum facilitandum, Secundinas retentas, & fætum mortuum ejiciendum.

Species Diajovis. R. Fæcul. rad. Bryon. ʒß. ☉ Jovis Anglic. matr. perl. coral. rub. an. ʒiij. Rad. Dictam. alb. Pæon. an. ʒij. Succin. alb. pp. croc. opt. visc. querc. antophyllor. an. ʒj. castor. ʒj. M. F. Pulv. Subtiliss. Dos. à ʒj. ad ʒß. tribus aut 4. auror. continuis, aut tempore necessitatis, in Aq. Hyster. Vel aliis vehiculis appropriatis; ad omnes affectus hystericos.

Species Diaireos Simplicis. Vide Pharmacop. Londinens.

Species Diamargarit. frigid. ibid.

Species Diambrae. ibid.

Species Diasulphuris. R & Lact. & Flor.

△. an. ʒijß. Succ. glycyrrh. purgat. Car-
dom. min. Terræ Sigil. an. ʒvj. Sem. ur-
tic. Roman. cydonior. cinnam. acut. ZZ.
alb. nuc. mosch. croc. opt. pip. long. ma-
ris, an. ʒiiij. Tragac. alb. rad. Irid. Flo-
rent. Flor. papav. errat. mastich. crem.
□ri, an. ʒijß. M. F. Pulv. cui adde ☉
Hyssop. fœnic. Salv. anis. chamæm. an.
ʒj. Dos. à ʒj. ad ʒß. & ʒj. manè & ves-
peri in vehiculo convenient. In omnibus
Thoracis affectibus, & Asthmate chro-
nico.

Species Diatartari. R & □ri ⊕ lat.
Magist. Scammon. an. ʒij. Turbith alb.
& gummos. Hermodactyl. alb. an. ʒß.
☉ caryoph. cinnam. an. ʒß. M. Pulv.
Dos. à ʒß. ad ʒj. præsertim in robustio-
ribus.

Species Diatragacanthi frigidi. Vide
Pharmacop. Shiptoni Londinens.

Species Diatriw̄n Santalw̄n. Vide Phar-
macop. Londinens.

Species Elect. Rosatæ Novellæ. ibid.

Species

Species

Species Liberantis. Vide Pharmacop. Shiptoni Londinens.

Species Stomachicæ. R^x Acidi ☐ri, ʒiij. Galang. min. ZZ. alb. piper. long. an. ʒjß. Cardamom. min. nuc. mosch. caryoph. zedoar. an. ʒj. Rad. glycyrrh. ras. fol. salu. acut, Sem. rutæ, carui. oliban. an. an ʒß. ☉ cinnam. ʒj. Menth. crisp. aurant. anis. an. ʒß. Sacch. cand. alb. ʒviiij. M. F. Pulv. subtiliss. Dos. manè & vesperi à ʒß. ad ʒj. ex vino Malvatico vel alio generoso.

Spiritus fieri possunt ex Mineralibus, Vegetabilibus, ac Animalibus. Spiritus Minerales singuli ferè peculiare sibi vendicant, modos, quos vide suis locis. Ex Animalium familiâ exhibent Ω cornua, ossa sanguis, Urinæ. Ω Vegetabiles eliciuntur naturæ volatilioris; è foliis, floribus, fructibus, Seminibus, aromatibus: fixioris; è lignis, corticibus, viscis. Modus elicendi Ω volatiliores non discrepat à destillatione aquarum stillat. quippè inter has & Ω hoc solum discriminis intercedit; quod aq. dictæ maximam partem phlegmatis continent, Ω minorem, undè & rectificando Ω ab aq. sequestrantur. Si loco

aquæ

aquæ Vinum in maceratione adhibueris, præstat hunc, Ω ad differentiam Ω Simpli-
cis Scil. cum aq. destillati, appellare Ω compositum.

— I. *Sic fiunt ex Herbis & Floribus.*
& Herb. aut flores recentè tempore sicco collectos, contunde atque in vas terreum vitreatum, vel dolium quernum intermis-
to sale comprime, clausoque vase in cellam reponere (per mensem unum vel plures) donec fermentando acidiusculum ac vinosum acquirunt saporem: hinc destilla per Vesicam, (aut MB) usque ad ficcitatem, destillatum affunde, si libet, parti destillandæ residuæ, ac destilla denuò: tandem rectifica.

— *Aliter.* Exprime succum, eumque cum contus. herb. recentibus mixtum ad fermentandum colloca: si minùs succulentæ res fuerint, aq. fervente irrorari ac perfundi volunt. Fermentatio promovetur adiectâ aliquâ portione, \ominus comm. \square ri, sæcum cerevisiæ, vini, fermenti in aq. soluti, vel Sacchari. Poterit & ex fermentatis succus exprimi, atque cum novis herb. denuò fermentari; sic copiosior extillat Ω .

2. Ex Fructibus, & baccis Succulentis
 & Succum expressum, eumque clauso va-
 se debitè defervere sine, ac destilla : sic
 fiunt Ω pomorum, pyrorum, mespilorum,
 cydoniorum, &c.

— 3. Ex Fructibus, & baccis minus
 Succulentis. & Fruct. vel bacc. conquassatis
 ac affunde aq. ferventem, vel ebullire pa-
 rum permittite, hinc colloca vase clauso in
 fermentationem, addendo si placet nonni-
 hil fœcum vini vel cerevisiæ, & simil. Sic
 fiunt Ω bacc. Juniperi, &c.

— 4. Ex Fructibus carnosiss, (id est
 qui pulpam exprimendo præbent.) & Ex-
 pressam carnosam substantiam, v. gr. Ce-
 ras. nigr. (exemptis nucleis) reponere die-
 bus 14 ad fermentandum cum \ominus comm. &c.
 destilla. Sic fiunt Ω baccar. Sambuci,
 fragorum : licet initio, si ità visum fuerit
 aliquid aq. fervent. addere.

— 5. Ex seminibus calidioribus aqua
 cum \odot ascendit, quæ rectificando exhibe-
 re, præcipuè si fermentatio fuerit præmis-
 sa : Scil. \odot ab aquâ separatur, & postea
 per Baln. vix 12ma vel 16ta pars, quæ
 Spiritûs loco est, aut aqua certè efficacis-
 sima, destillatur.

— 6. Ex

— 6. Ex frumentis parari possunt Quintæ Essentiæ, si in Cerevisiam reductæ fuerint ; quâ ratione magnam Spirituum copiam exhibent.

— 7. Ex Aromatibus : intèrque hæc vulgatissima est Cinnam. aqua, sive Ω . & Cinnam. opt. q. p. crassè contuso affunde \vee part. ij. Aq. font. p. j. stent. aliquandù, postea per Vesicam destill. Vel, & Cinnam. contus. tbj . maceretur in \vee tenuior. Congiis ij. per hor 24. dein destill. per Alembicum, & liquor primò extillans ad tbj . Spiritus titulo designetur. Aqua, quæ in quâvis ferè destillatione Cinnam. primò destillat, serè lactea est, ideóque recipiens mutandum, cùm color lacteus desinit, & quæ postea destillat aqua, ut ignobilior seorsim excipienda.

— 8. E lignis prodit unà cum \odot per destillat. liquor acidulus, (vide suprà in Oleis) qui rectificatus, Spiritum refert : rectificatio fieri potest super colchothare, aut \ominus le marino, vel cineribus propriis, sic exit primò phlegma insipidum ; hinc Ω acidus seorsim colligendus.

170 *Pharmacopœia Chymica.* SP.

In his ergò, si quà aliàs, Chymicum te præsta, Pharmacopœe; ipsissimam ejus provinciam hîc nactus es, hanc orna: & ut Spiritus mox secuturos, Medici jussu evocandos, ad manum semper habeas; fornacibus assidere, moderari, invigilare, non minùs fortitèr te componas, ac medicos inter ignes & focos si te natum operatumque meminisses.

Spiritus Absinthii magis & minùs composit. Vide Pharmacop. Londinens.

Spiritus Angelicæ. Destillatur ex Fol. vel Sem. cum V. uti *Absinthii*, sed sine Aniso.

Spiritus Angelicæ magis comp. Vide Pharmacop. Shiptoni. Londinens.

Spiritus Anthûs. R. Summit. rorism. ficc. ℥ij. V Hispan. ℥viij. destill. in B. M. f. a.

Spiritus Anti-Epilepticus. R. Flor. & fol. Lavend. Rorismar. Majoran. Salv. an. M. ij. Castor. ℥ij. Camphor. ziiij. V ℥iiij. *, ℥iv. ⊖, ℥iiij. Aq. Lavend. vel alterius convenient. q. s. ut innatare possint simplicia: Destill. simul post digestionem 3. 4ve dier. donec ℥jss. prodierit: hoc Ω perfecto dissolv. Ol. Sem. Rut. gtt. 30. Succin.

Ph

Succin.

stillat. a

in vehic

Spiri

V Hispan.

Spiri

℥j. in V

parox.

Spiri

prà.

Spiri

aromat.

Spiri

Londine

Spiri

rec. ℥ij.

Spiri

Vide P

Spiri

q. s. ut

impleat

to dest

sensim a

volatile

Ω furn

Θle vo

culo in

Succin. rectific. gtt. 20. Ol. Mac. Junip. stillat. an. gutt. 40. Dos. à gtt. iij. ad xx. in vehiculo.

Spiritus Aurantiorum, fit ex cortic. & V Hisp. ut *Anthûs*.

Spiritus Camphoræ, fit solvendo Camph. ʒj. in V rectific. ʒviij. s. a. Dos. ʒß. ante parox. Tertianæ.

Spiritus Carui. è Semin. & V, ut Suprà.

Spiritus Caryophyllorum. ex caryoph. aromat. & V, eodem modo.

Spiritus Castorei. Vide Pharmacop. Londinens.

Spiritus Citri. R Cort. extern. Citri rec. lbij. V Hisp. lbvj. destill. s. a.

Spiritus Cochleariæ Simplex, & *Purgans*. Vide Pharmacop. Batean.

Spiritus Cornu Cervi. R C. C. raspat. q. s. ut Retorta vitrea supra medietatem impleatur, dein Recipiente amplo adaptato destillatio in furno Aren. instituat, sensim augendo ignem donec ☉, & ☊ volatile, ascendere incipiat: 1^{mo} ascendet ☊ fumo albicante. dein ☉ flavum cum ☊le volat. quod grato admodum spectaculo in modum cornuum ramicosum collo

174 *Pharmacopæia Chymica. S P.*

ipsum verò recipiens manibus hinc inde agita, ut vapores rubri vagantes per cavitatem ejus (quos Chymici vocant crucem Salamandræ) cum liquore in fundo hærente jungantur: repone vitrum per quadrantem hor. ad quietem, tum effunde liquorem in retortam vitream mundam, recipiens verò pauxillo aquæ elue; aquam cum Ω conjunge, & ex arenâ rectifica ad ficcitatem usque, sic habebitur Ω \textcircled{D} ri puriss. & rectificat.

Spiritus Nitri dulcis. R Ω \textcircled{D} rectif. part. j. Alcohol Vini, p. ij. digerant. simul per 24 hor. dein ex retortâ vitreâ, in arenâ, applicato recipiente amplissimo, lenitèr destilla ad ficcitatem usque repete hoc 3râ vice, tum liquorem limpidiss. serva usui. Dos. $\mathfrak{z}\beta$. vel 3β . Potest edulcorari Sacch. quantum capere potest, ut F. instar Syrup. tum Dos. cochl. β .

Spiritus Nucistæ, fit ex Nuc. Mosch. $\mathfrak{t}\mathfrak{j}$. V Hispan. $\mathfrak{t}\mathfrak{b}$. viij. l. a.

Spiritus Rosarum. Vide *Ol. Rosar.* *Chymicum* in Pharmacop. Londinens.

Spiritus Salis. Vide *Ol. Salis*, ibid. Vel, R \ominus comm. q. p. dissolv. in aq. comm. ita ut muriam fortiss. referant: hujus mu-

riæ

Pha

riæ R

ex cuc

primò

Ω \ominus

stilland

nentis,

quocun

borant

ris Ant

Spir

\textcircled{D} ri d

penè a

Alcohol

treæ in

\textcircled{C} \textcircled{D}

ad ficc

conver

Spi

part. j

pulver

mittar

affund

tare p

leni ig

plo: c

gradu

siccâ,

riæ R \times part. iv. ☉ ☉li, p. j. F. destill. ex cucurbitâ vitreâ, in arenâ: prodibit primò phlegma, postmodùm Subsequetur Ω \ominus acidus, quem seorsim collige, destillando ad Siccitatem \ominus in fundo remanentis, quod est *Sal mirabile Glauberi*, quocum plura medicamenta artificiosè elaborantur, ut præsertim Balsamum Sulphuris Antimonii.

Spiritus Salis dulcis, fit omninò ut Ω \oplus ri dulcis. Vel, R \times \ominus comm. calcinat: penè ad fluorem, ℥iv . ☉ ☉li rectif. ℥j . Alcohol Vin. ℥iv . \ominus li comm. retortæ vitreæ indit. affunde V, & dein guttatim ☉ ☉li; lenissimòque igne distill. simul ad siccitatem. Dos. haustu Vini, aut liquor. convenient. à gtt. x. ad xx.

Spiritus Salis Ammoniaci. R \times * opt. part. j. \ominus \square ri benè siccant. p. ij. seorsim pulverata, dein probè mista confestim immittantur in cucurbitam vitream, eisque affundatur Aq. comm. q. s. ut benè innatare possint Salia: F. destillatio ex arenâ, leni igne, applicato recipiente satis amplo: & intra 3. 4ve hor. cum igne ℥ij . gradus prodibit imò \ominus volat. in formâ siccâ, quod lateribus recipientis, instar ni-

vis, adhærebit : continua destillationem, donec hoc \ominus volat. siccum à subsequente Ω liquido commodè in formam liquidam redactum fuerit : tum statim remove recipiens, & subere accuratè claude. Si calcem vivam, loco \ominus \square ri, adhibueris, multò fugacior elicitur Ω Cum mineralibus, ut, ferro, lapide hæmatitide, calaminari, etiam penetrantiss. elicitur.

Spiritus Salviæ. fit ex Herb. sicc. & V. uti *Anthûs*.

Spiritus Sanguinis. R \times Sang. juvenis sani accens. & exiccat. q. v. quocum plùs minùs ad medietatem impleatur retorta vitrea, & amplo Recipiente adaptato in furno Aren. destill. igne per gradus mediocritè aucto, & brevi sub fumo albicante cum phlegmate ascendet Ω , dein \odot fætidum cum \ominus le volat. ac ultimò, si fortiori igne urgeatur \odot nigricans : \ominus volat. per se colligatur ; Ω per filtrationem ab \odot separatus, bis aut ter rectificetur in B. aren. \ominus etiam, rectificando in Cucurbit. servetur ad usum.

Spiritus Succini. Destillatur per retortam cum \odot , à quo separatus rectificetur s. a. Vel. rectificatio \ominus hoc modo fiat :

R \times \ominus

R \times \ominus
 3ij. I
 vitre
 Sp
 still.
 \square ri
 \mp ri
 Sp
 binth
 Sp
 Phar
 Sp
 R \times V
 nace
 ex
 long
 tra i
 niem
 nis a
 in c
 des
 labu
 hor.
 igni
 tum
 rint
 reto
 aq.

R \ominus volat. Succin. \mathfrak{z} j. cinerum ossium, \mathfrak{z} ij. M. optimè, invicem indantur retortæ vitreæ, vel terreæ, & sublimentur.

Spiritus Tartari. fit per retortam, destill. & rectificando s. a. Vide \odot \square ri.

Spiritus Terebinthinæ. Vide *Ol. Terebinth.* in Pharmacop. Londinens.

Spiritus Theriacalis camphoratus. Vide Pharmacop. Batean.

Spiritus Veneris, sive Acetosus esurinus.
R Virid. æris \mathfrak{t} ij. minutiss. pulv. Fornace Reverber. vel retortæ vitreæ indit. ex Aren. destillent. cui Recipiens colli longi & ampli, ut cervicem retortæ intra se admittat, cautè & cum vesicâ muniendum dextrè applicetur, per gradus ignis admoveatur, donec Ω vaporis adinstar in collum Retortæ adscendant, qui virides in Recipiens & clari guttatim extilabunt; durat hæc operatio per 4. aut 5. hor. quibus peractis, usque ad extremum ignis intendatur, donec guttæ, quæ flavæ tum ascendent, in rubras paulatim abierint; quo facto, caput mortuum in fundo retortæ rubrum induet colorem; quod aq. pur. calidâ aliquoties edulcoratum, &
I 5 siccatum

ficcatum, servetur usui. Hic est *Crocus Veneris* dictus. In hac destillatione videndum est ut Vasa pura & pellucida sumantur & serventur.

Spiritus Vini. R Vin. generos. vel etiam fœcum Vin. q. p. destillent. per vesicam, donec pars optima destillârit (quod gustu facilè cognoscitur) lenissimo igne; vel donec circiter media pars abstracta fuerit: destillatum rectificetur aliquoties per B. M. abstrahaturque saltem pars dimidia, 3ia aut 4ta, ut nihil humiditatis, relinquat combustibilis. Rectificatio fœlicius peragitur, 1. Si in rectificatione orificium cucurbitæ chartâ subtili triplici, vel quadruplici, vel panno spissiori tegatur. 2. Si rectificatio ex cucurbitâ colli longi, vel per phiolam altam, Serpentinâve perficiatur; itâ ut lento calore 3ia vel 4ta pars separetur.

Spiritus Vini Tartarizatus. R ☐ri alb. crud. mundat. & grossè pulv. ʒj. secundum alios, R ☉ ☐ri, ʒiv V, ℥ij. Destill. in Balneo Scobæ ligni ferrati manufactâ pleno, lentissimo igne, ut ad 4tum ferè pulsum guttula cadat; quando phlegma

P
na stil
na qu
Spir
Spir
quâ in
exhalan
Spir
& vinu
læ vitr
to, &
Philos
tâ alti
ità ☉
attenu
sapor
tillatu
hibet
separa
que i
contr
omni
& re
℥ij. f
3iæ
recti
Urin

na stillare inceperit, cessa; vel si phlegma quoque prodierit, rectificata.

Spiritus Vitrioli. Vid. Ol.

Spiritus Vitrioli Philosophicus, fit ex aquâ in quam Butyr. ℥ij . projectum fuit, exhalando ad 3ias, & rectificando s. a.

Spiritus Urinæ. R \bar{c} Urin. homin. sani & vinum bibentis, q. p. hanc inde phiole vitreæ, cujus orificium strictè occludito, & in fimo equino digerito per mensem Philosophicum: dein destill. ex cucurbitâ altiori, leni admodum igne, in arenâ: ita \ominus volat. urinæ per fermentationem attenuatum, ascendit sub formâ Ω , ignei saporis, & odoris penetrantiss. Liquor extillatus in altâ cucurbitâ rectificatus, exhibet Ω acrem, & \ominus volat. Hic \ominus separatus, si in Ω \oplus li dissolvatur, atque iterum in Aren. destill. habetur \odot contra Epilepsiam efficax. Compendio, & omni tempore sic paratur: R \bar{c} Urin. san. & recent. ℥iv . cui addatur \ominus is alcal. ℥vj . fiatque destill. ex cucurbitâ vitreâ ad 3iæ partis remanentiam: quod prodiit, rectificetur ad dimidium, & habebitur Ω Urinæ genuinus.

Stypticum

S T

Stypticum Regis. Vide Pharmacop. Ba-
tean.

S U.

Succi Officinales tum liquidi præstant,
tum inspissati: Liquidi qui per se conservan-
tur pauci sunt, quippè præter succos aci-
dulos, fermentatos illos potulentos, nulli
ad tempus durabiles sunt: Modus inspif-
sandi omnes Herbas talis sit: R̄ Succ.
herb. virid. v. g. ℥iv. immittantur cucur-
bitæ vitreæ, & ℥iv. circitèr liquoris ab-
strahantur: reliquum, apertâ cucurbitâ,
evapora ad consistent. usque Pilul. huic
succo adhuc calido admisce ℥iv. prædicti
liquoris, & ità asserva usui. Succi ex Ve-
getabilibus depromendi, sunt

— 1. Ex Floribus. R̄ Flor. virid.
mple cucurbit. premendo, collocentur-
que ad digerendum, sive putrescendum
in M. B. satis profundè, donec in mucu-
laginem abiisse videantur; hinc exprime
succum, clarifica cum alb. ovi, & inspissa
lentè

lentè ad consistent. mellis; sic fiunt succi
(Essentiæ dictæ) borrag. bugloss. pæon. viol.
&c. Si flores minùs succulenti fuerint,
affundatur parum aquæ; & præstant flores
primum erumpentes: expressum suc-
cum si recentibus floribus affuderis, mayo-
rem succi copiam colliges.

— 2. Ex fructibus. R Succulentos,
exprime; vel coque antea, hinc exprime
trajicéque per setaceum, liquidioresque ad
mellis consistent. inspissa.

— 3. Ex radicibus & lignis, interve-
niente coctione in aq. & expressione succi
eliciuntur, adsciscuntque nomen Extracto-
rum.

Succus Glycyrrhizæ simplex, & comp.
Vide Pharmacop. Shiptoni. Londinens.

Suffimentum, Suffitus, Græcis *ὑπναιμα*,
parantur non uno modo: primò enim
medicamenta odorata, incis. & contus.
coquant. in s. q. aq. font. colaturæ effe-
rentis vapor per foramen chartæ in conum
convolutæ in pulmones tabidos hauriatur:
adhibentur manè & vesperi per hor. 4. &
vocatur vaporatio humida. Vel,

— 2. Me-

—2. Medicamenta concisa, vel in pulverem redacta, carbonibus vivis injiciuntur: ut, R̄ Oliv. Succin. alb. Benzoin. an. ʒij. Gum. guaic. Bals. Tolut. an. ʒjss. ros. rub. santal. rub. an. ʒj. F. pulv. Vel,

—3. Iidem pulveres cum conveniente liquore, gummi, resinâ, in pastillos vel trochis. formantur. R̄ Gum. heder. thur. an. ʒij. flor. \triangle ʒjss. mastich. ʒj. cum Solutione gum. tragacant. F. Trochis. R̄ Succin. alb. Olib. an. ʒij. Auripigment. pp. ʒß. styrac. calamit. labdan. an. ʒjss. cum s. q. solut. gum. tragac. F. Troch. pro suffitu.

—4. Admistis carbonibus tilix vel salicis, ex eadem materiâ pyramides & candelæ quasi fiunt, quæ usûs tempore accenduntur.

Suffimentum Hystericum. Vide Pharmacop. Batean.

Sulphur Antimonii. R̄ \ominus \boxplus ri, vel Absinth. ʒviij. crucibulo inditum in fornace Anemii fundatur, dein cochleatim injice \odot crud. pulver. ʒiv. fluere sinantur per hor. quadrant. dein effundantur in vas argenteum aut æneum, & massa crocei coloris edulcoretur crebris ablutionibus.

Dof.

Dof. gr.

nius op

ij præ

ram faci

salinis p

vata, inf

Sulph

Bezoard

ʒj. in ill

ensim c

et effen

reponat

24 app

do vitri

solution

& tota

oris præ

im aq. l

q. pur

im aq.

oliùs lac

em & r

per hor

impida

lbam r

a; tum

ij alb

lorum

Dof. gr. v. ad x. longè mitiùs ac benignius operatur, quàm quodvis prætereà
℥ij præparatum. Hujus pulvis V tincturam
facilè impertit, quæ, cùm particulis
salinis prorsùs destituatur, vi emeticâ privata,
insigne confortativum evadit.

Sulphur ℥ij *Inflammabile.* R. Ω ☉
Bezoard. ℥ij. crud. minutiss. pulv.
℥j. in illum immitte in cucurbitâ vitreâ,
sensim & per vices pulv. ℥ij, donec cesset
effervescentia; pulvere omni injecto,
reponatur vitrum in digestionem per hor.
24 applicato capitello, donec ☿ in fundo
vitri conspiciatur albiss. tum effunde
solutionem in ollam aq. purâ repletam,
& tota evadet lactea, dum pulvis flavi coloris
præcipitabitur ad fundum: decanta statim
aq. lacteam à prædicto pulvere, & hunc
aq. purâ aliquoties edulcora semper statim
aq. decantando toties, donec non amplius
lactea fiat: tum exicca lenitèr pulverem
& serva: aq. verò lacteas conjunge, &
per hor. j. vel ij. repone, donec aqua fiat
impida; tum decanta aquam, & materiam
albam relictam aliquoties aq. purâ edulcora;
tum sicca, & serva usui. Hi sunt flores
℥ij albi, fixi dicti. Dof. Sulphuris, gr. iij.
Sulphur
lorum verò, gr. iv.

Sulphur Auratum. R Scor. ☿ super
natantes Regulo: crassè pulverif. super
fundatur aq. comm. frigida: macerent
simul per 2. vel 3. dies, bis in die ma
teriam agitando: dein aq. flavedine tin
cta præcipitetur Ω ☉ri, vel ∇. sic ☿
tenuiss. aurei coloris ad fundum præcipi
tabitur, *primum ens auri* dictum: Glau
bero *Panacœa aurea* audit. Dos. à gr. j. ad
viij. Ad vomitum verò movendum, ad
℥j.

Suppositoria, sunt idem, quod *Glandes*.
modus parandi est, ut Mel coquatur lentè
ad spissitudinem, ut digitis tractari possit,
sine iniquatione, hinc effunditur in lami
nam frigidam, stanneam, ☉ illitam, dum
que frigescit, formantur *Suppositoria*, ole
oque illinuntur.

Suppositoria Anodyna. R Sem. cymini
hyoscyam. alb. an. ʒij. Opī opt. ʒjss. Ba
lausti. oiliban. flor. papav. errat. croc. opt.
an. ℥j. styrac. calamit. castor. an. ℥j. M.
F. Pulv. melle exiapiend.

Suppositoria Aluminosa. R ☉ pulv. q.
v. Album. ovor. agit. q. s. ut F. Pasta,
& exindè suppositoria diversæ magnitudi
nis & longitudinis, siccanda ad usum.

Suppositi

Pharmacopœia Chymica. S Y. 185

Supposit. Hæmorrhoidale, F. ex cretâ
& *Ung. Popula. ut F. massa dura s. a.*

S Y.

Ad *Syrupos* sequentes perpetuandos omne Saccharum, Mel omne plenis licet aliaribus, effusum, huc congeratis, Pharmacopœi, vix est ut annum iis integrum vel annum polliceri possitis: hisce ergo conservandis omne Saccharum & operam brevi quamquam perdideritis, ævum tamen vobis & Ægrotantibus vestris, annis sic cedemtis, non facile perituum conciliabitis. Modus fiendi talis sit: R Liquefactum clarificatum, (decoctum, infusum, succum expressum, acetum,) adde Saccharum, vel mel, & simil. coque, clarifica, (si opus,) inspissa, ad mellis consistentiam, ac repone pro usu, Proportio liquoris ad Saccharum aut mel, est ferè dupla vel tripla.

Syrup. de Absinthio simpl. & comp. Vide Pharmacop. Londinens.

Syr. Acetosus Simp. ibid. *Syr. Acetosus comp.* Vid. Pharmacop. Shiptoni Londinens.

Syr. de Agno casto. ibid.

Syr.

186 *Pharmacopœia Chymica. S Y.*

Syr. de Althæâ. ibid.

Syr. de Ammoniaco. Vide Pharmacop. Londinens.

Syr. de Aniso. Vide Pharmacop. Shiptoni. Londinens.

Syr. de Artemisiâ. ibid.

Syr. Aurantiorum. ibid.

*Syr. Balsamicus. Vide Pharmacop. Ba-
tean. Vel, R Bals. Tolut. ʒj. coq. in Aq.
Hord. pur. lb. v. in vase fictili ad lbij.
Decocto effuso adde Sacch. albiss. lbij.
& coq. ad Syrupi consistentiam f. a.*

*Syr. de Berberis. è Succ. depurat. lbij.
Sacch. opt. lbjss. coctis f. a.*

*Syr. de Betonicâ. è Succ. & Sacchar. an.
coctis f. a.*

*Syr. de Betonicâ comp. Vide Pharmacop.
Shiptoni. Londinens.*

*Syr. Borriginis. fit è succ. depurat. &
Sacch. opt. an. coctis f. a.*

*Syr. Botryos. Vide Pharmacop. Londi-
nens.*

Syr. Buglossi. ut de Borragine.

*Syr. Byzantinus Simpl. & comp. Vide
Pharmacop. Shiptoni. Londinens.*

Syr.

Pharmacopœia Chymica. S Y. 187

Syr. de Agrestâ. ibid.

Syr. Capillorum Veneris. Vide Pharmacop. Londinens.

Syr. Cardiacus. ibid.

Syr. Cardui ben. fit ut *Syr. Borraginis.*

Syr. Caryophyllorum. Vide Pharmacop. Londinens.

Syr. de Caryophyllis aromaticis. Vide Pharmacop. Shiptoni Londinens.

Syr. Caulium, ex succo, & Sacch. an. coctis s. a.

Syr. Cerasor. nigr. ex Succo depur. ℥ij. Sacch. opt. ℥ij. s. a.

Syr. Chalybeatus. Vide Pharmacop. Ba-
tean. Vel, R Limatur. ℥tis, ℥iv. Vin.
alb. opt. ℥ij. stent in Balneo, in vitro ca-
paci clausè, per dies 8. vel 10. dein fil-
& trentur per chartam, & ℥ij. adde Sacch.
opt. ℥ij. & sine coctione fiat *Syr. s. a.*
Vel, R Vin. Chalyb. Quercet. ℥ij. adden-
do eandem Sacch. quantitatem, F. *Syr.*
eodem modo. Vel, R Vin. cujusvis Cha-
lybeat. ℥ij Sacch. opt. ℥ij. Tinctur. Croc.
Castor. an. ℥j. exhala lento igne ad *Syr.*
consistent.

Syr.

188 *Pharmacopœia Chymica. SY.*

Syr. Chamæmeli. ex Succ. depur. & Sacch. an. coctis f. a.

Syr. Chamæpityos. Vide Pharmacop. Shiptoni. Londinens.

Syr. Cichorii. ut *Chamæmel.*

Syr. de Cichor. cum Rhab. Vide Pharmacop. Londinens.

Syr. de Cinnamomo. R. Aq. Cinnam. ℥ij. Sacch. albiss. ad Tabul. coct. ℥ss. F. Syr. f. a.

Syr. Citrionum ex Succo, fit ex Succ. filtrat. Sacch. ℥ij. albiss. ad Tabul. coct. ℥ij f. a.

Syr. Citrionum Corticum. Vide Pharmacop. Shiptoni. Londinens.

Syr. è Coralliis Simpl. & comp. Vide Pharmacop. Londinens.

Syr. Cydoniorum. ibid. Vel fieri potest ex Succ. Cydon. depurat. ℥ij. Sacch. albiss. ℥ij. f. a.

Syr. Diasulphuris. R. Flor. Δ ris, ζ ij. quibus in vase idoneo liquefactis, per vices adde \ominus \square ri pulv. ζ ij. & bacillo agita, donec colorem acquirant rubicundum: dein effusis, pulverisatis, & vasi fictili inditis, adde Aq. pur. ℥ij. & leni calore simul digerantur ad \ominus lem \square ri partim dissolven-

& dissolvendum, ut odor ingratus ex parte
evanescat : quo facto, aquam decanta; &
△ sic præparatum continuò moveatur,
donec exiccatur : cui in matraccio posito,
affunde Vin. Canarin. ℥ij. & lento calore
digerantur per hor. 24. tùm decanta &
filtra, & ℥ij. Tincturæ adde Sacch. opt.
erè duplam quantitatem, & sine coctione
Syr. Vel, R. △ris ut suprà præp. 3ß.
Vin. Canarin. opt. ℥ij. digerantur claus.
in B. M. vel arenâ per 28. hor. quo
facto, R. Sacch. albiss. ℥ij. dissolve &
ad tabulat. coque in parum Aq. Flor.
Sambuc. dein huic sensim affunde Vinum
Are tinctum calidè, paulispèr super ig-
nem effervescat, despumando, & per co-
mum laneum trajice, sic habebis Syrupum
aurei coloris elegantissimum.

Syr. *Endiviæ*, ex succ. defæcat. & Sacch.
an. coctis s. a.

Syr. *de Epithymo*. Vide Pharmacop.
Londinens.

Syr. *de Eryfimo comp.* Vide Pharma-
cop. Shiptoni. Londinens.

Syr. *Fæniculi*, Fit è Succ. depurat. &
Sacch. an. coctis s. a. Vel, fieri potest ex
semin. contus. ʒij. Vin. alb. ʒxij. Infund.
dies

192 *Pharmacopæia Chymica.* P Y.

vel 3. dies. colatur. claræ adde Sacch. alb
q. s. F. Syr.

Syr. Nymphææ Simpl. & compos. Vide
Pharmacop. Londinens.

Syr. de Oxalide, fit ex Succ. Fol. filtra
to, cum duplo Sacch.

Syr. de Papavere erratico. Vide Phar
macop. Shiptoni. Londinens.

Syr. Paralyseos, Fit ex Fl. rec. macera
& Sacch. omninò ut in Syr. Caryoph.

Syr. Persicorum. Vide Pharmacop. Lon
dinens.

Syr. de Pilosellâ Simpl. & comp. Vide
Pharmacop. Shiptoni. Londinens.

Syr. Plantaginis, è Succ. defæcat. &
Sacch. ut suprà.

Syr. Pæoniæ Simpl. & compos. Vide
Pharmaop. Londinens.

Syr. de Pomis Simpl. Fit ex Succ. d
pur. & Sacch. an. coctis s. a.

*Syr. de Pomis Alterans. de Pomis M
gistralis. de Pomis purgans.* Vide Pharm
cop. Londinens.

Syr. de Portulacâ, Fit ex Succ. defæc
& Sacch. an. s. a.

Pharmacopœia Chymica. SY. 193

Syr. de Præssio. Vide Pharmacop. Shiptoni. Londinens.

Syr. de Quinque Radicibus. ibid.

Syr. Raphani comp. Vide Pharmacop. Shiptoni. Londinens.

Syr. de Rhabarbaro. Vide Pharmacop. Londinens.

Syr. de Rhamno Solut. Vide *Syr. de Spina Cervinâ.*

Syr. de Ribes, fit ex Succ. filtrat. ℥ij. Sacch. opt. ℥ij. f. a.

Syr. Rosar. Dam. è succ. depurat. ℥vj. Sacch. alb. ℥iv. coct. f. a.

Syr. Rosaceus Solutivus. *Syr. Rosac. Sol. cum Agarico.* Vide Pharmacop. Londinens.

Syr. Rosac. Sol. cum Senâ. *Syr. de Ros. Siccis.* ibid.

Syr. de Rubo Idæo, Fit ex Succ. defæcat. & Sacch. f. a.

Syr. Sambucinus, è Succ. Baccar. & Sacch. an. f. a.

Syr. Sambucinus comp. Vide Pharmacop. Shiptoni. Londinens.

Syr. Scabiosæ Simp. è Succo & Sacch. an. f. a.

192 *Pharmacopœia Chymica.* P Y.

vel 3. dies. colatur. claræ adde Sacch. alb
q. s. F. Syr.

Syr. Nymphææ Simpl. & compos. Vide
Pharmacop. Londinens.

Syr. de Oxalide, fit ex Succ. Fol. filtra
to, cum duplo Sacch.

Syr. de Papavere erratico. Vide Pha
macop. Shiptoni. Londinens.

Syr. Paralyseos, Fit ex Fl. rec. macera
& Sacch. omninò ut in Syr. Caryoph.

Syr. Persicorum. Vide Pharmacop. Lon
dinens.

Syr. de Pilosellâ Simpl. & comp. Vide
Pharmacop. Shiptoni. Londinens.

Syr. Plantaginis, è Succ. defæcat.
Sacch. ut suprâ.

Syr. Pæoniæ Simpl. & compos. Vide
Pharmaop. Londinens.

Syr. de Pomis Simpl. Fit ex Succ. d
pur. & Sacch. an. coctis s. a.

*Syr. de Pomis Alterans. de Pomis M
gistralis. de Pomis purgans.* Vide Pharm
cop. Londinens.

Syr. de Portulacâ, Fit ex Succ. defæc
& Sacch. an. s. a.

Pharmacopœia Chymica. SY. 193

Syr. de Præssio. Vide Pharmacop. Shiptoni. Londinens.

Syr. de Quinque Radicibus. ibid.

Syr. Raphani comp. Vide Pharmacop. Shiptoni. Londinens.

Syr. de Rhabarbaro. Vide Pharmacop. Londinens.

Syr. de Rhamno Solut. Vide *Syr. de Spina Cervinâ.*

Syr. de Ribes, fit ex Succ. filtrat. ℥j. Sacch. opt. ℥ij. f. a.

Syr. Rosar. Dam. è succ. depurat. ℥vj. Sacch. alb. ℥iv. coct. f. a.

Syr. Rosaceus Solutivus. *Syr. Rosac. Sol. cum Agarico.* Vide Pharmacop. Londinens.

Syr. Rosac. Sol. cum Senâ. *Syr. de Ros. Siccis.* ibid.

Syr. de Rubo Idæo, Fit ex Succ. desicc. & Sacch. f. a.

Syr. Sambucinus, è Succ. Baccar. & Sacch. an. f. a.

Syr. Sambucinus comp. Vide Pharmacop. Shiptoni. Londinens.

Syr. Scabiosæ Simp. è Succo & Sacch. an. f. a.

194 *Pharmacopœia Chymica.* SY.

Syr. Scabiosæ comp. Vide Pharmacop. Shiptoni. Londinens.

Syr. de Scammonio. Vide Pharmacop. Batean.

Syr. de Scolopendrio. Vide Pharmacop. Shiptoni. Londinens.

Syr. de Scordio, Fit ex Succ. depur. & Sacch. an. coctis s. a.

Syr. de Spinâ cervinâ. Vide Pharmacop. Shiptoni. Londinens.

Syr. de Stœchade. ibid.

Syr. de Symphyto. Vide Pharmacop. Londinens.

Syr. Tussilaginis, Fit ex Succ. Fol. depurat. & Sacch. an. coctis s. a. Vel fieri potest elegantius ex Infus. forti Flor. contul. & Sacch. omninò ut *Syr. Caryophyl.*

Syr. Vermifugus. Vide Pharmacop. Batean.

Syr. Violarum, & è Succo *Violarum.* Vide Pharmacop. Londinens.

Syr. Zinziberis, ex ZZ. incis. ʒj. Vin. alb. ʒxij. infusâ, addendo colat. Sacch. opt. q. s. ut. F. *Syr. s. a.*

T.

T *Abulæ, Morsuli seu Morselli*, medicamenta sunt quadrata ut plurimum, parata ex pulveribus & similibus saccharo soluto susceptis, (sextuplo, plerumque octuplo) superque tabulam ligeam, lapideam cupreamve effusis, ut consolidentur. Saccharum sc. solve in liquore debito super ignem, hinc coque ad consistentiam, ut frigesactum induretur: hinc admisce sensim pulveres, optimè agita, effundeque dum adhuc colore liquidum est, supra tabulam, ut refrigeret & induretur, demùm scinde in tabulas.

Tabulæ Amygdaloides. Vide Pharmacop. Batean.

Tabulæ Antapoplecticæ. R Ambr. gris. β. Ol. stillat. sem. anis. cinnam. nuc. mosch. an. gtt. ij. Ol. caryoph. gtt. j. sacch. in aq. flor. Aurant. Solut ℥iij. F. a. Tabellæ.

Tabulæ Antisynanchicæ. Vide Pharmacop. Batean.

Tabulæ de Aurantiis. ibid.

Tabulæ Cardialgicæ. ibid.

Tabulæ Carminativæ. ibid.

Tabulæ Dialthææ. ibid.

Tabulæ Divinæ. ibid.

Tabulæ Hemoptoicæ. ibid.

Tabulæ Pectorales. R^x Pulv. Millefol. contus. ac in sole fervente exiccat. 3j. Flor. Δ , Oliban. pulv. an. 3j. flor. rub. exicc. 3ß. Sacch. Solut. ad tabulat. coct. 3vj. Ol. Anis. 3ß. f. a. F. Tabulæ Vel, R^x Spec. Diatrag. frig. è pulmone vulp. an. 3ij. Flor. Δ , rad. enul. camp. an. 3ß. Ol. anis. 3ß. Sacch. Sol. in f. Aq. Puleg. & ad tabulat. coct. 3vj. f. F. Tabulæ Semidrachmales.

Tabulæ de Pipere. Vide Pharmacop. Batean.

Tabulæ Prunellæ. ibid.

Tabulæ Scorbuticæ. Pulv. Cort. Winter. Ocul. cancr. an. 3jß. Marg. pulv. 3ß. Sacch. albiss. solut. in f. q. Aq. lumb. bric. & ad tabulat. coct. 3vj. Ω cochlear. 3ij. f. a. F. tabulæ pro delicatioribus. Vel R^x Spec. diatrion Santal. diamargar. frig.

Pharmacopœia Chymica. T A. 197

p. 3jβ. Margar. pul. coral. rub. pp. Ebo-
s pul. an. 3j. Sacch solut. in aq. Scor-
i & ad tabulat. coct. 3vj. f. a. F. ta-
bulæ.

Tabulæ ad Tussim catarrhalem. R Pulp.
ad. Alth. per setaceum traject. 3j. Sacch.
erlat. Gum. Arab. Tragac. Amyl. in aq.
apav. Rhæad. Solut. an. 3ij. Sacch. pe-
id. in aq. Ros. solut. q. s. M. F. Tab.,
a. Vel, R Spec. diatrag. frig. 3ij. Pulv.
m. anis. carui, fœnic. dulc. an 3β. Flor.
Aris, 3ij. Flor. Benzo. 3j. extract. liqui-
t. dilut. in aq. Hyssop. q. s. F. pasta, quæ
ormetur in Tabulas.

Tabulæ Vermifugæ. Vide Pharmacop.
atean.

Tapfemel. Vide Pharmacop. Londinens.

Tapfivalentia. ibid.

Tartarum Chalybeatum. Vide. Pharma-
op. Batean.

Tartarum Emeticum. ibid. Vel, R Vitri
3ij minutiss. pulv. Sive Hepat. 3ij pulv.
⊙ri crud. pulv. 3ij. M. & in cruci-
culo super carbonibus ignito fac. detonent :
materiæ relictæ pulv. adde ⊖ ⊠ri pu-
ss. 3j. Aq. 3ix. M. & in vase ferreo
oque ad totalem consumpt. aquæ; mas-

ſam relictam pulveriſa, & cum aq. ſer-
vente extrahe: filtra per chartam, quod
relinquitur in chartâ, eſt vitrum ſive he-
par ☿ij, quod ſicca & ſerva: colaturam
verò evapora in vitro ad totalem ſiccita-
tem: tum relictam maſſam ſuper latere
albo fortitèr ſicca, & in vitro clauſo pul-
verem ejus ſerva uſui. Doſ. eſt à ʒß. ad
ʒj. Purgat *ἀνω καὶ κατω.*

Tartarum lotum. Vide Pharmacop. Lon-
dinenſ.

Tartarum Vitriolatum. ibid. Vel, R
Ol. ☿ri per deliq. ʒj. Ol. ☼li rectifi-
ʒß. M. guttatim in vitro oblongo, donec
non ampliùs efferveſcant: repone tum
vitrum ad quietem: poſt hor. liquorem ſu-
perfluitantem filtra per chartam: colatu-
ram reaffeunde coäguſo albo antea relictò,
& ſimul evapora in vitro evaporatorio ad
ſiccitatem uſque, & relinquetur pulv.
albiff. qui vulgò Magiſterium ☿ri, &
☿rum ☼latum dicitur. Doſ. à ʒß. ad
ʒß.

Pharm

Tela
Tere
ad friabTher
cop. S
Ther
The
LondTim
part.
& inj
tur ſi
refrige
pulve
emine
in phi
donec
Ω: t

Tela

T E.

Tela Gualteri. Vide *Sparadrap.*

Terebinthina cocta, fit coquendo in aquâ
ad friabilitatem instar resinæ.

T H.

Theriaca Andromachi. Vide Pharma-
cop. Shiptoni. Londinens.

Theriaca Diateffaron. ibid.

Theriaca Londinensis. Vide Pharmacop.
Londinens.

T I

Tinctura Antimonii. R \bar{x} ⚗ ij, ⊙ ri, an.
part. j. ⊖ ⊠ ri, p. ij. M. optimè simul,
& injiciant. crucibulo candenti, fundan-
tur simul per hor. β . ad minimum: dein
refrigeratis omnibus, materia pulverifetur,
pulverizatæ superfunde V ⊠ fats ad super-
eminet. aliquot digit. digerantur simul
in phiolâ arctissimè clausâ per dies aliquot,
donec sanguineo colore tinctus appareat
 Ω : tum decanta, & recentem V sæcibus
K 4 super-

superfunde, & digere, ut antea : hoc tam-
 diu continuando, donec tincturam am-
 pliùs dare nequeat : tincturas omnes com-
 misce, & ad medietatem Ψ in B. M.
 abstrahe ; dein usui serva. Dos. à gtt. 3.
 ad \mathfrak{H} j.

Tinctura Vitri Antimonii. R Vitri \mathfrak{H} j
 optimè pulv. q. v. ei superfunde Ω Θ lis
 dulcem, cui gtt. aliquot Ω Φ ri permixtæ
 sunt : stent simul in digestionem per dies a-
 liquot, donec flaviss. ex \mathfrak{H} io susceperit
 tincturam : quam decanta, & in B. M.
 destilla ad \mathfrak{H} tæ partis remanentiam : huic
 superfunde recens Alcohol Vini, & dige-
 re ut antea. Eadem tinctura fieri potest
 in sequenti menstruo : R Ω Θ lis optimè
 rectif. \mathfrak{H} ij. Ω Φ ri rectif. \mathfrak{H} ij. Ψ , \mathfrak{H} xij.
 digerantur simul, & postea destillatio bis
 repetatur, donec Ω optimè uniti sunt,
 quibus extrahe tincturam, ut antea. Multò
 minorem laborem & tempus requirit,
 quàm Tinctura, quæ fit mediante Aceto
 destillato, aut Spiritu Φ ris. Dos. à gtt.
 j. ad xx. in Vino, vel alio liquore, scil.
 sudorifero.

Tinctura

Tinctura Castorei. Vide Pharmacop. Londinens. Vel, R Castor. ℥j. ☉ ☐ri, ʒij. V rectif. ʒiij. concis. castor. superfund. V, & ☉ ☐ri: digerant. simul per 3. dies donec rubicundo colore Ω tingatur: Ω tinctum à fæcibus effunde deindè parumper subsideat per hor 3. vel 4. ut omnes fæces deponere possit; dein tinctura clara effundatur, & in usum servetur. Multò efficacior evadet, si ad singulam ʒ. drachma j. Ω* permisceatur. Dos. à gtt. iv. ad xxx.

Tinctura Cathartica. Vide Pharmacop. Batean.

Tinctura Cinnamomi. Vide Pharmacop. Londinens.

Tinctura Cochleariæ comp. Vide Pharmacop. Batean.

Nugatores in Chymiâ fucum hîc imprimis faciunt, Pharmacopœi, ideòque ut ultra colores aliùs quiddam sapiatis, Tincturam hanc sequentem non levitèr vobis degustandam propino.

Tinctura Corallii. R Corall. rubicundiss. ☉ ☐ri purif. an. ʒiv. In marmore simul trita M. & calcinentur per hor. vj. igne ità moderato, ut non liquecat ☐rum, K 5 quod

quod postea separa à pulvere Corall. per aq. calidam; ex pulvere Corall. Siccato, extrahe tincturam toties cum V rectificatiss. donec nullus amplius color transfundi possit; ultimò superfluo Ω per destillat. ad medietatem avvocato, tincturam aliquadiù circulatam, usui reserva.

Tinctura Croci. Vide Pharmacop. Londinens. Vel, R & Croc. Angl. $\mathfrak{z}\beta$. V op^{us} $\mathfrak{z}\text{vj}$. abstrahere lentiss. igne ad consist. debitam: Vel, digerantur per dies & noctes viij. dein cola per pannum: massæ relictæ affunde aliquid V rectific. toties, donec Menstruum non amplius tingatur: colaturas conjunge, & serva usui.

Tinctura Fragrorum. Vide Pharmacop. Londinens.

Tinctura Hiera, sive Sacra. R Spec. Hier. Simpl. $\mathfrak{z}\text{ij}$. Coccinel. $\mathfrak{z}\text{ij}$. Vin. Cheriens. $\text{lb}\text{ij}\beta$. M. & digere sæpè agitando ad dies aliquot; deinè filtra ad usum.

Tinctura Martis Minsycti. R Sal. Ammon. part. ij. Limatur. \mathfrak{z} . p. j. M. & per Retortam secundum gradus destilla, primùm lento, deindè fortiori igne, sic \mathfrak{z} tis essentia remanet in fundo, hanc exime, & optimè edulcora, ut ab omni *

acredine

credine sit libera : postea materiam hanc
dulcoratam cucurbitæ immitte, & cum
V extrahe tincturam, cūque desiit tin-
ctio, Ω tinctum exime, & per alembi-
cum abstrahere usque ad medietatem : re-
liquum manens cum essentiâ extractâ per
chartam filtra, idque ipsum, utpotè veram
Ictis tincturam, ad usum asserva.

Tinctura ♂ Aperiens. R Limatur. ♂
part. ij. *, p. j. simul trita, exactè inter
se mista conjiciantur in cucurbitam, cui
adapta alembicum vitreum cum suo Re-
cipiente, fiat sublimatio s. a. ex igne nu-
do, successivè ignem augendo ; ita imò
ascendit Ω *, quem sequuntur flores in-
signi Aurantiorum colore tincti, quos ab
aère defende : his in vase circulatorio re-
positis affunde V ad eminent. 3. 4ve di-
git. transvers. digerantur quousque V au-
reo colore tinctus sit, quem decanta abs-
que perturbatione sæcum, & usui reserva.
Dof. à gtt. x. ad xx.

Tinctura ♂ Adstringens. Capiti mortuo
affunde aq. pluv. ad eminent. 3. vel. 4.
digitor. digerantur simul, donec aqua
rubicundo-flavo colore tincta sit, quam
decanta, filtra, & usui reserva : cujus u-
sus.

sus est in hæmorrhagiis, diarrhæis, fluxu Mensium immodico, gonorrhæâ Simpliciter. Dos. à gtt. v. ad xij. in debito vehiculo. Reliquum, quod restat, per ignem reverberii calcinetur, quousque Splendentia ferri ramenta dispareant; conteratur in pulverem tenuem, & obtinebis crocum O^{tis} in quantitate: cujus egregius est usus, ut in cæteris Crocis præparat. Dos. à gr. vj. ad xx.

Tinctura Paralytica. Vide Pharmacop. Batean.

Tinctura Rhabarbari ibid.

Tinctura Rosarum. ibid.

Tinctura Sacra. Vide *Tinct. Hieræ.*

Tinctura Salis Tartari. R \ominus \boxplus puriss. q. v. liquetur, & fluat in Crucibulo valido, donec colorem cæruleum seu fere viridem acquirat; cui in Mortarium æneum tepefactum effuso, dein eidem dum incalescit pulverisato, & matraccio firmo colli oblongi imposito, affunde V rectif. ad supereminentiam 3. aut 4. digitor. & digerantur in furno arenæ, calore satis intenso per plures dies, donec Tinctura satis rubicunda extrahatur: hoc repetendo, eò usque V affusus non ampliùs coloratur:

tur: Tincturæ sic extractæ, si in Cucur-
bitâ ad medietatem avocentur, manet li-
quor Rubini instar coloris Saturati, qui
sui reservetur. Intereâ \ominus \boxplus ri residu-
s, phlegmate Vini dilutus, in deliquium
infra subsidens, & per se subitè fluitans
bibit; quod Oleo \boxplus ri vulgari, in quan-
tum \triangle ris vinosi participat. longè præstat;
e in quibusdam casibus, ubi Diuretico
xiviali opus est, remedium laudabile ex-
stit. Dos. \mathfrak{ij} . ad \mathfrak{ij} vel \mathfrak{zj} . Tinctura ex-
hibetur à \mathfrak{zj} . ad \mathfrak{zjss} . aut \mathfrak{zj} .

Tinctura Salutis. Vide *Elix. Salutis*
in Pharmacop. Batean.

Tinctura Scorbutica. ibid.

Tinctura Scordii. Vide Pharmacop.
Londinens.

Tinctura Succini Helmontii. R Succin.
pl. Flor. \ast , part. dimid. exactè in-
ter se conterantur & M. His affunde \forall
ad eminent. 3. vel 4. digit. transvers.
tent in digestionem, quousque \forall flavo-ru-
& bicundam extraxerit tincturam, quam de-
cantata, & usui reserva. Dos. internè à gtt.
ad xxx.

Tinctura

Tinctura Sulphuris. R \triangle opt. \ominus
 \square ri, an. part. æq. \triangle ri leni igne in pa-
 tinâ terreâ fuso, admisce portionem \ominus lis
 \square ri, & spatulâ ligneâ inter se commisc.
 quousque \ominus \square ri efferbuerit cum \triangle re,
 coloremque nactum sit hepaticum: reli-
 quam \ominus lis \square partem successivè cum
 \triangle re fuso miscere ita pergito: \triangle ris sic
 pp. & pulv. 3j. adde \vee 3vij. Digerant.
 quousque \vee rubicundo flavo colore tin-
 ctus sit: hunc clarè decanta, & usui re-
 serva.

Tinctura Theriacalis. Vide Pharmacop.
 Londinens.

Tinctura Veneris. R Limatur. vel æru-
 gin. vel Croc \square ris, 3j. Ω \ast , \vee , an.
 3ß. M. macerentur per hor. 24. & ob-
 tinebis colorem intensè cæruleum. Dos. in-
 ternè à gtt. j. ad vj.

Tinctura Viridis. Vide Pharmacop.
 Londinens.

T R.

Tragea, Tragema, Bellaria, est pulvis
 intrò assumendus ex speciebus & simil.
 pul.

pulveribus simplicibus, cum saccharo confectisve ad saporem gratum commixtis.

Vid. Pulveres p. 35.

Trochisci, id est rotulæ, & *κυκλίσκοι*, & *ἀπτίσκοι*, Latinis pastilli, & orbiculi, sunt species seu pulveres mucilagine, ex gr. tragacanthæ, althææ & simil. suscepti, incorporati, inque orbiculos parvos formati.

Troch. de Absinthio. Vide Pharmacop. Londinens.

Troch. Agni casti. Vide *Troch. Viticis.* ibid.

Troch. albi Rhafis. ibid.

Troch. Alexiterii. ibid.

Troch. Alhandal. ibid.

Troch. Aiptæ Moschatæ. ibid.

Troch. Alkekengi. ibid.

Troch. Bechici albi & nigri. ibid.

Troch. de Berberis. Vide Pharmacop. Shiptoni. Londinens.

Troch. de Camphorâ. Vide Pharmacop. Londinens.

Troch. de Capparibus. ibid.

Troch. de Carabæ. ibid.

Troch.

Troch. de Eupatorio. ibid.*Troch. Gordonii.* ibid.*Troch. Hysterici.* ibid.*Troch. de Ligno Aloës.* ibid.*Troch. de Myrrhâ.* ibid.

Troch. Phthifici. R Spec. diatragac. frigid. 3ß. liquirit. 3j. flor. Δ , 3ij: Flor. Benz. 3j. Sacch. penid. 3ij. Solutionis tragacant. in Aq. Hyssop. fact. q. s. F. pasta, formetur in Troch. ponderis 3ß. sumetur j. sæpiùs in die vel nocte. Vel, R Sem. papav. alb. 3vj. pulv. alb. 3vj. flor. papav. rubr. 3j. extract. Glycyrrh. 3ij. lact. Δ 3ß. sacch. penid. 3ij. mucilag. Sem. cydon. q. s. F. pasta, quæ formetur in Troch. Vel, R Spec. diaireos, è pulmone vulp. an. 3ß. Sacch. penid. 3ij. Solutionis tragacant. q. s. F. massa in Troch. efformanda. R Pulv. rad. Enul. camp. sem. anif. liquirit. an. 3ij. Flor. Δ , 3j. Sacch. tabulat. 3jß. Succ. liquirit. dilut. & traject. q. s. F. massa pro Trochiscis.

Troch. de Plumbo. Vide *Sies de plumbo*, in Pharmacop. Londinens.

Troch.

Pharmacopœia Chymica. T R. 209

Troch. Ramisch. Vide Pharmacop. Ship-
toni. Londinens.

Troch. de Rhabarbaro. Vide Pharma-
cop. Londinens.

Troch. de Santalis. ibid.

Troch. de Scillâ ad Thericam. ibid.

Troch. de Spodio. ibid.

Troch. in Sputo Sanguinis. R Pulv.
lapid. hæmatit. Sang. dracon. cum aq.
ros. in marmore trit. margarit. an. ʒj.
Bol. armen. terræ Lemniæ, an. ʒʒ.
Troch. de Alchekeng. ʒij. Solutionis tra-
gacant. in aq. Tussilag. facta q. s. F.
Troch. s. a. Vel, R Sem. hyoscyam. pa-
pav. alb. ʒj. terr. Sigillat. Coral. rub. an.
ʒʒ. Sacch. rosat. ʒiij. Solutionis traga-
cant. q. s. F. troch. ponderis, ʒʒ. sumend
quater in die.

Troch. de Terrâ Lemniâ. Vide Pharma-
cop. Londinens.

Troch. de Thure. Vide Sief de Thure.
ibid.

Troch. è Violis Solutivi. ibid.

Troch. de Viperâ ad Theriacam. ibid.

Troch. Viticis. ibid.

Troch.

Troch. in Vomitione Acidâ. R Pulv. ligni aloës, sant. citr. cort. Winter. an. ʒij. cretæ albiss. 3vj. Sacch. cand. ʒß. Solutionis Tragacant. aq. Menthæ fact. q. s. F. pasta, formetur in Troch. ponderis ʒß. comedat. 3. vel 4. ter vel sæpiùs in die.

In Album Officinarum velim ut omnes hosce Trochiscos referatis, Pharmacopæi; quippè elegantiores vel describere, vel excogitare Pharmacopœia Londinensis non potuit: paucis solummodò adjectis, in rem vestram Pharmaceuticam paulò ornatiùs illustrandam.

T U.

Turpethum Minerale. Vide Pharmacop. Londinens. Vel, R Argent. Viv. depurat. ☉ ⊕ li, vel △ris, an. ʒij. crucibulo indita, igne primùm lento humiditas omnis evaporet, dein fortiori urgentur ut materia calcinata meliùs figur: quæ ab aquâ. fontanâ affusâ illicò flavescit, hæc crebrâ ablutione, & V accensione

Pharmacopæia Chymica. T U. 211

consensione ter ad minimum edulcoretur, & exiccetur. Hæc massa, si fundatur in crucibulo, poterit formari in annulos, & ulterius etiam elaborari in Mercurium fixum, apud Poterium. Illud Turpe-
thum, quod mediante Oleo \square ri præci-
pitatur, tutioris est usus.

Turundæ Aconiticæ. Vide Pharmacop.
Batean.

Tutia præp. Vide Pharmacop. Lon-
dinens.

Valentia

U.

Valentia Scabiosæ. Vide Pharmacop.
Londinens.

V E.

Veneris Crystalli. R. ♀ integræ, vel
etiam limat. q. pl. Solvatur in Ω Acet.
f. q. digerendo per hor. 24. vel donec
nihil amplius Solvatur ex ♀ re: tinctu-
ram viridem decanta à fæcibus, & in vi-
tro evaporatorio evapora ad cuticulam
usque; hoc continuando donec lapilli ca-
rulei in fundo in f. q. concreverint, quos
super chartâ purâ lenitèr sicca: hi enim
vocantur vulgò crystalli ♀ ris, itemque
Glum ♀ ris, suntque nihil aliud quàm
Viride æris, possuntque per se destillari,
ex retortâ vitreâ, in Spiritum ♀ ris di-
ctum.

Veneris

Veneris
q. f. l.
S. S. S.
cularer
dio: S.
nigras,
sunt, r
iterùm
ustum.

Vinu
Londin
Vinu
Vinu
Shipton
Vinu
cop. B.
Vinu
Londin
Vinu
Batean
Vitr
p. 37.

Veneris Calcinatio. R^x Lamellar. ♀ris,
q^d s. f. in crucibulo cum pulv. ♂ris
S. S. S. repone crucibulum in ignem cir-
cularem, donec ♂ absumptum sit incen-
dio: Si primâ vice non abierit in scorias
nigras, quæ in mortario pulverisari pos-
sunt, repetatur stratificatio semel atque
iterum: vulgò in Officinis dicitur *Æs*
ustum.

V I.

Vinum Antimoniale. Vide Pharmacop.
Londinens.

Vinum Benedictum. ibid.

Vinum Chalybeatum. Vide Pharmacop.
Shiptoni. Londinens.

Vinum Hippocraticum. Vide Pharma-
cop. Batean.

Vinum Scilliticum. Vide Pharmacop.
Londinens.

Vinum Viperinum. Vide Pharmacop.
Batean.

Vitriolum album. Vide *Sal. Vitriol.*
p. 37.

Vitrioli

Vitrioli Calcinatio Philosophica. R. ☉li
cæryl. depurat. & subtiliss. pulv. q. p.
expone super chartâ bibulâ radiis Solaribus
per æstatem: Si sit tempus hibernum,
exponatur charta arenæ tepidæ, & exi-
guo temporis spatio ☉lum evadet al-
biss. dein iterum expone calori, donec to-
tum ☉lum internè & externè sit deal-
batum. Inservit præter cæteros usus, pa-
rando pulveri Sympathetico.

Vitrioli Probatio. ☉lum Hungaricum
inter præstantiora habetur, quod admo-
veatur aut affricetur cultro; si suo tactu,
cultrum rubro colore, hoc est cupreo in-
ficiat, laudatissimum æstimatur. Sed om-
nium præstantiss. est Cyprium Saphyrini
coloris, quæ lunaris est tinctura in internis
Lunæ partibus. Cyprium etiam ☉lum
magnam ☉lis quantitatem in se conti-
net, quod ejus suprâ alia pretium auget,
ut non nisi 3. aut 4. aureis nummis singu-
læ libræ divendantur.

Vitriolum Lune. Vide *Lunæ Crystall.*
Dicitur & *Crystallum Lunare*, & *Magist.*
Lunæ.

Vitriolum

Vitriolum Martis. Vide *Sal. Chalyb.*

p. 36.

Vitriolum Veneris. Vide *Vener. Crystal.*

Vitrum Antimonii. Vide p. 2. Paretur autem sine ullâ additione aut Boracis, aut flor. Δ ris, aut Nitri; quanquàm & Borax ♂ io fundendo addita, pelluciditatem ejus promoveat. Dosis hujus pulv. gr. iiii. ad vj. infusionis in vino factæ, Dos. 3vj. ad x. Stibium verò Sulphure suo magnâ ex parte aut omninò spoliatum in Vitrum disponi, hâc instantiâ manifestò liquet, in quantum scil. calx sive caput mortuum à destillatione Butyri ♂ ij relictum fusione in Vitrum liquefcit; quod tamen album & virtutis emeticæ expers est, in quantum particulæ omnes Sulphureæ ascendentes, massam istam penitùs destituerant.

U N.

Unguenta, Græcis $\mu\omega\epsilon\alpha$ & $\alpha\lambda\epsilon\iota\mu\mu\alpha\tau\alpha$ (undè Myropolæ, & Aliptæ) antiquis imprimis dicebantur, quæ deliciarum causâ
ex

ex odoris fiebant : quæ verò hodie dicuntur Unguenta, sunt Græcorum *ἔμματα*, ita dicta, quod linamentis carpitur exciperentur: (*μολὸς* enim Græcis Linamentum est.) Parantur autem vel cum igne, vel sine igne. Sine igne hoc modo parantur. Sumuntur pulveres triti & cribrati, qui oleis insperguntur, additæque s. q. ceræ, omnia in unguenti formam rediguntur; Aut recipiuntur unguenta usalia, additæque ijs specierum vel pulverum ferè subquadruplum, vel suboctuplum, & cum oleo aliquo convenienter miscentur. Aut sumuntur pinguedines medullæ vel solæ vel cum oleo, pondere æquali, duplo, vel subduplo, adj. & is paucis pulveribus, cum s. q. ceræ F. Unguentum; Cum igne verò etiam pluribus modis fiunt. Aut enim pinguedines, olei gummi liquantur, ut pulveres facilius immisceri possint: Aut herbæ, radices, semina macerantur aliquandiù in aquâ, vino, succis, oleo: deindè coquantur ad consumptionem ferè liquoris: colaturæ expressæ adduntur cætera, & cum pinguedine aliquâ, ac s. q. ceræ vel gummi F. Unguentum.

guentum

guentum. Aut parantur absque oleo cum axungia : herbæ nimirum, flores, radices omnes cum axungia teruntur probè in mortario, donec herbæ axungiam imbibeant : hinc liquantur in igne & exprimuntur.

Unguent. Adstringens. Vide Pharmacop. Shiptoni. Londinens.

Unguent. Ægyptiacum. Vide Pharmacop. Londinens.

Unguent. Agrippæ. ibid.

Unguent. de Alabaastro. ibid.

Unguent. Album Camphoratum. ibid.

Unguent. Amarum. ibid.

Unguent. Anodynum. ibid.

Unguent. ex Apio. ibid.

Unguent. Apostolorum. ibid.

Unguent. Aregon. ibid.

Unguent. de Artanità. ibid.

Unguent. Aureum. ibid.

Unguent. Basilicon Majus & Minus. ibid.

Unguent. ex Bdellio. ibid.

Unguent. de Calce. ibid.

Unguent. Catapsores. ibid.

Unguent. Citrium seu Citrinum. Vide Pharmacop. Shiptoni. Londinens.

218 *Pharmacopæia Chymica.* UN.

Unguent. Comitiffæ. Vide Pharmacop. Londinens.

Unguent. Cosmeticum, five *Aq. Cosmetica* ♀alis. R̄ Merc. Sublimat. ℥j. ponatur in vase stanneo cum Aq. font. ℥iij. stent per 24. hor. cum Spatulâ lignâ subindè agitando, donec totus liquor nigrescat, qui tamen per chartam omporet. colatus limpidus evadit; cum petiâ ant plumâ huic intinctâ facies semel intrâ diem unum, aut alterum blandè obducatur.

Unguent. Dialthææ. Vide Pharmacop. Londinens.

Unguent. Diapompholygos. ibid.

Unguent. Enulatum Sine, & cum Mercurio. ibid.

Unguent. Faciale. Vide Pharmacop. Batean.

Unguent. ad Foveas. ibid.

Unguent. è Gum. Elemi. Vide Pharmacop. Londinens.

Unguent. Hæmorrhoidale. Vide Pharmacop. Shiptoni. Londinens. Vel, R̄ Ol. Ros. ℥iv. Ceruss. ℥j. Litharg. ℥ss. ceræ nov. 3vj. Opii, gr. iiij. M. F. Ung. Vel, R̄ Thur. Myrrh. croc. an. ʒj. Opii. gr. ij. Vitel.

ij. Vitel. ovi j. Ol. Ros. Mucilag. Sem. Psyll. an. q. s. M. F. Unguent.

Unguent. ad Impetiginem, seu Lepram Græcorum. R Portionem carn. vervecin. pinguiorem, quæ frustis rad. lapath. acut. consita, & veru infixa, assetur : atque interea, dum pice liquidâ sensim instillatâ continuè imbuitur, utriusque deliquium, in vase Supposito exceptum, pro unguento præstantissimo servetur. Vel, R Præcipitat. alb. ℥iij. Ung. ros. ℥iij. M. pro litu partium maxime affectarum.

Unguent. Laurinum Vulgare. Vide Pharmacop. Londinens.

Unguent. Martiatum. ibid.

Unguent. Mastichinum. ibid.

Unguent. de Minio, seu Rubrum Camphoratum. ibid.

Unguent. de Mucilaginibus. Vide Pharmacop. Shiptoni. Londinens.

Unguent. Neapolitanum. Vide Pharmacop. Londinens. Vel, pro Pauperibus : R ♀ cum saliv. vel cum pauxillo Terebinth. extinct. ℥jss. ceræ flav. ℥ss. Ol. laur. ℥ij. M. F. Ung.

220 *Pharmacopœia Chymica.* U N.

Unguent. Nervinum. Vide Pharmacop. Londinens.

Unguent. è Nicotianâ seu Peto. Vide Pharmacop. Shiptoni. Londinens.

Unguent. Nibili. Vide *Ung. Diapompholygos.* ibid.

Unguent. Nutritum. ibid.

Unguent. Ophthalmicum. ibid.

Unguent. ex Oxylapatho. ibid.

Unguent. Pectorale. Vide Pharmacop. Londinens. Vel, R Glycyrh. rec. ℥iv. Butyr. rec. non salit. ℥bj. contund. simul in mortario lapideo, & macerentur calore Balnei per hor. 4. dein exprimantur, idemquē labor ter iteretur cum pari quant. novæ glycyrh. *Unguent. s. a.* depuratum, usui servetur : cui tempore usûs *Unguent. Pector. æq. quant. cum* ☉ Nuc Myrist. per exp. parum admisceatur.

Unguent. è Plumbo. Vide Pharmacop. Shiptoni. Londinens.

Unguent. Pomatum. Vide Pharmacop. Londinens.

Unguent. Populneum. ibid.

Unguent. Potabile. ibid.

Unguent. ad Rachitidem. R Rad. O mund. regal. ℥iij. Fol. Sambuc. laur. ma joran

joran.
vendu
℥j. in
cam b
Salit.
aq. vit.
adde
Ball. P
maj. S
sevi ce
an. ℥bj.
Ungu
Londine
Ungu
cop. Sh
Ungu
Ungu
de Mini
Ungu
Pharmac
Ungu
Shipton
Ungu
Londine
Ungu
Londine

Pharmacopœia Chymica. U N. 221

joran. Salv. rorismar. beton. Summit. lavendul. an. M. ij. Bacc. junip. laur. an. ʒj. incisa & contusa vasi idoneo indantur cum butyr. Maial. vel butyr. rec. non Salit. ℥iij. Aq. vitæ, ℥ss. Coq. lentè ad aq. vit. consumpt. expressioni adhuc calidæ adde ☉ Nuc. myrist. per expref. ʒss. Bals. Peruv. ʒj. M. F. Ung. loco butyri maj. Substitui potest medul. bovin. vel sevi cervin. & Ol. Lumbric. Vel Vulpin. an. ℥ijss.

Unguent. Resinum. Vide Pharmacop. Londinens.

Unguent. Resumptivum. Vide Pharmacop. Shiptoni. Londinens.

Unguent. Rosatum. ibid.

Unguent. Rubrum Camphorat. Vide Ung. de Minio.

Unguent. Rubrum desiccativum. Vide Pharmacop. Londinens.

Unguent. Rutaceum. Vide Pharmacop. Shiptoni. Londinens.

Unguent. Rutaceum. Vide Pharmacop. Londinens.

Unguent. è Solano. Vide Pharmacop. Londinens.

Unguent. Splanchnicum, & Splanchn. Magistrale. ibid.

Unguent. è Saccis. Vide Pharmacop. Shiptoni. Londinens.

Unguent. è Succis aperitivis. Vide Pharmacop. Londinens.

Unguent. Sumach. Vide Ung. Adstringens.

Unguent. Tapsimel. & Unguent. Tap-sivallentia. Vide Tapsimel, & Tapsivallent. Pharmacop. Londinens.

Unguent. Tetrpharmacum. Vide Ung. Basilic. Minus. Ung. Tripharmacum. Vide Ung. Nutritum.

Unguent. Tutia. Vide Pharmacop. Londinens.

Unguent. Valent. Scabiosæ. Vide Valent. Scabiosæ. ibid.

Usquebach. R. Aq. Vitæ opt. lb. xxiv. Glyc. lbj uvar. pass. exacin. lbss. caryoph. 3ss. Mac. ZZ. an. 3ij. Macerentur per dies 4. deindè F. colat.

His ad amussim observatis, fidè reconditis, dextrèque elaboratis, omnes & Chirurgiæ & Chymix fontes penè reclusistis,

clusistis, Pharmacopœi; ditio- rem supel-
lectilem nec suspeditare Chymicus, nec
penum uberio- rem jactare novit tota Chi-
rurgorum manus: armis hisce Pharma-
ceuticis humani generis Salus committi-
tur, commissam (ut fas est) strenuè de-
fendite; sed eâ lege, ut semper apud
Medicos summum rei Medicæ sit arbitri-
um, Vobis autem intrâ justos Pharmaco-
pœiæ limites constitutis solum Obsequi
gloria relinquatur.

Unguent. Splanchnicum, & Splanchn. Magistrale. ibid.

Unguent. è Saccis. Vide Pharmacop. Shiptoni. Londinens.

Unguent. è Succis aperitivis. Vide Pharmacop. Londinens.

Unguent. Sumach. Vide Ung. Adstringens.

Unguent. Tapsimel. & Unguent. Tap-sivalentia. Vide Tapsimel, & Tap-sivalent. Pharmacop. Londinens.

Unguent. Tetrpharmacum. Vide Ung. Basilic. Minus. Ung. Tripharmacum. Vide Ung. Nutritum.

Unguent. Tutia. Vide Pharmacop. Londinens.

Unguent. Valent. Scabiosæ. Vide Valent. Scabiosæ. ibid.

Usquebach. R. Aq. Vitæ opt. lb. xxiv. Glyc. lbj uvar. pass. exacin. lbss. caryoph. 3ss. Mac. ZZ. an. 3ij. Macerentur per dies 4. deindè F. colat.

His ad amussim observatis, fidè reconditis, dextrèque elaboratis, omnes & Chirurgiæ & Chymiciæ fontes penè reclusistis,

clusistis, Pharmacopœi; ditio- rem supel-
lectilem nec suspeditare Chymicus, nec
penum uberio- rem jactare novit. tota Chi-
rurgorum manus: armis hisce Pharma-
ceuticis humani generis Salus committi-
tur, commissam (ut fas est) strenuè de-
fendite; sed eâ lege, ut semper apud
Medicos summum rei Medicæ sit arbitri-
um, Vobis autem intra justos Pharmacopœiæ
limites constitutis solum Obsequii
gloria relin- quatur.

Δ

Characterum

Characterum Medicamentis, &c. 225

Plumbum.
Sal Ammoniacum.
Sal Commune.
Sal Petreæ.
Saturnus.
Sol.
Spiritus.
Spiritus Vini.
Strat. Super Strat.
Sulphur.
Tartarum
Venus.
Vitriolum.

h
*
⊙
⊙
h
⊙
2
v
S. S. S.
△
□
⊙
⊙

FINIS.

Præli ERRATA Sic Corriganur.

Pag. 8. l. 27. lege. *pulverisa*. p. 13. l. 17. l. *aurant*. p. 14.
l. 16. l. *Aqua*. p. 26. l. 11. *malacissintur*. p. 27. l. 11. *Baln*.
p. 42. l. 7. *caryoph*. p. 43. l. 2. *Silu*. p. 47. l. 4. *linetum*. ibid l. 7.
Amarum. p. 55. l. 16. *digerendo*. p. 60. l. 4. *lactescens*. p. 61.
l. 14. l. *Epicarpia*. ibid. l. 22. *convenientibus*. p. 62. l. 4. *inflam*.
matar. p. 63. l. 24. *redigatur*. p. 68. l. 2. *ferventi*. p. 82. l. 23.
Emporet. tenuem; Dos. ʒ iij. vel. iv. p. 83. l. 5. *Vehementi*.
ora. p. 84. l. 12. *griseum*. p. 85. l. 23. ʒ iij. p. 87. l. 22. ⊙.
p. 105. l. 14. *amittit*. p. 150. l. 5. □ ri. p. 159. l. ult. *Sa*.
turni. p. 164. l. 22. ʒ ss. p. 167. l. 12. *destilla*. p. 172. l. 19.
cum. p. 174. l. 9. *aguum*. p. 177. l. 13. *foruaci*. p. 179. l. 5.
aqua. p. 180. l. 23. *imple*. p. 182. l. 3. *Olub*. p. 184. l. 21. *Oliban*.
p. 188. l. 3. *Syr*. p. 199. l. 23. □ sat. p. 201. l. ult. *liquef*.
cat. p. 208. l. 6. *Phisici*. ibid. l. 12. pro R \times Sem. *papav. alb*.
ʒvj. *pulv. alb*. ʒvj. lege *papav. alb. pulv. ʒvj*.

A 2

APPEN.

APPENDIX

A D

Pharmacopœiam Chymicam.

A 3

M

A
cu
pi
ul
ex
lon
fif
da
&
gu

APPENDIX:

S I V E

Medicamentorum quorundam Præstantissimorum Manipulus.

A.

AQUA *Aluminosa*: Ex Alumine crudo paratur Aqua per Alembicum, vel per Retortam, quæ ferè insipida est: elicitur igne lento absq; ferè ullo alio artificio. Refrigerat & lenitèr exiccat ejusmodi Aqua; propterea Oculorum inflammationes reprimit, fluxiones sistit; valet etiam ad omnem oris calidam intemperiem, uvulæ, Amygdalarum; & Gingivarum laxitatem reprimit, Linguae & Palati ulcuseula sanat.

A. 4

Aqua

Aqua Lactis Antiphthisica: ℞ Fol. Heder. terrest. Beccabung. Nasturt. aquat. Tarax. ac. aut Oxalid. an. M. iiij. Limac. hortens. mundat. ℥j. Fol. Menth. exiccat. ʒj. Cort. exterior. Aurant. Limonior. an. Nro ij. concis. & contus. affundantur Lact. recent. ℥vij. Vin. Malagn. ℥ij. Destillentur commun. organis. edulcoretur Lac commune cum Aquâ hâc destillat. an. sumend. cum Sacch. Ros. vel cum earundem Conserv.

Aqua Mercurialis Rulandi: ℞ Aq. Plantag. ℥j. Ros. rub. ℥ss. Succ. Aurant. ʒij. Mercur. præcipit. ʒss. M. & leni igne coque ad resolutionem Præcipitati. brevi sanat Ulcera maligna, observatis exactè Medicamentis internis.

Ex omnibus Mercurij dulcis præparatis Aqua potest utilissima parari, ad inflammationem, Fistulas, & Ulcera maligna, non tantum detergenda, sed etiam cicatrifanda, precipuè in Lue Venereâ; valet etiam ad Scabiem sine noxâ penitus curandam: Nimirum, projiciatur Calx viva recens in Aquam bullientem, relinquaturq; aliquandiu, postea filtretur: in filtraturæ ℥j. dissolve bulliendo Mercurij

APPENDIX.

3

rij dulcis ʒj. dein coletur & usui prædicto
servetur. Fallopius hanc vocat Aquam A-
luminis.

B

Balsamum Saturni Marte nobilitatum:
℞ Limatur Mart. q. p. huic affunde Sp.
Sal. rectificat. ad eminentiam 4. digitor.
transvers. stent simul quousq; sedata sit
effervescentia, & Sp. Sal. dulcescat. dein
Sp. tuum filtrato, & ad dimidiam par-
tem evaporato: postea ei addito æq. parti
Sacchar. Saturn. & igne mediocri, ex Re-
tortâ, liquorem superfluum ad Siccita-
tem auferto: ita in fundo Retortæ resta-
bit massa rubicundi coloris, dulcis instar
Sacchar. & validiss. astringens: Dos. vj.
vel. viij. gr. intus sumpta felicissimè sa-
nant Dysenterias, Hæmorrhagias, & flu-
xus omnes nimios; Datur insupèr interi-
us in Potionibus Vulnerariis, à gr. vj.
ad x.

Bezoardicum Minerale sine Sublimato:
℞ Regul. Antimon. à scoriis liberat ʒj.
huic superfund. Aq. Regiæ ʒiij. M. invi-
cem, & digerantur per ij dies, donec
A 5 omnis

omnis Regulus in pulverem albiss. abeat: huic postea affunde magnam quantit. Aq. commun. sic præcipitabitur pulvis albiss. sæpius recenti aquâ affusâ edulcorandus. Egregium est Sudorificum & Bezoardicum. Dos. à gr. iij. ad xij.

C

Cerevisia Hydropica: R Ciner. Genist. alb. & mundat. ℥ j. ponantur in Sacculo cum Rasur. lign. Sassaphr. ℥ iij. Rad. Galang. min. ℥ i. Bacc. junip. Sem. Dauc. contus. an. ℥ ss. F Sacculus pro iv. Congiis Cerevisiæ, post vij. vel viij. dies pro potu commun. depromend.

D

Decoctum Vulnerarium: R Rad. Asclepiad. ℥ j. Rhabarb. elect. ʒ i. Fol. Bugul. Alchimil. Borrage. Agrimon. an M. j. Coquantur in f. q. Vin. & Aq. f. a. Colaturæ dentur ℥vj. aut ℥vij. bis in die.

Decoctum pro Ulceribus sordidis: R Fol. Plantag. Anagallid. Quercus, an. M. j. Rad. Aristoloch. rot. ℥ j. Bacc. Junip. Flor.

APPENDIX.

Flor. Chamom. an. P. ij. Alumin. crud. ʒ ij. Coquant parum in f. q. Aq. Fabrorum.

Decoctum Sulphuris : Sulphur, aquâ in quâ ipsum per totam noctem maduerit, vel excoctum fuerit, præter internum ejus usum ad Febres compescendas, atq; alia præstanda; extra, Inflammationi cuicunq; medetur, Scabiem sanat, & rubores faciei tollit.

Decoctum Empyematicum : R. Raf. Lign. Guiac. ʒj. Sassaph. ʒss. Macerentur per ii. hor. in Aq. commun. ℥viij. dein coq. ad consumptionem ℥jss. post hæc adde Heder. terrest. Comar. Flor. Hyperic. Herb. Veronic. an. M. j. ad ij. Rad. Glycyrrh. ʒss. Sem. Fænic. ʒss. Passul. min. conquassat. ʒiij. demum Coq. ad remanentiam ℥v. F. Decoctum, de quo sumantur ad minimum ʒ iij. tepidè, ter in die.

E.

Eclegma ad Catarrhum Suffocativum : R. Pulv. Haly recens confect. Spec. Diatrag. frigid. an. ʒij. Syrup. Papav. errat. ʒv. Sem. Papav. alb. benè contus. ʒss. Syr.

è Ros. Sicc. ℥ij. Conserv. Ros. rub. ℥iſs. M. ſumatur cochleatim urgente Tuſſi.

Extractum Uterinum: R Conserv. Ros. ℥ij. Sal. Beton. ℥j. Oleum Sulphur. cum Chryſtallo fact. gutt. xij. M. Doſ. ℥ij. manè. Ejusmodi compositio certiffimè uterinos meatus reſerat obſtructos, item maſſam Sanguineam repurgat. Quid? deperditum colorem juvenibus reſtituit: quibus nihil profuerat tota Ars Medica, invincibili Marte etiam pluries adhibito, & reiterato, proſuit hæc ſimplex Compoſitio, caſu & fortunâ ab Empirico quodam Chymico reperta. Poterius.

Emplaſtrum ad Tophos Venereos: R Mercur. viv. in Aq. fort. ſolut. ℥iiij. Axing. porc. non ſalit. ℥viij. M. ſimul, & in ollâ terreâ Coq. continuò cum ſpatulâ ligneâ movendo, donec maſſam mollem obtineas, tum adde ceræ flav. ℥ij. pulv. Maſſich. Oliban. an. ℥vj. M. F. ſ. a. Empl.

Emplaſtrum ad Herpetem miliarem, & Scabiem inveteratam: R Lithargyr. Subtiliſſ. pulv. q. p. huic aſfunde Acet. deſtillat. ad eminentiam 4 digitor. tranſverſ. ſtent in digeſtione donec Acetum deſtil-

destillatum dulcescat, quod decanta & filtra. R̄ Hujus Aceti ℥vj. Mercur. præcipitat. alb. ℥ss. lento igne evaporent ad siccitatem, tum R̄ Pulveris hujus ℥j. Axung. porc. non salit. ℥j. M. F. f. a Empl.

Emplastrum de Spermate Ceti dictum: R̄ Ceræ alb. ℥j. Sperm. Cet. ℥j. Gum. Galban. aceto dissolut. ℥ss. M. F. f. a. Empl. per quod liquatum trahatur tela, fiatq; vulgo dictum Sparadrapum, utrinq; alternatim applicandum. Hoc Empl. egregium, non tantum Sanguinem in extremis corporis partibus omnibus, sed Lac quoq; in Mammis à Coagulatione præservat, quin non raro mediocriter coagulatum iterum solvit & discutit, aut restituit.

Electuarium Halidei ad Hemoptysin, in Germaniâ olim celeberrimum: R̄ Semin. Hyoscyam. Papav. alb. benè contus. an. ʒx. Terr. Sigillat. Coral. rub. an. ʒv. Sacch. Ros. vetust. ℥iij. cum Syr. è Ros. sicc. q. s. F. Electuarium, cujus. Dos. ʒj. ter vel sæpius in die. Corticis autem Peruv. manu liberali exhibet. efficaciam, hoc in casu, mirabilem sæpissime sum expertus.

Febri-

F.

Febrifugum Riverii literatissimis Medicorum vix notum: R Calomel. ʒss. Scammon. Sulphurat. Crem. Tartari, an. ʒj. Vitri alb. Antimon. gr. xij. M. Dos. à ʒj. ad. ʒss.

Febrifugum pro Paupericribus: R Alumin. crud. Nitri depurat. Nuc. Mosch. pulv. an. ʒj. M. F. Pulv. pro fuceo cum pauxillo Sang. Dracon. tingend. Remedium hoc in Quartanâ contumaci, & Medicamentis aliis omnibus serè surdâ, in Liquore Posset. simplici, quartâ quâq; horâ extra Paroxysmum exhibitum, & per duas vices continuatum, ad ʒj. nunquam aut rarissimè fallit.

I.

Jalapium, omni serè Palato, & Stomachis nauseabundis amicissimum: R Aq. Menth. Lact. Alexit. Ceras. nigr. an. ʒvj. Pæon. comp. ʒiij. Sp. Lavend. comp. ʒss. Sacch. perlat. ʒjss. Rad. Gentian. grossè pulv. nodulo inclus. & in vitro suspent. ʒss. M.

Icteri.

APPENDIX.

9

Ictericum Apozema: R^c Ingredient.
Decoct. Pectoral. q. s. Rad. Petrosel,
Fœnic. Cichor. Gramin. an. ℥ij. Rad.
curcum. Cort. interior. Berber. an.
℥j. Raf. C. C. Ebor. an. ℥iij. Uvar.
Corinthiac. ℥ij. Croc. Angl. in nodulo
ligat. 3℔. Coq. in Aq. font. q. s. ad ℥ij.
circa finem addendo Vin. alb. Gallic. ℥ss.
Colaturæ adde Aq. Lumbr. Magist. ℥iij.
Syr. è 5. rad. Decoct. traumat. an. ℥ij. M.
Dof. ℥iij. ter in die, cum Linctus Pecto-
ral. cochl. j.

Infusio Hydropica: R^c Ciner. Genist. ad
albedinem calcinat. ℥j. in Vin. Rhen. ℥iv.
frigide infundant. quibus adde Fol. Ab-
sinth. P. ij. Liquoris per filtrum colati,
℥iv. primo manè & serò hauiat Ægro-
tans, usq; dum tumor evanuerit; quo
solo Remedio plures Hydropes laboran-
tes vidi ad Sanitatem integrè restitui-
tos.

*Fulapium ad Phthisicorum Sudores colli-
quativos:* R^c Aq. Tormentil. Plantag.
Germin. Querc. an. ℥iij. Aq. Cinnam.
hord. ℥iv. Aq. mirab. 3℔. Marg. pp.
Coral. rub. Cretæ albiss. an. ʒj Bol. ver.
Sang. Drac. an. 3℔. Terr. Japon. ʒj.
Acet.

Acet. Stillat. vel Sp. Vitriol. q. s. ad gram aciditatem; Syr. Myrtil. ℥ij. M. F. Julap. Dos. ℥ij. vel. iij. tertiâ vel quartâ quâq; hor. agitatâ phiolâ.

L.

Laudanum sine Opio: R. Semin. Daturæ, five Stramon. alb. ℥j. contunde grosso modo, & infunde in s. q. Sp. Vini; evapora ad medietatem, & habebis Narcoticum præstantiss. de quo cochl. j. sufficit pro Dosi in Phrenitide, & in omnibus doloribus. Tutiùs exhibetur, quàm quodvis aliud opiatæ genus.

M.

Martis Chrystalli: R. Limaturæ Martis opt. q. v. Ei affunde Ol. Sulph. per campan. q. s. stillatim tamen; protinùs enim Mars incalescit, totusq; solvitur: ubi refrixerit, intra bihorium dabit crystallos: has aq. destill. solve, solutas filtra, & evaporatâ aquâ donec pellicula in summo cœat, redire in loco frigido in crystallos sine: quibus exemptis & aq. rursus evaporatâ alias crystallas expecta, etiam tertiâ quartâve vice. Dos. ad gr.

APPENDIX. 11

3. vel 4. in Lohoch. aut Syrup. Pectoralibus.

Mixtura in Peripneumoniâ: R Succ. Tarax. depurat. ℥j. Aq. Plantag. Ros. rub. an. ℥ij. Aq. Prophylact. ℥ß. Ocul. Cancr. crud. pulv. 3ß. Syrup. Papav. Errat. 3jß. M. Dos. cochl. ij. quovis horæ quadrante: Operatio ejus adstantibus quàm mirabilis.

Mixtura ad Vomitum cruentum: R Aq. Plantag. ℥ij. Cinnam. fort. 3vj. Acet. stillat. 3ß. Coral. rub. pp. 3ß. Sang. Drac. 3ß. Laudan. Opiat. gr. ij. Syr. Myrtill. 3j. F. M. Dos. cochl. j. sæpiùs sumend. Quòd si metus sit à Sanguine nimium coagulato, addi poterit prædictæ Misturæ Ocul. Cancr. 3ß. ut & Antimon. diaphoret. 3j. atq; uti dictum usurpari. In Vomitu vehementiss. dentur Laud. Londinens. gr. iij. cum Pil. Coch. min. 3ijß. Sedabitur Vomitus, & quinq; post horas Purgatio fiet per inferiora: sin resistet medicamentum, clystere acriori evocandum.

Ad Hemorrhoidum dolorem: Anguillæ pinguedo, quæ, dum assatur, extillat; non solum, egregium est contra dolores
Hæmor-

Hæmorrhoidum Remedium, sed & nimium Fluorem optimè sistit. Sic Camphor. $\mathfrak{z}\mathfrak{ss}$. ad $\mathfrak{z}\mathfrak{j}$. cum. Aq. Ros. rub. $\mathfrak{z}\mathfrak{j}$. subacta, applicatur efficacissimè ad dolentes & ardentes hæmorrhoides.

Metalloꝝ resolutio: R \mathfrak{e} Sal. Tartar. $\mathfrak{z}\mathfrak{ij}$. ponantur in Crucibulo, igniq; committantur, quousq; fluant: his adde Sulph. vulgaris $\mathfrak{z}\mathfrak{ss}$. expecta donec Sulphur sit deflagratum; quo facto, committe Sali Tart. cum Sulphure acuato lamellam tuam metallicam excalesactam, & observabis quòd metalla liqueſcent in hoc Menſtruo, instar Butyri: cujus beneficio facillimè in crocum rediguntur Venus, Mars, Sol; exceptâ Lunâ, quæ difficilius solvitur. Quando lamellam tuam à Sale Tartar. absorptam observaveris, pauxillum Sulphuris addere debeas.

N.

Nitri Spiritus circulatus: R \mathfrak{e} Spir. Nitri rubicund. $\mathfrak{z}\mathfrak{ij}$. Aq. Meliss. $\mathfrak{z}\mathfrak{iiij}$. Spir. Fragor. $\mathfrak{z}\mathfrak{j}$. Mixta indantur in phialam largam & altam, & digerantur in calore lenissimo, phialâ benè obturatâ, per septimanam

timanam circiter, post usui reservetur, qui in Affectibus colicis & obstructionibus præstantissimum est remedium, à 3/ss. & amplius pro dosi propinatum.

Decoctum Nephriticum: R Rad. Apij. Ononid. Althæ. an. 3jss. Fol. Argentin. Beton. Pilosel. Herniar. an. M. j. Liquir. ras. & parum tontus. 3ß. Sem. Milii Solis, Fænic. an. 3 j. Bulliant simul in s. q. Aq. comm. Colaturæ Dos. 3 vj. cum Syr. Limon. 3j. Ol. Vitriol. gtt. vj. Calculum in renibus potentèr dissolvit, è vesicâ pellit & ejicit, & urinam copiosè movet.

O.

Oleum Sacchari compos. R Rad. Irid. Florent. Enul. camp. pulv. an. 3ss. Pulp. Dactyl. Passul. Solis enucleat. an. 3 iij. Cort. Citr. Aurant. an. 3jss. Benzoin. 3ij. Croc. Angl. 3j. infund. bidui spatio in Sp. Vin. optimè rectif. mox separetur liquor per inclinationem: Admisce liquori Sacch. cand. pulv. quantum in eo dissolvi poterit, & accende Sp. vini, Spatulâ continuò agitando, donec in spissum, & olei æmulum liquorem flammâ extinctâ abierint. Cui admisce Ol. Sulph. per

per camp. q. s. ad gratam aciditatem.
Remedium est efficaciss. in Asthmate.

Oleum ad Paralyfin: R^x Ol. Hyper. ℥j. Ol. Terebint. ℥ss. Laurin. ℥iv. Ol. Spic. ℥jss. Gran. Junip. ℥ss. Castor. ℥j. Euphorb. ℥ss. Caryoph. mac. Nuc. mosch. cinnam. an. ℥j. Flor. Lavend. Salv. Lil. convall. an. M. ij. Mastich. myrrh. thur. an. ℥j. Pingued. taxi ℥iij. Digerantur omnia per mensem in fimo, dein destillentur in Alembico æneo, f. a. Hoc oleo inungantur membra paralytica & contracta; est enim medicamentum efficacissimum.

Oleum, five Sp. Sulphuris multiplicabilis: Parabis hoc modo Oleum five liquorem multiplicabilem, & cujus ℥j. intra mensem alteram unciam dabit, pro ratione tempestatis; nam si australis sit tempestas & humida, plus; sin septentrionalis & sicca, minus: Ad ejusmodi Ol. five liquorem conficiendum, addantur pro singulo vase Sulphur continente, crystalli calcinatæ ℥ij. Calcinatur autem crystallus, eâ prius ignitâ, & in aq. frigida extinctâ, quod bis & ter reiterandum est, donec sponte in pulverem abeat crystallus:

lus: quâ ratione gemmæ multæ calcinentur, ex quibus postea varia confici possunt remedia. Pro liquore nostro multiplicabili, crystalli pulvis in vasis fundum prius immittitur, secus deflagrationem Sulphuris cohibet. Virtus hujus Ol. mirabilis est, nam continuò augetur, & quod ab eo prodit, est veluti aq. destillata subacida; hæc cum aliquo liquore data sitim egregiè extinguit, obstructions & infarctus renum & jecoris solvit, menses movet, & alia egregia præstat.

P.

Pilula Balsam. Sulphuris: R Balsam. Sulph. cum Sp. Terebinth. fact. 3 j. Flor. Sulph. Liquir. pulv. Sacch. cand. an. 3ij. M. F. Massa. Dos. à 3/s. ad 3 j. In Phthisi, Hecticæ Febris experte, tutissimè exhibentur, & summâ cum utilitate.

Pilula in Hydrope inveteratâ & contumaci
R Pil. ex duob. 3 ij. Elater. gr. iv. Ol. Caryoph. Chym. gtt. ij. M. F. Pil. 5. vel 6. summo manè sumend. repetanturq; pro ætate & virium tolerantia, 2do. vel 3tio.

3tio. quoq; die, donec partes affectæ detumuerint.

Pulvis de Gutteta Monspeliensis: R Rad. Pæon. mar. Sem. ejusdem. Dictamn. alb. Visc. querc. an. 3 ss. Sem. Atrippl. 3 ij. Cran. hum. 3 iij. Coral. rub. Hyacinth. pp. an. 3 j ss. Ungul. Alcif. pp. 3 ss. Mosch. 3 j. Fol. Auri 3 j. M. F. Pulv.

R.

Resinarum preparatio: R Jalap. Scammon. Agaric. q. pl. hisce pulverisat. affunde Sp. Vin. generosum ad eminentiam 3. vel 4. digitor. transvers. Stent in digestionem per hor. 24. Spiritum Vin. absq; perturbatione fæcum decanta, & in aq. frigidam projice, quæ lactescet: Sin magnâ quantitate Resinas comparare animus sit, per destillationem portio Sp. Vini recuperari queat; secus fiat supra ignem lenem evaporatio ad totalem siccitatem. Commodissimè interius exhibentur dissolutæ in vitel. Ovor. quo in casu cum jusculis, aliisve vehiculis, misceri possunt. Pro summè delicatulis miscentur cum lacte amygd.

amygdalato, cui ad gratiam additur julap. rosat.

Rotula Infantiles laxativa: R Cran.hum. pp. ʒ ij. Mercur. per sextam sublimationem dulcificat. Rad. Jalap. an. ʒ j. Margar. pp. ʒ ij. Confect. Alcherm. ʒ ss. Ol. Cinnam. gtt. vi. Sacch. in Aq. Scordij solut. ʒ iiij. F. s. a. Rotulæ, quæ vermes primò necant, & indè genitam Epilepsiam curant.

S.

Sal Prunel.Tachenii : Alkali quoddam, in aquâ solutum (viam humidam appellant) semper acida absorbet, mundificat etiam Salem Petræ ab omni acido, quem ideò emunctiores Medici in Anginâ pro summo refrigerante elegerunt; ob id Sal Prunellæ vocari cœpit. Coquunt, inquam, Nitrum in lixivio, alcalifato, donec gutta supra frigidum ferrum instillata, ut sebum constat; tunc in frigidum locum seponunt, sine effusione in aliud vas, & per noctem in strias concrefcere permittunt nitidissimas & purissimas, quas sequente manè abluunt. Alkali enim omne Acidum

dum nocivum & impurum ab illo absorpsit. Nitrum cum Sulphure deflagratum, in Anginâ magis nocet quam prodest, falsum enim evadit.

Spirit. Acidorum concentratio : R^c Cujuscunq; Sp. Acidi, q. v. hunc Superfunde limaturæ Chalyb. vel Antimon. sic illicò dissolvetur limatura; post solutionem perfectam evaporetur liquor serè ad siccitatem; liquorem evaporatum inde Retortæ terreæ vel vitreæ; & primò lento igne omne quod restat phlegma abstrahatur; dein auctiori Spirit. acidi propellantur, qui instar ignis actualis urent. Hoc modo ab omni phlegmatis consortio Spirit. omnes liberari queant, & duplo plus virium obtinent, quàm vulgari modo Spirit. destillati.

Spir. Vin. Coagulatio : R^c Sp. Vin. rectific. Sp. Sal. Ammon. aut Sp. Urin. rectific. an. $\frac{3}{4}$ ss. M. in parvo vitro; cujus orificium digito claudendum, & vitrum sæpius agitandum, donec in massam unam, nivis instar, albam coeant, nec quicquam humidi innatet: poteritq; hoc modo conservari in longum tempus, si vitrum accuratè claudatur cerâ, & cum duplici vesicâ

APPENDIX

19

vesicâ Hujus Dos. \mathfrak{ss} . in quâvis Aquâ
destillatâ.

T.

Tinctura Chalyb. amara: R. Tinctur.
Chalybeat. D. Dris Lower, \mathfrak{ss} ij. quibus
per noctem infund. Spec. Diamb. sine
Mosch. Pulv. rad. Ari comp. an. \mathfrak{z} j. manç
F. Colatura. Medicamentum hoc Melan-
cholicis, Hystericis, senio confectis, sto-
macho languidis, & hujusmodi Affecti-
bus apprime conducit; cujus Dos. sint
cochl. 6, 7, 8, vel 9. bis in die, vel per se,
vel post idoneum aliud quodvis assum-
ptum.

Tinctura ad Dyspneam Scorbaticam: In
Dyspnæâ Scorbaticâ ægroto suffocationis
discrimen interminante, nullum præsen-
tius est remedium, quàm Laudan. Opiat.
paucula grana, in Vino Hispanico gene-
roso dissoluta, adq; Tincturæ extractio-
nem infusa; tum cochleatim subinde ex-
hibita.

*Turbith Minerale, siue Precipitatum lu-
teum:* R. Mercur. Sublimat. q. v. coq. in
Aq. font. ebulliendo ad ignem lentum;
B
deinde

deinde in hanc solutionem claram & puram à fœcibus nempè restantibus, per inclinationem vel etiam per filtrum separatam, guttatim immitte Ol. Tart. per deli q. factum ex Sale ejus, q. s. ac statim præcipitatur Mercurius ad fundum, lutei coloris. Deplue aquam per inclinationem, & pulverem aquâ destill. vel pluvial. vel fontan. aliquoties eluendo edulcora, donec aqua, quâ eluitur, saporis acris nihil retineat: postremò pulverem sedulò & quidem lento igne exicca & serva. Nihil aliud in corpore, quàm per inferiora impuritates ejus exturbat. Dos. à gr. vj. ad x. Medicamentum hoc, paucissimis licet Medicorum filiis notum, in gratiam ægrotantium jam non amplius dissimulandum est, sine summâ in Proximum Charitatis Christianæ jacturâ; quippe Cancrosis, Leprosis, Strumosis, affectibus deniq; omnibus Herculeis, par quidem, si non superius invenitur.

U.

Unguentum Odoratiss. R. Ambr. gryf.
gr. x. Zibet. gr. iij. in mortariolo contere,
&

APPENDIX

21

& ambrastatim colliquescit; cui instilla
pro augendo acido, *grr.* j. vel ij. Succ. Li-
mon. & fanè unguentum condies miræ
suavitatis, quod pellibus affricatum in-
credibilem spirat odorem. Sic Moschum
quò purius & simplicius, vehementer qui-
dem, sed malè, aut certè non benè sua-
vitèr; olet: cum verò dissolvitur cum
nonnullis guttulis Spir. Rosar. ardentis,
quem acidum ostendi contendunt, mirum
tibi dabit fragrantem odorem; ejus
Moschi sic solut. *gr.* iij. si suprà dictæ
solutioni Ambraë Zibethiq; junxeris, sua-
vius odoramentum agrè reperies.

FINIS.

**BOOKS Sold by Anne Speed, at the
Three Crowns in Exchange-Alley in
Cornhill.**

Scripture Religion: Or a short view of the Faith,
and Practice of a True Christian, as plainly
Laid down in the Holy Scriptures, and faithfully
taught in the Church of England. With Suitable
Devotions. By a Divine of the Church of England.
The second Edition. 8vo. price 3 s.

The Duties of the Closet, being an Earnest Exhor-
tation to Private Devotion. The Fourth Edition
Corrected. price 1 s. 6 d.

The Great Duty of Communicating Explained and
Enforc'd, the Objections against it answer'd, and the
necessary preparations for it stated, with Devotions
to be used Before, At, and After the Lord's Supper.
By the Author of *The Duties of the Closet*. The
Fourth Edition, 12o. price 3d. or 20 s. a Hundred
to those who give them away.

An Anatomy of Atheism, A Poem by the Author of
The Duties of the Closet. The Third Edition 8vo
price 3d. or 20 s. a Hundred.

A Sermon Preach'd before the King, on Job 5.
12. 4to price 6d.

A Sermon Preach'd before the Lord Mayor, on
Prov. 14. 34. 4to price 6d.

*Christianity best Propagated by the Good Lives of
Christians*. A Sermon Preach'd at St. Mary-le-Bow,
before the Gentlemen Educated at Merchant Taylors
School.

Books Sold by Anne Speed.

School, Jan. 16. 1699. on Mat. 5. 16. 4to price 6d.

Self-Love the Great Cause of bad Times. A Sermon Preach'd before the Society of the Mystery of Goldsmiths, at the Parish Church of St. Lawrence-Jewry, on Tuesday the 4th of February 1701. on 2 Tim. 3. 1. and part of the second verse, 4to price 6d.

The Friendship of the World Enmity with God. A Sermon Preach'd before the Queen at Her Royal Chappel at St. James's, November 15. 1702. Publish'd by her Majesty's Special Command, 4to price 6d.

The Excellency and Usefulness of Wisdom, Especially to Persons of Quality and Estate. A Sermon Preach'd at Bishop Starford Church, on Tuesday the 17th of August 1703. on Eccles. 7. 11, 12. at a Feast of some of the Gentry and Clergy of Essex and Hertfordshire, for the Encouragement of the School there. Publish'd at the Request of the Stewards, 4to price 6d.

The Nature and Necessity of a Christian Conversation. A Sermon Preach'd before the Queen, at her Royal Chappel at St. James's, on Sunday November 19th 1704. Publish'd by Her Majesties Special Command, 4to. price 6d.

These by the Reverend Sir William Dawes, Baronet, D. D. and Chaplain in Ordinary to Her Majesty.

Conversation in Heaven: In two parts. Part I. Being Devotions consisting of Meditations and Prayers on several considerable Subjects in Practical Divinity. Written for the Raising the Decay'd Spirit of Piety. Part II, Being Sacramental Devotions; Consisting of Meditations and Prayers Preparatory

BOOKS sold by Anne Speed.

ratory unto a *Worthy Receiving of the Holy Communion*. As also *Meditations and Prayers* suited to every part of *Administ'ring and Receiving it*. The Third Edition, Corrected, with Additions. 12 mo. price 3 s.

Knowledge and Vertue the Great Ornaments of Human Nature. A Sermon Preach'd before the Gentlemen Educated at Merchant-Taylors School, at *St. Mary le Bow*, December 11. 1701. 4to. pr. 6d.

The Evidence of things not Seen: Or the Immortality of the Human Soul, prov'd from *Scripture and Reason*. In Two Discourses: Wherein are contain'd some Remarks on the *Fundamental Principles* of two late Books, The One Entitul'd *Second*, The Other *Farther Thoughts concerning Human Soul*, Together with an Examination of the Opinion of a *Middle-Place of Residence*, supposedly assigned to the Deceased Souls of the Righteous, between Death and the Day of Judgment. The Third Edition, with many large Additions. Octavo, price in Sheep 2 s. in Calf, 2 s. 6 d.

These Three by the Reverend Dr. Lawrence Smith, Rector of South-Warmborough in Hampshire.

A Sermon at the Funeral of *Mrs. Elizabeth Fisher*, Sister to the Honourable *Sir William Dawes, Baronet, D. D.* and Wife to the Reverend *Dr. Peter Fisher*, Preach'd at *Bennington in Hertfordshire*, June 2. 1698. By *William Milner*, Vicar of *Shephall in Hertfordshire*, 4to. price 6 d.

Of the Happiness of the Saints in Heaven. A Sermon Preach'd before the Queen at *White-Hall*, October 12. 1690. By *William Beveridge, D. D.* Now Lord Bishop of *St. Asaph*. The Seventh Edition, 12 mo. price 3 d. or 20 s. a Hundred to those who give them away.

The same Sermon of a large Print, 4to. Price 6d.

BOOKS Sold by Anne Speed.

An Earnest Perswasive to the Practice of Family Piety, with Suitable Devotions, The Third Edition. 12 mo. price 1 s. in Sheep, in Calf, 1 s. 6 d.

The Reasonableness of Observing the 30th of Jan. FAST. A Sermon Preach'd in Great Bardfield Church, Jan. 30. 1704-5. Being the Anniversary of the Martyrdom of King CHARLES I. 12 mo. price 3 d. Both by *William Swoorder, Vicar of Great Sampford and Hempstead in Essex.*

Serious Discourse between a Minister and his Parishioner about Conformity. By William May, M. A. Late Rector of Wakes Colne in Essex. Published by the Reverend Mr. Will: Swoorder. 8vo. price 6 d.

The Regular Church of England Man's Devotions: Fitted both for the Family and Closet. In Three Parts. By Edward Creffield, M. A. 12 mo. price 2 s. in Sheep, in Calf 2 s. 6 d.

A Defence of King Charles the First against the Unchristian and Uncharitable Reflections of a Certain Letter, Entituled Animadversions on the two last 30th of January Sermons. The one Preach'd to the Honourable House of Commons. The other to the lower House of Convocation, 4to. price 6 d.

Animadversions on a Pamphlet, Intituled, a Letter of Advice to the Churches of The Nonconformists in the English Nation; Endeavouring their Satisfaction in that Point, Who are the True Church of England? The Second Edition. 4to. Price 6 d.

The Divine Favour the best Alliance, or Repentance the safest Sanctuary in times of Danger. A Sermon Preach'd in the Parish Church of Chelsea near London, on Fryday the 19th of December 1701. Being the Fast Day appointed by her Majestys Proclamation, 4to price 6 d.

These Three by the Reverend Dr. John King, Rector of Chelsea near London.

BOOKS Sold by Anne Speed.

A Sermon at the Funeral of the Reverend Mr. *Tho. Grey*, late Vicar of *Dedham* in *Essex*; Preach'd in the Parish Church of *Dedham*, February 2. 1692. with a short account of his Life. 4to. Price 6d.

The Death of Good Josiah Lamented. A Sermon occasioned by the Death of our late most Gracious Sovereign Queen *Mary*, of Ever Blessed Memory, Preached at *Balsham* in *Cambridgeshire*. By *Joseph Powel*, A. M. Rector there, 4to. price 6d.

The Lords Doing Marvellous in our Eyes. A Sermon Occasion'd by the Late Dreadful STORM, Preach'd on Wednesday the 19th of Jan. 1703. Being the Day appointed by her Majesties Proclamation for a General Fast, 4to. price 6d.

The Queen a Nursing Mother. A Sermon preach'd on the 8th of March 1704-5. Being the Anniversary of Her Majesties Happy Accession to the Throne. 4to. price 6d. Both by *Richard Stephens*, Rector of *Stock-Gailard* in *Dorsetshire*.

A Short Discourse of the Holy Sacrament of the Lords Supper, wherein its primitive Practice, with the Reasons of its Disuse and Neglect, are fully set forth. What are meant by Eating and Drinking unworthily, and Eating and Drinking our own Damnation, are made plain to the meanest Capacity. Also all the most Material Scruples and Objections commonly urged for not receiving the Blessed Sacrament, are fully answered. To which are added a Serious Exhortation, with Directions and Forms of Prayer for receiving of the Lord's Supper. By *John Shank*, Late Lecturer of *St. Mary Magdalene Bermondsey*. 3d Edition, 12mo. price 1s.

The Excellency and Advantage of Religion. A Sermon Preached for the Reformation of Manners, in *St. John's* at *Nevis* in *America*, July 21. 1700. 4to. price 6d.

Piety

BOOKS Sold by Anne Speed,

Piety and Learning the Great Ornament and Character of Priesthood. A Farewell Sermon Preached at St. John's at Nevis in America, May 25. 1701. 4to price 6d.

These two by the Reverend Mr. Thomas Heskith, A. M. and late Rector there.

A Dialogue between *Alkali* and *Acid*, containing divers Philosophical and Medicinal Considerations, wherein a late Pretended New Hypothesis, asserting *Alkali* the cause and *Acid* the cure of all diseases; is proved groundless and Dangerous. Being a Specimen of the Immodest Self-applause, Shameful Contempt, and abuse of all Physicians, gross Mistakes and great Ignorance of the Pretender John Colbatch. By Thomas Emes, Chirurgo-Medicus. The Second Edition. 8vo. Price 1 s.

A Letter to a Gentleman concerning *Alkali* and *Acid*. Being an Answer to a late Piece, Intituled, *A Letter to a Physician concerning Acid and Alkali*. To which is added a Specimen of a new Hypothesis, for the sake of the Lovers of Medicine. By Thomas Emes, Author of the Dialogue between *Alkali* and *Acid*. 8vo. Price 6d.

Curfory Remarks on a Sermon preach'd before the Lord Mayor at St. Mary-le-Bow. Jan. 30. 1694. In a Letter to the Honourable Sir P. D. Baronet. By the late Reverend Mr. Tho. Rogers. M.A. 4to. Price 6d.

Religion the only Happiness. A Poem in a Letter to a Friend. 4to. Price 6d.

Pharmacopæus & Chymicus, Symmystæ; seu Pharmacopæia Chymica. In quâ Medicamenta Alphabeticè digesta tam Chymica quàm Officinalia, Scitū dignissima, uno quasi intuitu légenda simul & pernosceda, Lectori Subjiciuntur. Editio Altera, Priore locupletior per Additionem Medicamentorum quorundam.

BOOKS Sold by Anne Speed.

*dam in Chymiâ & in Medicinæ Praxi præstantissim.
que simul omnia congesta sunt in Appendicem. Au-
thore Joshua Lasher. M.D. & Coll. Div. Johan. Bapt.
in Univer. Oxon. olim Socio. 12 mo: Price in Sheep
2 s. in Calf 2 s. 6 d.*

*Lusus Amatorius: Sive, Musæi Poema de Herone
& Leandro, B Græcâ in Latinam Linguam Transla-
tum. Cui Aliæ (tres scilicet) accedunt Nugæ Poëticae.
Authore C. B. 4to. Price 6d.*

ADVERTISEMENT.

Blank Receipts (and Certificates) for the Col-
lectors of the Queen's Tax and Trophy Tax
are Sold by *Anne Speed*.

FINIS.

m.
u-
pt.
ep

ne
a-
a.

bl-
ax